District 1 1625 N. Frenc District II 1301 W. Gran District III 1000 Rio Braz District IV 1220 S. St. Fra I. R	d, Artesia, zos Rd., Az anci Dr., S	NM 88 ztec, NM anta Fe,	210 87410 NM 875	505	rgy, Minerals &		Resour	exico rces Department HORIZA	Su		Appro	priate AMEN	Form C-1 Feb 26 20 District Of DED REPO	007 ffice	
Operator N CLEAR			/D I I	I C							0GR 371	ID Nu	mber		
P. O. BO			D, LI	LC											
LOVIN			8826	0									Filing Code 9 Net Bbl		Skim Oil Sold
API Numbe	er		Pool Na	ame								Pool (Code		
30-025-	37122		SWD	;MIS	S-DEVON	NAN						963	19		
Property C	ode			ty Name TH V	ACUUM		S	WD-1444		******************************		Well N 274	Number		
II. Su	rface I	Locati	ion												
UL or Lot	Section	Twnsl		Range	Lot ID	Feet fr	om the	North/South	Line	Feet fr	om the	I	East/West Li	ine	County
P	27	18S	3	35E		960		SOUTH		693		I	EAST		LEA
Bot UL or Lot	ttom H	ole L		O n Range	Lot ID	Foot fu	om the	North/South	T in a	Feet fr	4h.		East/West Li		County
OL OI LOU	Section	1 W 1151	ip .	Kange	LOUID	reet II	om the	1401 til/30uti	LAHE	rectii	om the		Last/ West Li	ше	County
Lse Code	Produci	ng Meth	od Code	e Ga	s Connection I	Date C	-129 Pc	ermit Number	C-12	29 Effect	tive Da	te	C-129	Exp	iration Date
S	D														
	il and						l no	\D.		100	l no	D 7/7 C	Th. I		18 11
Transporter 331488	OGRID				d Address GUYS		PO 40	ор 028658		O/G O	PO	D ULS	TR Locatio	on an	d Description
331 100		1711	01411 1	,,,,,	3015		'	,20030							
		Ī													
							Т								
		İ													
		İ													
		i													
IV. W	ell Co	nnlet	ion D	ata											
Spud Date		Ready D			TD		PB	BTD		Perfe	oration	ıs		DE	IC,MC
Hole Size				Casin	g & Tubing Size	e e		Depth Set				S	acks Cement	<u> </u>	
Hoic Size				Casin	g & Tubing 312			Deptil Set					icks Cellicin		
v. w	ell Tes	st Dot													
Date New Oil	CH I CS		a livery Da	ate	Test Date		Test I	Length	Т	bg. Press	sure		Csg. Pro	essur	e
C. 1 C.							24 h	ırs.		0.77					
Choke Size		Oil			Water		Gas		A	OF			Test Me	ethod	
	and that the areas are	he inforn nd belief.	nation gi		ion Division have is true and co		o the	Approved by:	(OIL CON	ISERV	ATION	N DIVISION	1	
Printed name:	(- TZ 1							Title: AC	CEF	TEL) F()R I	RECOL	RD)
Debbie M Title:	ickelve	ey						Approval Date	:						
Agent															
Date:				hone:	2575										
01/05/24				13-39	2-3575										

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the

Department of Transportation Emergency Phone: 1-800-424-9300 (CHEMTREC)

ŠO	DUCT	PETROLE	IM CRUD	F OIL	3. PG I,	1	CARGO	TAN	IK				
U١	l 1267, l	PETROLE	INA CRUIC	E Oll	3. PG II	١, ١	CARGO	AT C	NK		TAN	IIZ	
U١	V 1267, I	PETROLEI		EIN	_, _, 4 GAS. 2.1	1 1	NON-CC	RRO	SIVE	E) 1 CAR	GO TAP	N.	
U	N 1075,	LIQUEFIEL	PEIRO	1.00	PGO TAI	٧ŀ	`					TAXII/	2
U	N 1203,	GASOLINE	= 3, PG II,	CICC	NITAINS HE	ΞX	ANES AND	PEN	FANES), 3, PG II,	1 CARGO	IANK	,
U)	V 1993, FL	GASOLINE AMMABLE LI	QUIDS, N.O	.5. (00		-							- 1
PE	RATOR L	EASE BLA	NT		12 60	,	<i>_</i>	6	UL	۵			1
		de	<u> </u>	1120	i W Come Kin	_							:
ΕA	SE PLAN	IT NAME	-41	<i></i>	11		ull	100	1				
		و ورسک	U/A		1/00	_	CACA_		<u></u> -	NAME	OF CO	MPANY	
0	R THE AC	COUNTO	=										
_		Val	010	24		_		MILE		P.0	NUMBI	ER	-
MC	VED BY	1	DESTI	OITAN	N (STATION		77	٠		11	18	フゥ	1
ī	PIPE	TRUCK	X KB	60_	Africa			_/(0_	1			-
==	LINE					H	EMARKS						
16	ive E	ros. T	ransp	ort	ation	L							7
Ē	MO.	DAY	YR.	1	TRUCK		UMBER		TICK	⁴ 11	18	79	
	11	3	23	-	4	_	(بد		<u> </u>	ماد باد 1977ء ن	<u> </u>		1
L		EASE) NO.	L		NK NO.	_	. /		TAN	K SIZE	~	2	1
1	LANI (L		-	'	7	7	4				₹ } ₩		-
1		N	IGL'S			L				OIL	LEVEL		-
╁				$\neg \top$		1	GAUGE	TE	AP -	T	IN.	FRAC	т.
1	WAT	ER CAPACI	TY, GALS.	1		II				FT.			7
1						I	HIGH	1/2	ام/	フト	2	1//	2
١	LBS.	GROSS/MT	'R STOP %	`		II		1	-			+	-
١				1		I	LOW	1	44	'/\	6	10	7
	LBS	S. NET/GALS	s. Gross	1		I		1,00				ــــــــــــــــــــــــــــــــــــــ	\exists
			T			Ţ	TOT	AL E	ARR	ELS	190	9.4	3
	TOT	AL GALL	ONS			١	1					3. 8. W.	\dashv
	<u> </u>					7	OBSER	/ED (& TEMP.		LIn	00/-
	TEM	!P \	°F. \			١	42	10		00°F.	2/000	IN.	<u> </u>
							B.S. 8	W.	4	FEET	├	114.	\dashv
	1						MEAS	URE	1	1	1	2	1
	1						NET B	ADDI			<u></u>		
	NET G	ALLONS					NEI D	ДГПП					
	1				METER	ō	<u></u> -F						1
						_							
					METER	O	N						1
						_	VOLUM						
	METE	R FACTOR			METER	EL	VOLUMI	-					\sqcup
	L			G I IN	IE TEMP.	π	EMP. FAC	TOR		NET W	DLUME		į
		TEMP. COM YES 🖳		G. LII	°F.	_				TIME	170	115	
		DRIVER	AUGED)		£	٠.	200	10	2		12:	43	
		200	1010	-66.0	R WAIVER	1	¥O.			SEAL	9F-7		7/-
Ļ	ON	OPERATO	RSWIIN	200 C	1					7045	<u> </u>	7 10/	TE /
		DRIVER (GAUGER)	$\dot{\tau}$	71	,	<u> </u>			TIME	130	217	1/2
No. of Street, or other Persons and Street, o		1		<u>.</u>	9/11	_	10			SEAL	QN _		, -
gen en	OFF	OPERATO	OR'S WITN	ESS (OR WAIVE	'n	NO.			19	19	14	12
100					-	_	O REC	E101		¥Ž LE	ASE R	UN	
:	-			ELIV	ERY *		U HEC	CIP	•	/ \	-		1.
										Bani	eers Produ	cis 800	736-353
Û	FOF	M # 250096	3		== -								

Received by OCD: 1/6/2024 10:57:49 AM Five Bros. Transportation

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Emerge	ncv Phone: 1-900 40	4-9300 (CHEMTREC
	1-000-42	4-9300 (CHEMTDEA
PRODUCT		OLIFINI REC

	DAIN 1	JCT 207 DE=-	_							<u>/</u>
i	□ LINI 4	267, PETRO 267, PETRO	DLEUM (CRUDE OI	L, 3, PG I, 1	CARG				
- [☐ UN 1	267, PETRO 075, LIQUE	DLEUM (CRUDE OIL	L, 3, PG II.	1 CARG	O TANK			
į	ON 1	075, LIQUE 203, GASOL	FIED PE	TROLEUM	1 GAS 21/	NON C	O TANK			
-	UN 1	203, GASOL	JNE 3, F	G II, 1 CA	RGO TANK	14014-0(JHHOSI	VE) 1 CAF	RGO TAN	K
į	→ UN 199	93, FLAMMABL	E LIQUIDS	N.O.S. (CO)	NTAING HEVA	NEO ALIE				
i	OPERAT	OR LEASE P	LANT		TOTAL	NES AND	PENTANE	S), 3, PG II,	1 CARGO T	ANI
ĺ	11.		- ""							
į	I FASE D	LANT NAME	- 4-2							
ľ										
	= (2)	<u> </u>	1 12	<u> </u>	2					
į										
į		<u> 2100</u>	~ · · · · ·					NAME C	F COMPA	NY
	MOVEDR	γ	7	INATION (C	TATION NO.)					
į.	LINE [7]	TOUGH F	7 3		IATION NO.)	MIL	ES T	P.O. N	UMBER	
Ĭ	TRUCKED	TRUCK [- 30	11161		1			
	Five I	Bros. Tr			REMA	RKS				
3	MO.	200		ortatio	on					
	, ,,,	DAY	YR.	TR	UCK NUMBE	R	TIONE			
			·当 。	1	56.4		TICKE	15	000	.7
	PLANT (LE	ASE) NO.		TANK NO.				15	ひどう	ŧ]
					1	- 1	TANK SIZ	ZE ,		1
		NGL	'S	L				<u>. 1 ; </u>	2-5	1
	MATER						OIL			1
	WAIEH	CAPACITY, (GALS.		GAUGE	TEMP		LEVEL		1
				 		ICIMP	FT.	IN.		
	LBS. GA	OSS/MTR ST	OP %	1	Шои		+	+	FRACT	
				1	HIGH	1 / 1	112	1		
	LBS. NE	T/GALS. GR	088		#		116	11/	121	
			000	1	row	- J	1 7			
	TOTAL		T	·	₩		<u>L7</u>	1 5 1	101	
- [- IOIAL G	ALLONS	1		TOTAL	L BARF		T		
- 1			+		₩			1130	2 4	
- 1	TEMP		.1		OBSERVE	D GRAV.	& TEMP.	B.S. 8		
T		°F.	-L		420	60 1	, ∕?°E:			
1					B.S. & W.		EET	2/8/		
1				- 1				IN.		
1	ET GALLON	s		- 1	MEASURE	=	21	6	1	
L		•		1	NET BARR	ELS		K		
1				45750		_ :		2		
L			"	ETER OFF						
1			M	ETER ON						
L			"	LICH ON					 	
MI	ETER FACTO	R	м	ETERED VO	N 1 10 45					
			- 1						 .	
	TEMP. COM	P. AVG	LINE TE	MP. TEMP	FACTOR					1
	DRIVER (NO AUGED	· reality	F.	TACTOR	NE	T VOLUM	1E		-
٠.	1 1 21	o o	ts 2		j.	TIA	AF.			
٩C	OPERATO	'S WITNESS	OP WA	VED TO	10	- 17	TO:	70		1
			ON WA	VEH NO.		SE	AL OFF	12		
	DRIVER/G	AUG FRI				:	7 <i>7</i> 4	9/		4
FF	al 1	Ma				TIM	E	DATE		. }
	UPERATOR	& WITNESS	OR WAIV	ER NO			L; / ,	5 17	1.7	4
	1 / P	<u> </u>				SEA	LON		٠_ >	1
	*."	O DELIV	FRY			1/	77	16	<u>, </u>	4
				⊔ RE	CEIPT	of H	EASE RI	JN		1
RM	# 250098							•		ļ.
					-	Bank	ers Produce	s 800-736-3		
							- v roudd	s 800-736-3	536	,
										ï
an'	\$5	THE REAL PROPERTY.	MAN CARRENT	CATHOLOGISM	-					
					THE PERSON NAMED IN					

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Р	RODUC	T								
Ŋ	UN 126	7, PETRO	DLE	JM CR	UDE OIL, 3,	PG L1C	ARGO	TANK		
- Zi	UN 126	7, PETRO	DLE	JM CR	UDE OIL, 3,	PG II 1 C	ADCC	TANK		
\Box	UN 107	5 LIQUE	EIEC	DET	ODE OIL, J,	- C II, I C	ARGO	IANK		
	UN 107	9, EIGOL	INC	7 11	ROLEUM GA	18, 2.1 (NC	N-CO	RROSIVE)	1 CARGO	TANK
	UNITED	S, GASOI	LIINE	3, PG	II, 1 CARGO	O TANK				
_	ON 1993,	FLAMMABL	E LIC	QUIDS, N	I.O.S. (CONTAI	NS HEXANE	S AND F	PENTANES), 3	, PG II, 1 CAF	RGO TANK
O	PERATOR	R LEASE F	LAN	Ţ						
		6		وای منتوح ا	r 11/6	1704		500	7/\	
LE	ASE PLA	NT NAME			1 4				مين	
			-7,-	آبرج و	Th 1	Jan.	11	(m)		
FC)R THE A	CCOUNT	OE.			7 / 2 /	36			
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7	/				ı	NAME OF C	OMPANY
-		July 1	01	CK.	227_					
	OVED BY			DESTI	NATION (STAT	ION NO.)	MIL	ĘS	P.O. NUME	BER .
i	PIPE	TRUCK	M	146	10 / Kg	11101	5	16	11/29	31
TR	UCKED E	3Y	-			REMAR	<u></u>	V. /	1100	
F	ĭve B	ros. T	ra	nspo	ortation		· ·			
	MO.	DAY	т-	YR.						
-	11	7	-	77	1	K NUMBER	•	TICKET	110	04
-	//		4			کے شد			118	ΩTI
15	ANT (LE	ASE) NO.			TANK NO.	- 1 4		TANK SIZE		
					7	#/		16	V SOZ	2
L		N	GĽS					OIL		
	MATED.	CADACIT			T	#	Γ—-		1575	
	WALER	CAPACIT	Y, GA	NLS.		GAUGE	TEM		LEVEL	
					 	 		FT.	IN. F	FRACT.
ľ	LBS. GR	OSS/MTR	STO	P %		HIGH	70	113	,	
								. / -	/	
ı	LBS. NI	ET/GALS.	GRO	SS		LOW	ر وسین	\$,	
L				-		LOW	16	7 /	(T)	0
Ι.	TOTAL .					_				
1	IOIAL	GALLON	S	1	i	TOTA	L BA	RRELS	194.	60
		T — —		\vdash		OPCEDIA	D 00			
'	TEMP	1					7	W. & TEMP.	B.S. &	
-		<u> </u>	°F.			30,	\mathbf{z}	/ ∠°F.	0%8 8	3 /10%
ı						B.S. & V	V	FEET	IN.	
						MEASUF	.	, 7		
NE.	GALLO						L_			
MEI	GALLO	NS				NET BAR	RELS			
\vdash					140					
i					METER OFF	•				
_					METER ON					lacksquare
					INC LETT ON					1 1
MET	ER FACT	OR			METERED V	OLUME				⊢ —
	TEMP. CO		AVC	i. LINE	TEMP. TEMI	P. FACTOR		NET VOLU	ME	└ ─┤
	YES	NO	<u> </u>	. —	<u>°F.</u>					- 1
	Drive	UMJUGE	H)	, >-	<u> </u>			TIME /	7/4	
ON	OPERA	TOR'S WIT	MES	200	107	alle	<u> </u>	12		ī
	0. 2.00	, OI (O VV)	IVE	O UH V	VAIVER NO.			SEAL OFF	~ ~ ~ ~	
	DRIVER	(GAUGE	3) /	- }-				1	13/	<u>2</u>
		("	M				17 95 :2	5/2 DAT	5/7
OFF	OPERA	OR'S WIT	NES	SOB	VAIVER NO.			CEAL COL	1/	100
			_	-1	7.0.			JOHN J	2111	10
			DEI	IVERY	, ,				VIT	10
		•	UCL	· v E M Y	u F	RECEIPT		LEASE	RUN	
OPM	# 250098	•								
	# Z0UU9							Bankers Pro	lucts - 800-73	R-3536

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

	DUCT		- IN COL	IDE C	OIL, 3, PG	, 1 CARGO	AAT C	١K				
≱ i∪	N 1267,	PETROLE	ON CH	IDE (OIL, 3, PG	I. 1 CARG	О ТА	NK				
່ວັບ	N 1267,	PETROLE	EUM CHU	שטב ל	JM GAS, 2	1 (NON-C	ORRO	osiv	E) 1 CAI	RGO TAI	٧K	
шU	IN 1075,	LIQUEFIE	D PETH	OLE	JIVI GAS, 2.	NIK						
αu	IN 1203,	GASOLIN	IE 3, PG	11, 1 (CARGO TA	EVANES ANI) PEN	TANES	S), 3, PG II	, 1 CARGO	TANK	
ωU	IN 1993, FI	LAMMABLE I	LIQUIDS, N	1.0.5. (CARGO TA	LANCOTAG						1
OP	FRATOR	LEASE PL	ANT									;
0.			120	نر، حمد	1.6	Lita	سن		and butter	2 6 mg		, d
	. O.F. DI. A1	NT NAME			th	. /						
LE	ASE PLA	MI INVINC	600	سد د مو د	<i>7</i> /2	11000	d	11	W1_			
			<u>ا ممدی است.</u> جسم سی	1	<i>6</i> 1				NAM	E OF CO	MPANY	
FO	R THE A	CCOUNT C	JE/ /	2	127. 6					_		- 1
			/ // (<u> </u>	ON (STATIO	NO)	MILE		P.6	D. NUMBI	R	4
M	OVED BY		DES	IINALI	ON (SIANO		9		1//	1499	32	
	PIPE	TRUCK	™ 122	2180 <u> </u>	Melde				1			
77	NCKED	BY	,		_	REMARKS	•					19
1	five F	Bros. T	rans	por	tation							À
_	MO.	DAY	YR.	$\neg \Gamma$	TRUCK	NUMBER		TICH	⁶ 4 1	18	22	į
١		7	2	3	- 2	-5				70	<u> </u>	
L	_//_	1.25) 1/2			ANK NO.			TAN	K SIZE .	رستم ر	(توسو	
Į F	PLANT (L	EASE) NO.		"	7	4/1		1	100	150		
L				L_	' -	T			OIL			
		<u></u>	NGL'S					\Box		LEVEL		
Γ		ER CAPACI	TY, GALS	i.		GAUGE	TEM	IP	FT.	IN.	FRACT.	
ŀ	**/	L II O I				 -		- 				1
t		GROSS/M	re STOP	%		HIGH	7/	29	7	3	0	1
ł	LBS.	GHU55/M	18 3101	,0		ll	10		- ∸⊣			┨
- 1						LOW	12	24	′ /	7	0	1
	LBS	S. NET/GAL	S. GHUS	•	}		00					┦
			Т				AL B	A DD	EI C	190	1,6	D.
	тот	AL GALL	ONS			101	AL D	ANN	EL3	· · · _		7
						OBSERV	/ED G	RAV.	& TEMP.	1	& W.	4
	TEM					5/4	_		Ø °F.	1%8	410%	
	IEW		°F.					<u> </u>	EET		N.	
		_				B.S. &		-			2.	
	1					MEAS	JRE	Ì		0	<i>,</i>	
ř.						NET BA	RREL	s				
	NET G	ALLONS				1						4
į	L				METER C	FF						1
											-+	
ì					METER C	ON						
;	l											\dashv
).	METE	R FACTOR			METERE	D VOLUME					1	1
	1				1	END ENCT	OB.		NET VO	LUME		7
į.		EMP. COMP		/G. LIN	VE TEMP. T	EMP. PACT	· .		ì			
-		DRIVER (S					0		TIME	13:0	90	
ŧ	1	(A)	e i FD	' (7/00	1200	-66	<u> </u>				_
10	ON	OPERATO	R'S WITN	ESS C	R WAIVER	NO.			SEAL	ラカノ	41	2 -
Υ.	ļ								TIME		DATE	1
í		DRIVER (C	AUGER)	Á	$\Delta \Delta$				1/8	2:45	111	/
ķ	OFF			<u> </u>	DEWAIVER	NO			SEAL	ON A		1,2
1	JEF	OPERATO	H'S WITN	E30 (4				9	<u> [G[</u>	41	7
1	لــــــا	L			1	□ RECE	:IPT		9/LE	ASE RU	N	
į			0 0	ELIV	ERY	U MEUE			A			
									Bank	rs Product	800-736	-3536
	FORM	# 250098								fler.	120	

Received by OCD: 1/6/2024 10:57:49 AM Five Bros. Transportation

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

	PRODUCT									
ž.	⊉ ℃N 1267, I	PETROLE	UM CF	RUDE OIL, 3	. PG I. 1 C	ARGO T	ΔΝΚ			
Ļ	→ ON 1267, F	FIROTE	UM CF	RUDE OIL 3	PG II 1 C	APGO:	TARRE			
0	⊒ UN 1075, L ⊒ UN 1203, d	IQUEFIE) PETI	ROLEUM G	AS 21/NO		DOOD (E			
(UN 1203, C	SASOLINE	3. PG	II 1 CARG	O TANK	JIV-COH	HOSIVE) 1 CARG	O TANK	
í	UN 1993, FLA	MMABLE LIC	QUIDS. I	N.O.S. (CONTA	ING HEYANE	כ אאום חד	NTANCO			
ō	OPERATOR LE	ASE PLAN	T .		WHO TIEXAIVE	J AND PE	MIANES),	3, PG II, 1	CARGO TAN	IK —
	1100		23. 1	i ~ _						
Ī	EASE PLANT	NAME								_
_	<u></u>	1 1/2	14	حاربا سر الأ	č. 10.4					
F	OR THE ACC	OUNT OF			37 3 4 5			NAME OF	COMPAN	-
_	Pale	2100							CONTAIN	•
N	OVED BY		DEST	NATION (STA	TION NO.)	MILE	s T	P.O. NU	MRER	-
_	PIPE LINET	RUCK []∗	12	6 1/2	الاسرازي		- 1		WIDCH !	
	RUCKED BY				REMAD	KS				-
	Five Bro	s. Tra	nsp	ortatio	na.					
1	MO.	DAY	YR.	TRUC	CK NUMBER	1	TICKET_			1
L	11	62	7	1 2	611	- 1	1	1 4	003	
P	LANT (LEASE) NÓ.		TANK NO.	_ `~		ANK SIZE	<u></u>	<u> </u>	
L				<i>*</i>	4		47 ,			
L		NGL'S					OIL		<u>مري فر</u>	
1	WATER CA	PACITY GA	u s		CHICE			LEVEL		
L					GAUGE	TEMP	FT.	IN.	FRACT.	
	LBS. GROSS	S/MTR STO	P%		HIGH		 	 -	THAO!	
L					nigh	58	13	9		
	LBS. NET/G	ALS. GROS	SS		LOW	1		 	 	
L					LOW	ු එ	1	10	7	
	TOTAL GAL	LONS			TOTA					
ļ.	- -		<u> </u>		ـــــ	L BARR		19	200	· to
	TEMP				OBSERVE	D GRAV.	& TEMP.	B.S.	& W.	
<u>-</u> -		•F.			4/3	<u> 6</u> Ls	<i>7</i> °F.	0%8	110%	
]	B.S. & W	/. F	ÉET	II.		
					MEASUR	Ε	0	7		
NE	T GALLONS			- 1	NET BARE	RELS				
							1 -	ر سید	93	
				METER OFF					1	
_				METER ON						
ME	ER FACTOR			METERED V	OLUME				+	
	TEMP. COMP.	AVG	LINE	TEMP. TEMP						
	YES IN	0	LINE	°F.	PACTOR	I N	ET VOLU	ME		
	DRIVER (GA	WGER)	, ,			<u>_</u>	ME			
NC	OPERATOR'	SWITNES	S OP W	AIVER NO.	20-12	/	9:5	2 · A	$\mathcal{L}_{\mathcal{M}}$	
		من المارية المارية المارية المارية المارية المارية المارية المارية المارية المارية المارية المارية ا		AIVEN NO.		S	EAL OFF	9 , 11	1-7	
	DRIVER (GA	999					ME 7	<u> </u>	16	
FF	OPERATOR	AVITAITOS	05.0	A II (172		'`	0:	(0)	7- 12	
	O COMPONE	- WIINESS	OH W	AIVER NO.		SE	AL ON	1 - 7		
		D DEL				L_	111	540	<u> </u>	
		□ DELI	VEKY	u R	ECEIPT	O.	LEASE	RUN		
RM	# 250098									
					and the same of	В	ankers Prod	ucts 800-7	36-3536	

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

RODUC	`T						-				
หยาย เสรีย 12	67, PETROL	FUM C	RUE	DE OIL.	3. PG	I, 1 CAR	GO T	ANK			
PUN 12	67, PETROL	EUM C	RHE	DE OIL,	3. PG	II. 1 CAF	RGO T	ANK			
1 UN 12	75, LIQUEFI	ED DEI		LEUM G	Δς:	2 1 (NON-	COR	ROSI	VE) 1 C	CARGO T	TANK
J UN 10	03, GASOLII	UE 2 D	G 11	1 CAR	30 T	ANK	00		,		
J UN 12	3, FLAMMABLE	HOUIDS	N O	S (CONT	AINS	HEXANES A	ND PE	NTANE	S), 3, P	G II, 1 CAF	RGO TANK
			, , •								
OPERAT	OR LEASE PL	ANI	į.								
(10	CI LANT NAME	<u> 2011</u>	10 00	1							
10	ACCOUNT C	02		نوائر الميا							0145110/
FOR THE	ACCOUNT C	F							NA	WE OF C	OMPANY
Pa	low	0									
MOVED	BY	DES	_	ATION (S		7	MILI	ES	F	O. NUM	BER
PIPE [TRUCK	\mathcal{G}	2	6 1	12	1184					
TRUCKE			***			REMARK	s				
Five	Bros. T	rans	po	rtati	on						
MO.	DAY	YR.		· TI	RUCK	NUMBER		TICK	ET,	4 4 6	104
. 1	16	2			- 2	64		ļ	1.	140	JU4
PLANT	(LEASE) NO.			TANK N	0.			TAN	SIZE		
	, ,				1			١.	16 8	(10	
		GL'S		L	Ť				OIL		
				T	- +		Ι			LEVEL	
WA	TER CAPACIT	Y, GALS	6.	ı	ŀ	GAUGE	TEM	IP	FT.	IN.	FRACT.
<u> </u>				 	-+		-	_			
LBS	S. GROSS/MTF	STOP	%	l	ļ	HIGH	6	2	Ø	0	3
				-			(/	+	\ominus	<u> </u>	
LE	S. NET/GALS	GROSS	3			LOW		2 1	7	LI	111
							1 2	2	<u> </u>		
TOT	AL GALLO	NS			- 1	TOTA	AL BA	RRE	LŞ	100	2.43
						OBSERV	ED 01	201/ 0	TEMP		. & W.
TEN	AD	1			ļ		7.1	_		+	
	<u>"</u>	°F.	_			4/3.	\neg	64		Q% &	
						B.S. & 1	W.	FE	ET		N.
						MEASU	RE	(1	
NET C	ALLONS				1	NET BAF	RRFI S			<u> </u>	
NEI G	ALLUNG				- 1	1021 274			90	2-41	3 · L
-				METE	R OF	F					
				METE	R ON						
METER	REACTOR			METE	DED.	VOLUME					
MEIER	TACTOR			MEIL	neu	VOLUME					.
TE	MP. COMP.	AVG	i. LIN	NE TEMP.	TEN	AP. FACTOR	R	N	ET VOL	UME	
L QY	ES ONO			°F.	<u>L</u>				114E		
11	JHIVEH (GAU	GER)	1_	1		و سر باس	/_	- ["	12 -	20	Du.
1	[January 1970			R WAIVE	R NO		!	−¦s	EAL OF	F	
ON	OPERATOR'S	WITNES	PO						12	$I \in \mathcal{I}$. 4
ON	OPERATOR'S	WITNES	2							<i>"</i> ——	<u> </u>
ON	OPERATOR'S	WITNES	2					T _a	WE_	20	DATE
	OPERATOR'S	WITNES	2		w			T,	\$5-C	20	DATE
ON (OPERATOR'S	WITNES WITNES	so	R WAIVE	R NO			S	EAL OF	70 752	DATE 11-16
	OPERATOR'S							s	EAL OF	7520	DATE 1/-16
	OPERATOR'S OPERATOR'S	WITNES WITNES				RECEIP	T T	S	EAL OF	7520 BE RUN	DATE 11-16

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

RODUCT	DETROIS	EUM CPU	DE OIL, 3, P	G L 1 CAR	GO TA	ANK		
FUN 1267,	PETROL	EUM CRU	DE OIL, 3, P	G II. 1 CAF	GO T	ANK		
I UN 1267,	PETROLI	ED DETRO	DLEUM GAS	21 (NON-	CORF	ROSIVE) 1 C	CARGO TA	ANK
1 UN 1075,	CASOLIA	IE 3 PG I	I, 1 CARGO	TANK		,		
) UN 1203, 1 UN 1993 FI	, GASOLII LAMMARLE I	IOUIDS. N.O	D.S. (CONTAINS	HEXANES A	ND PE	NTANES), 3, P	G II, 1 CARG	O TANK
PERATOR								
, .		· · · · · · · · ·						
	21	21.	<u> </u>					
EASE PLAI	NT NAME							
<u> </u>	110		<u> الراكا لما لا</u>	<u> </u>		NA	ME OF CO	MPANY
OR THE AC	4	F						
10	<u> (10)</u>	Decorate	NATION (STATI	ON NO	MILE	e F	P.O. NUMB	
NOVED BY		DESTI	6 Mali	/ - /	MILL	- i	.0	
LINE 🗌	TRUCK [<u> 211/6</u>	6 Mal	REMARK	-			
RUCKED E					3			
			ortation	K NUMBER		TICKET		
MO.	DAY	YR.	1			1 1	140	12
II	1-1	12		<u>64 </u>		TANK SIZE	LTU	
PLANT (LE	ASE) NO.		TANK NO.	ı		7	g 2+	
			<u> </u>	!		16	مد امر ا	- inner
	N	GĽS		 		OIL		
WATE	R CAPACIT	Y, GALS.		GAUGE	TEM	IP FT.	IN.	FRACT.
				 		F1.	IIV.	TIAOI.
LBS. G	ROSS/MTF	STOP %		HIGH	51	/ 11	9	0
LBS. 1	NET/GALS.	GROSS		LOW		26	11	/
TOTAL	GALLO	NS		тоти	AL BA	RRELS	160	. 74
		_ + -		OBSERV	ED GF	RAV. & TEMP.	B.S. 8	
TEMP		°E.		4/7.	2	54 °F.	€ %&	10%
				B.S. &	_	FEET	IN	
				MEASU		0		
NET GALL	LONS			NET BA	RRELS		<u> </u>	
		_	METER O	II				
			METER O	N .				
METER FA	ACTOR		METERE	VOLUME				
750.47	P. COMP.	TAVG II	INE TEMP. TE	EMP FACTO	B	NET VO	UME	
1 YES		AVG. L	°F.		··			
	VER (GAU	GER)) ·	TIME	200	A /
ON	ED STODIE	O Z	OD WAIVED N	<u> 24</u>	ω	SEAL O		<i>_</i> /_
J. OPI	ERATOR'S	WITNESS	OU ANVIATO IA			a z	18141	2
DRI	IVER (GERIC	<u> </u>			TIMÉ	- , , , _	DATE
OFF	ay	2				10.	41	112
OFF OP	ERATOR'S	WITNESS	OR WAIVER N	IO.		SEAL Q	750	777
		D DELIV	/ERY	RECEIF	PT T	g LEA	SE RUN	
FORM # 2	50098					Bankers	Products 80	0-736-3536

Received by OCD: 1/6/2024 10:57:49 AMFive Bros. Transportation

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Emergency Phone:	1-800-424-9300	(CHEMTREC)
OBUCT		<u>·</u>

PRODUCT	
TÚN 1267, PETROLEUM CRUDE OIL	3 PG (1 CAROO THE
UN 1267, PETROLEUM CRUDE OIL,	O DO H + CARGO TANK
DI UN 1075 LIQUECIED RETROLEVE	, 3, PG II, 1 CARGO TANK
DAM 1075, EIQUEFIED PETROLEUM	GAS, 2.1 (NON-CORROSIVE) 1 CARGO TANK
- The second of the second of	RGO TANK
U ON 1993, FLAMMABLE LIQUIDS, N.O.S. (CON	ITAINS HEXANES AND PENTANES), 3, PG II, 1 CARGO TANK
OPERATOR LEASE PLANT	
Clear woiter	
LEASE PLANT NAME	
- /]	
FOR THE ASSOCIATION OF THE PARTY OF THE PART	UM.
FOR THE ACCOUNT OF	NAME OF COMPANY
$\pm \Omega D M \Omega$	
MOVED BY DESTINATION (ST	TATION NO.) MILES P.O. NI IMPER
	// A / P.O. NUMBER
TRUCKED BY	=
Five Bros. Transportation	REMARKS
100	_ 1
MO. DAY YR. TR	UCK NUMBER TICKET
11 127 23	264 114013
PLANT (LEASE) NO. TANK NO.	TANK SIZE
NGL'S	16×100
	OIL
WATER CAPACITY, GALS.	GAUGE TEMPLEVEL
	FT. IN. FRACT.
LBS. GROSS/MTR STOP %	HIGH
	<u> </u>
LBS. NET/GALS. GROSS	
EDO: NE MARES. GROSS	LOW 3 4 2 0 1
TOTAL GALLONS	TOTAL BARRELS
	166,32
TEMP	OBSERVED GRAV. & TEMP. B.S. & W.
°F.	4/3 2 6 °F 0% & 1/10%
	BC 914
1	
	MEASURE 2
NET GALLONS	NET BARRELS
	1
METER OI	FF
METER OF	N -
METER FACTOR METERED	WOLLING
METERED METERED	VOLUME
TEMP. COMP. AVG. LINE TEMP. TEI	MD FACTOR
□YES □ NO	MP. FACTOR NET VOLUME
DRIVER (GAUGER)	/ TIME
ON CONTROLLED O	mach 2:50 8M
OPERATOR'S WITNESS OR WAIVER NO	SEAL OFF
DRIVER (GATIGRED)	1725077
and the same of th	TIME DATE
OFF OPERATOR'S WITNESS OR WAIVER NO.	13: 20 111-27
WAIVER NO.	SEAL ON
DELIVERY D	RECEIPT Q LEASE RUN
	J 1014
ORM # 250098	

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Emergency Phone: 1-800-424-9300 (CHEMTREC)

DUCT N 1267, PETROLEUM CF	DE OIL	3 PG I	. 1 CARGO T	ANK	
N 1267, PETROLEUM CF N 1267, PETROLEUM CF	TODE OIL,	0,101	1 (NON-COR	BOSIVE) 1 CA	ARGO TANK
N 1267, PETROLEUM CF N 1075, LIQUEFIED PET	ROLEUM	GAS, 2.	NIC	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
N 1203, GASOLINE 3, PC	3 II, 1 CAF	TAING H	ININ EVANES AND PE	ENTANES), 3, PG	II, 1 CARGO TANK
N 1993, FLAMMABLE LIQUIDS,	N.O.S. (CON	I AINS III	EXAMES AND T		
RATOR LEASE PLANT	V L		1. C. 18	_	
HUATEL	<u> </u>			<u>}</u>	
SE PLANT NAME					
Atsic	人名人	CLAB	41		ME OF COMPANY
THE ACCOUNT OF			,	NAN	ME OF COMPANY
A DVY			_		
	STINATION	(STAT)ON	4,NO.) MII	LES P.	O. NUMBER
DIDE UN	Talo IN	Mic	7 (17)	l	
INE LI TRUCK LALL	VVI	CAL	REMARKS		
ucked BY ive Bros. Trans	mortal	tion			
		TRUCK	NUMBER	TICKET	E007
MO. DAY YR	5	1110011		1	L5827
11 / / / / /	70011	NO -	<u> </u>	TANK SIZE	1-00
LANT (LEASE) NO.	TANK	NO.	2	1 110	15 001
				OIL OIL	
NGL'S		+			LEVEL
WATER CAPACITY, GAL	s.		GAUGE TI	EMP FT.	IN. FRACT.
			 		
LBS. GROSS/MTR STOP	. %	1	HIGH	2117	12101
LBS. GHOOGIII.TT				2	 * * * * * * * * * *
	20		LOW C	1/-	1910
LBS. NET/GALS. GROS	~ _				
			TOTAL	BARRELS	11924x
TOTAL GALLONS			11		B.S. & W.
			1	GRAV. & TEMP.	
TEMP °F.]		193 V	2 €3.°F.	
			B.S. & W.	FEET	<u>iN.</u>
			MEASURE		J = S
					<u> </u>
NET GALLONS			NET BARR	ELS	
		ETER O	 FF		
	**	EIENU	• •		
	IN	ETER O	N		
METER FACTOR	N	METERE	OVOLUME		ļ
	VO 1 "" 7	CMP T	EMP. FACTOR	NET V	DLUME
TEMP. COMP.	IVG. LINE I	°F.			10
DRIVER (GAUGER)	<u> </u>			TIME	x:401
		()	<u>.</u>	SEAL	OEF
- I + // *		AIVER I	WO.		172 80
ON OPERATOR'S WITH	MESS OH M			TIMÈ	DATE
ON OPERATOR'S WITH		${}$		1.22	
- I + // *		D.			<u>.40111-</u>
ON OPERATOR'S WITH	0	VAIVER	NO.	SEAL	14 UIII
ON OPERATOR'S WITH	0	VAIVER	NO.	SEAL	00322 ASE RUN

FORM # 250098

PO Box 148 | Hobbs, NM 88241 | (575) 441-5168

This is to certify that the hereby-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Emergency Phone: 1-800-424-9300 (CHEMTREC)

PRO	DUCT											
. /							G I, 1 CAF					
2.3							G II, 1 CA					
UN 1075, LIQUEFIED PETROLEUM GAS, 2.1 (NON-CORROSIVE) 1 CARGO TANK										ANK		
☐ UN 1203, GASOLINE 3, PG II, 1 CARGO TANK ☐ UN 1993, FLAMMABLE LIQUIDS, N.O.S. (CONTAINS HEXANES AND PENTANES), 3, PG II, 1 CARGO TANK												
☐ UN	1993, FLAI	MMABLE	LIQUI	DS, N.O	.S. (CON	TAINS	HEXANES	AND PE	ENT	ANES), 3, F	PG II, 1 CARG	30 TANK
OPERATOR LEASE PLANT												
ŧ,	\63	04 6	\ \ \		TOX	_	: N	/10)			
LEAS	E PLANT	NAME	1 .		1							
	100	SUC	+ 6	4	Ma	K (*)	Mili	/M				
FOR THE ASCOUNT OF NAME OF COMPANY												
	1	12/10	327	1/4								
MOVE	ED BY	<u> </u>	م ر	ESTIN	ATION (S	TATIC	N NO'I	MILI	ES	1	P.O. NUMBI	ER
PIP	E	TRUCK	a/ \	ومرأتس	(N	Δa	11.	ST	1			
	E 1	HUCK	نللة	Y	VI.	10	REMARK	<u>-/\</u> (S	7			
	ve Bro	os. Ti	ran	spo	rtati	on	, , , , , , , , , ,					
		DAY					NUMBER		Тти	CKET_		
1 1	ĭ ^	5 (a)	Y	, z		-			'''	~~1 ·	158	28
DI AN	NT (LEAS				TANK N	.	112		TA	NK SIZE	<u> </u>	
FLA	VI (LEAS	E) NO.			IMINI IN	رم .	?		'^	3122	10	$\gamma \gamma I$
						-4	(67 .		<u> </u>	10	1 31	\sim
		NC	àL'S		, -			ı	-	OIL		
1	WATER C	APACITY	, GAL	.S.			GAUGE	TEM	IP		LEVEL	
					<u> </u>					FT.	IN. F	RACT.
L	BS. GRO	SS/MTR	STOP	%		l	HIGH	11	ว 🛊	1	a	\cap L
								100	_	0		<u></u>
	LBS. NET	GALS (GROS	is.			LOW	1	α^{\dagger}		,	1/01
	250.1121	, G, 120.	u. 100					00	ノ		/	14
	OTAL O		\Box				TOTAL DADDELO 1-71			1-71	/ ,*	
"	OTAL G	ALLUN	•				TOTAL BARRELS				11.	66
							OBSEŖV	ED GR	AV.	& TEMP.	B.S. &	W.
Т	EMP		°F.				44,	ΧT	Ţ	27 °F.	0% & 2	/10%
						1	B.S. & \	N.	7	FEET	IÑ.	
										$\overline{\cap}$	6	
							MEASURE / /					
NET	GALLON	S					NET BARRELS					
					1	1	<u> </u>					
					METER	1 OF	-					
				•	METER	RON						+
							'					
MET	ER FACTO	OR			METER	RED \	/OLUME					
$ldsymbol{le}}}}}}}}$.									
	TEMP. CC YES	DMP. □NO.	AVG	3. LINE	TEMP. °F.	TEM	P. FACTOF	1		NET VOL	UME	
	DRIVER		ER)		<u>'''</u>	-t		;	寸.	TIME		
	ŀ	1	4	À	15				\mathbf{Z}	m		
ON	OPERAT	TOR'S W	ITNES	SS OR	WAIVER	NO.				SEAL OF	50 1 to	
				پد سر	<u></u>					<u> </u>	10/2	<u> </u>
	DRIVER	(GAUGI	=H)	1/		1			ľ		P	-20
OFF OPERATOR'S WITNESS OR WAIVER NO. SEAL ON						3-2-11	147,					
C00344/								404				
D DELIVERY D PECEIRT DI EACE DIN												
	DELIVERY DERECEIPT DALEASE RUN											

Bankers Products 800-736-3536

FORM # 250098

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 300609

ACKNOWLEDGMENTS

Operator:	OGRID:		
CLEARWATER SWD, LLC	371101		
P.O. Box 1476	Action Number:		
Lovington, NM 88260	300609		
	Action Type:		
	[C-104] Transport Authorization (C-104)		

ACKNOWLEDGMENTS

V	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
V	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 300609

CONDITIONS

Operator:	OGRID:
CLEARWATER SWD, LLC	371101
P.O. Box 1476	Action Number:
Lovington, NM 88260	300609
	Action Type:
	[C-104] Transport Authorization (C-104)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	ACCEPTED FOR RECORD ONLY.	1/9/2024