

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/09/2023
⁴ API Number 30 – 015-47769	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8579	⁶ Pool Code 98220
⁷ Property Code: 329731	⁸ Property Name: CORRAL BLUFF 11-14 FEDERAL COM	⁹ Well Number: 33H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	2	25S	29E		283	SOUTH	2227	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 118' FNL 1901' FWL LTP- 184' FSL 1724' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	14	25S	29E		44	SOUTH	1729	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 10/12/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 06/27/23	²² Ready Date 10/09/2023	²³ TD 20842'M 10288'V	²⁴ PBTD 20787'M 10286'V	²⁵ Perforations 10353-20702'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	733'		600	
9-7/8"	7-5/8"	9585'		2194	
6-3/4"	5-1/2"	20822'		833	

V. Well Test Data

³¹ Date New Oil 10/12/23	³² Gas Delivery Date 10/12/23	³³ Test Date 10/20/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1894
³⁷ Choke Size 53	³⁸ Oil 2488	³⁹ Water 7596	⁴⁰ Gas 6365		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

01/07/2024

Phone:

432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:

PETROLEUM SPECIALIST

Approval Date: 1/23/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACERAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47769	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329731	⁵ Property Name CORRAL BLUFF 11_14 FED COM	⁶ Well Number 33H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3063'


¹⁰ Surface Location

UL or lot no. N	Section 2	Township 25S	Range 29E	Lot Idn	Feet from the 283	North/South line SOUTH	Feet from the 2227	East/West line WEST	County EDDY
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. N	Section 14	Township 25S	Range 29E	Lot Idn	Feet from the 44	North/South line SOUTH	Feet from the 1729	East/West line WEST	County EDDY
¹² Dedicated Acres 640.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8579						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





Oxy Corral Bluff 11-14 Fed Com 33H IFR1 to 20842ft Survey Geodetic

Report
Definitive Survey



Report Date: August 02, 2023 - 03:40 PM (UTC 0)
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Corral Bluff 11-14 Fed Com Pad Section 2 Lot N / Corral Bluff 11-14 Fed Com 33H
Well: Corral Bluff 11-14 Fed Com 33H
Borehole: Corral Bluff 11-14 Fed Com 33H
UBH/ API / Job Number: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Corral Bluff 11-14 Fed Com 33H IFR1 to 20842ft / 7
Survey Date: July 30, 2023
Tort / AHD / DDI / ERD Ratio: 278.102' / 11199.689 ft / 6.799 / 1.087
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°9'9.85356" W 103°57'23.55290"
Location Grid N/E Y/X: N 419505.130 RUS / E 657944.500 RUS
CRS Grid Convergence Angle: 0.2005'
Grid Scale Factor: 0.99992466
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 182.520 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3088.200 ft above MSL
Seabed / Ground Elevation: 3063.200 ft above MSL
Magnetic Declination: 6.573°
Total Gravity Field Strength: 998.452mgm (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47490.6 nT
Magnetic Dip Angle: 59.757°
Declination Date: July 11, 2023
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.3775°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSs (ft)	DLS (+/-100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (W/E ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.088.20	0.00	419.505.13	657.944.50	N 32°9'9.85"	W 103°57'23.55"		
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	-3.063.20	0.00	419.505.13	657.944.50	N 32°9'9.85"	W 103°57'23.55"	0.00	0.00
First SLB Survey	177.00	0.46	77.58	177.00	0.16	0.13	0.60	-2.911.20	0.30	419.505.26	657.945.10	N 32°9'9.85"	W 103°57'23.55"	0.61	77.58
	243.00	0.54	95.99	243.00	-0.21	0.16	1.16	-2.845.20	0.27	419.505.29	657.945.66	N 32°9'9.86"	W 103°57'23.54"	1.17	82.38
	336.00	0.40	99.62	335.99	-0.14	0.06	1.92	-2.752.21	0.15	419.505.19	657.946.42	N 32°9'9.85"	W 103°57'23.53"	1.92	88.34
	430.00	0.60	118.30	429.99	0.11	-0.23	2.68	-2.656.21	0.27	419.504.90	657.947.18	N 32°9'9.85"	W 103°57'23.52"	2.69	94.96
	523.00	0.47	96.89	522.99	0.36	0.31	3.48	-2.565.21	0.25	419.504.62	657.947.98	N 32°9'9.85"	W 103°57'23.51"	3.52	98.31
	617.00	0.42	76.79	616.98	0.29	-0.48	4.20	-2.471.22	0.17	419.504.65	657.948.70	N 32°9'9.85"	W 103°57'23.50"	4.23	96.47
	659.00	0.21	75.48	658.98	0.23	-0.42	4.43	-2.429.22	0.50	419.504.71	657.948.93	N 32°9'9.85"	W 103°57'23.50"	4.45	95.45
	858.00	0.10	11.75	857.98	-0.05	-0.16	4.82	-2.230.22	0.09	419.504.97	657.949.31	N 32°9'9.85"	W 103°57'23.50"	4.82	91.91
	944.00	0.12	223.49	943.98	-0.06	-0.15	4.77	-2.144.22	0.25	419.504.98	657.949.27	N 32°9'9.85"	W 103°57'23.50"	4.77	91.83
	1,038.00	0.12	294.16	1,037.98	-0.02	-0.18	4.61	-2.050.22	0.15	419.504.95	657.949.11	N 32°9'9.85"	W 103°57'23.50"	4.61	92.28
	1,131.00	0.11	284.97	1,130.98	-0.07	-0.12	4.44	-1.957.22	0.02	419.505.01	657.948.94	N 32°9'9.85"	W 103°57'23.50"	4.44	91.56
	1,224.00	0.09	213.94	1,223.98	-0.03	-0.16	4.31	-1.864.22	0.13	419.504.97	657.948.81	N 32°9'9.85"	W 103°57'23.50"	4.31	92.10
	1,319.00	0.09	234.58	1,318.98	0.08	0.08	4.21	-1.769.22	0.03	419.504.87	657.948.71	N 32°9'9.85"	W 103°57'23.50"	4.21	93.58
	1,414.00	0.15	327.53	1,413.98	0.02	-0.20	4.08	-1.674.22	0.19	419.504.93	657.948.58	N 32°9'9.85"	W 103°57'23.51"	4.08	92.83
	1,509.00	0.09	198.32	1,508.98	-0.01	-0.17	3.99	-1.579.22	0.23	419.504.96	657.948.49	N 32°9'9.85"	W 103°57'23.51"	3.99	92.41
	1,603.00	0.09	302.68	1,602.98	0.03	-0.20	3.90	-1.485.22	0.15	419.504.93	657.948.40	N 32°9'9.85"	W 103°57'23.51"	3.91	92.90
	1,698.00	0.11	269.03	1,697.98	-0.01	-0.16	3.75	-1.390.22	0.06	419.504.97	657.948.25	N 32°9'9.85"	W 103°57'23.51"	3.75	92.43
	1,793.00	0.22	284.64	1,792.98	-0.04	-0.11	3.48	-1.295.22	0.12	419.505.02	657.947.98	N 32°9'9.85"	W 103°57'23.51"	3.48	91.88
	1,888.00	0.24	129.19	1,887.98	0.04	-0.19	3.46	-1.200.22	0.47	419.504.94	657.947.96	N 32°9'9.85"	W 103°57'23.51"	3.46	93.21
	1,982.00	0.28	67.59	1,981.98	0.06	-0.23	3.82	-1.106.22	0.29	419.504.90	657.948.32	N 32°9'9.85"	W 103°57'23.51"	3.83	93.46
	2,077.00	0.32	148.24	2,076.98	0.18	-0.37	4.18	-1.011.22	0.41	419.504.76	657.948.68	N 32°9'9.85"	W 103°57'23.50"	4.19	95.03
	2,172.00	0.25	328.97	2,171.98	0.23	-0.42	4.21	-916.22	0.60	419.504.71	657.948.71	N 32°9'9.85"	W 103°57'23.50"	4.23	95.64
	2,266.00	0.24	172.02	2,265.98	0.25	-0.44	4.13	-822.22	0.51	419.504.69	657.948.63	N 32°9'9.85"	W 103°57'23.50"	4.16	96.01
	2,360.00	0.05	171.03	2,359.98	0.49	-0.67	4.17	-728.22	0.20	419.504.46	657.948.67	N 32°9'9.85"	W 103°57'23.50"	4.22	99.15
	2,454.00	0.09	11.63	2,453.98	0.45	-0.64	4.19	-634.22	0.15	419.504.49	657.948.69	N 32°9'9.85"	W 103°57'23.50"	4.24	98.67
	2,549.00	0.05	98.49	2,548.98	0.38	-0.57	4.24	-539.22	0.11	419.504.56	657.948.74	N 32°9'9.85"	W 103°57'23.50"	4.28	97.68
	2,643.00	0.21	58.99	2,642.98	0.29	-0.49	4.43	-445.22	0.19	419.504.64	657.948.93	N 32°9'9.85"	W 103°57'23.50"	4.46	96.30
	2,738.00	0.04	347.89	2,737.98	0.17	-0.37	4.57	-350.22	0.21	419.504.76	657.949.07	N 32°9'9.85"	W 103°57'23.50"	4.59	94.59
	2,832.00	0.09	129.20	2,831.98	0.18	-0.38	4.62	-255.22	0.13	419.504.75	657.949.12	N 32°9'9.85"	W 103°57'23.50"	4.64	94.72
	2,927.00	0.06	347.89	2,926.98	0.17	-0.38	4.67	-161.22	0.15	419.504.75	657.949.17	N 32°9'9.85"	W 103°57'23.50"	4.69	94.65
	3,022.00	0.08	197.00	3,021.98	0.19	-0.40	4.64	-66.22	0.14	419.504.73	657.949.14	N 32°9'9.85"	W 103°57'23.50"	4.66	94.86
	3,116.00	0.09	356.00	3,115.98	0.18	-0.38	4.62	27.78	0.18	419.504.75	657.949.12	N 32°9'9.85"	W 103°57'23.50"	4.63	94.76
	3,211.00	0.11	115.23	3,210.98	0.14	-0.34	4.68	122.78	0.16	419.504.79	657.949.18	N 32°9'9.85"	W 103°57'23.50"	4.69	94.17
	3,305.00	0.08	279.50	3,304.98	0.16	-0.36	4.68	216.78	0.18	419.504.77	657.949.18	N 32°9'9.85"	W 103°57'23.50"	4.70	94.17
	3,400.00	0.09	84.18	3,399.98	0.14	-0.34	4.69	311.78	0.18	419.504.79	657.949.19	N 32°9'9.85"	W 103°57'23.50"	4.70	94.19
	3,494.00	0.08	93.77	3,493.98	0.13	-0.34	4.83	405.78	0.02	419.504.79	657.949.33	N 32°9'9.85"	W 103°57'23.50"	4.84	94.03
	3,589.00	0.11	262.01	3,588.98	0.15	-0.36	4.81	500.78	0.20	419.504.77	657.949.31	N 32°9'9.85"	W 103°57'23.50"	4.82	94.25
	3,778.00	0.11	351.84	3,777.98	0.00	-0.20	4.60	689.78	0.08	419.504.80	657.949.10	N 32°9'9.85"	W 103°57'23.50"	4.60	92.53
	3,872.00	0.08	93.15	3,871.98	-0.09	-0.12	4.65	783.78	0.16	419.505.01	657.949.15	N 32°9'9.85"	W 103°57'23.50"	4.65	91.44
	3,967.00	0.08	147.08	3,966.98	-0.03	-0.18	4.76	878.78	0.08	419.504.95	657.949.25	N 32°9'9.85"	W 103°57'23.50"	4.76	92.13
	4,061.00	0.13	240.28	4,060.98	-0.08	-0.28	4.70	972.78	0.17	419.504.85	657.949.20	N 32°9'9.85"	W 103°57'23.50"	4.71	93.47
	4,156.00	0.14	125.76	4,155.97	0.31	0.11	4.61	1,065.77	0.11	419.504.82	657.949.09	N 32°9'9.85"	W 103°57'23.50"	4.61	93.90
	4,251.00	0.16	355.15	4,250.97	-0.05	-0.14	4.37	1,162.77	0.18	419.504.99	657.948.87	N 32°9'9.85"	W 103°57'23.50"	4.37	91.87
	4,345.00	0.10	36.33	4,344.97	-0.25	0.05	4.41	1,256.77	0.11	419.505.18	657.948.91	N 32°9'9.85"	W 103°57'23.50"	4.41	89.30
	4,440.00	0.12	17.83	4,439.97	-0.41	0.22	4.49	1,351.77	0.04	419.505.35	657.948.99	N 32°9'9.86"	W 103°57'23.50"	4.49	87.25
	4,535.00	0.12	162.98	4,534.98	-0.41	0.21	4.41	1,445.77	0.25	419.505.36	657.949.06	N 32°9'9.86"	W 103°57'23.50"	4.52	87.32
	4,629.00	0.11	229.49	4,628.97	-0.25	0.05	4.44	1,540.77	0.10	419.505.18	657.948.94	N 32°9'9.85"	W 103°57'23.50"	4.44	89.30
	4,724.00	0.12	5.66	4,723.97	-0.29	0.09	4.38	1,635.77	0.22	419.505.22	657.948.88	N 32°9'9.85"	W 103°57'23.50"	4.38	88.77
	4,818.00	0.12	284.65	4,817.97	-0.43	0.24	4.30	1,729.77	0.14	419.505.37	657.948.80	N 32°9'9.86"	W 103°57'23.50"	4.31	86.82
	4,913.00	0.09	258.61	4,912.97	-0.45	0.27	4.14	1,824.77	0.09	419.505.40	657.948.64	N 32°9'9.86"	W 103°57'23.50"	4.15	86.31
	5,007.00	0.12	86.60	5,006.97	-0.44	0.25	4.17	1,919.77	0.22	419.505.38	657.948.67	N 32°9'9.86"	W 103°57'23.50"	4.18	86.53
	5,102.00	0.12	130.12	5,101.97	-0.39	0.19	4.35	2,013.77	0.09	419.505.32	657.948.85	N 32°9'9.86"	W 103°57'23.50"	4.35	87.43
	5,197.00	0.10	138.54	5,196.97	-0.27	0.07	4.48	2,108.77	0.03	419.505.20	657.948.98	N 32°9'9.85"	W 103°57'23.50"	4.48	89.12
	5,291.00	0.04	77.99	5,290.97	-0.21	0.01	4.56	2,202.77	0.08	419.505.14	657.949.06	N 32°9'9.85"	W 103°57'23.50"	4.56	88.82
	5,386.00	0.12	12.17	5,385.97	-0.12	0.12	4.62	2,297.77	0.12	419.505.25	657.949.12	N 32°9'9.85"	W 103°57'23.50"	4.62	89.18
	5,481.00	0.09	319.38	5,480.97	-0.47	0.27	4.59	2,392.77	0.10	419.505.40	657.949.09	N 32°9'9.86"	W 103°57'23.50"	4.60	86.61
	5,576.00	0.13	21.36	5,575.97	-0.63	0.43	4.58	2,487.77	0.12	419.505.56	657.949.08	N 32°9'9.86"	W 103°57'23.50"	4.60	84.65
	5,671.00	0.14	109.												

10,717.00	88.67	182.42	10,275.92	765.12	-750.61	-346.54	7,187.72	5.52	418,754.58	657,597.99	N 32°9'24.44"	W 103°57'27.61"	826.74	204.78
10,811.00	89.59	182.51	10,277.02	850.11	-844.52	-350.58	7,188.82	1.41	418,660.68	657,593.95	N 32°9'15.11"	W 103°57'27.68"	914.39	202.54
10,906.00	89.66	178.11	10,277.81	954.05	-939.49	-351.52	7,189.61	3.71	418,665.71	657,592.61	N 32°9'05.77"	W 103°57'27.67"	1,003.24	201.54
11,001.00	90.00	181.07	10,278.59	1,048.96	-1,034.48	-352.07	7,190.39	2.29	418,470.73	657,592.46	N 32°9'59.63"	W 103°57'27.69"	1,092.75	198.80
11,096.00	90.22	181.33	10,278.40	1,143.93	-1,129.46	-354.06	7,190.20	0.36	418,375.76	657,590.47	N 32°9'58.69"	W 103°57'27.72"	1,183.65	197.41
11,190.00	90.51	181.38	10,277.81	1,237.91	-1,223.43	-356.28	7,189.61	0.31	418,281.79	657,588.25	N 32°9'57.16"	W 103°57'27.75"	1,274.25	196.24
11,285.00	90.67	181.07	10,276.83	1,332.89	-1,318.40	-358.63	7,188.63	0.18	418,183.84	657,586.90	N 32°9'56.82"	W 103°57'27.80"	1,366.30	195.22
11,380.00	90.76	180.76	10,276.47	1,427.86	-1,413.38	-360.46	7,188.27	1.20	418,091.86	657,584.07	N 32°9'55.88"	W 103°57'27.80"	1,458.62	194.31
11,474.00	90.21	181.05	10,276.50	1,521.82	-1,507.36	-361.94	7,188.30	0.57	417,997.88	657,582.58	N 32°9'54.95"	W 103°57'27.82"	1,550.21	193.50
11,569.00	89.95	180.73	10,276.36	1,616.78	-1,602.35	-363.42	7,188.16	0.43	417,902.90	657,581.11	N 32°9'54.01"	W 103°57'27.85"	1,643.05	192.78
11,664.00	89.72	180.69	10,276.41	1,711.75	-1,697.34	-365.04	7,188.21	0.52	417,807.92	657,579.49	N 32°9'53.07"	W 103°57'27.87"	1,736.15	192.14
11,758.00	89.89	181.40	10,276.51	1,805.73	-1,791.31	-367.19	7,188.31	0.22	417,713.95	657,577.34	N 32°9'52.14"	W 103°57'27.90"	1,828.56	191.58
11,853.00	90.15	181.16	10,276.48	1,900.70	-1,886.29	-369.31	7,188.28	0.37	417,618.99	657,575.22	N 32°9'51.20"	W 103°57'27.93"	1,922.10	191.08
11,948.00	89.54	180.90	10,276.74	1,995.67	-1,981.27	-371.02	7,188.54	0.70	417,524.01	657,573.51	N 32°9'50.26"	W 103°57'27.95"	2,015.71	190.61
12,043.00	89.72	178.11	10,277.81	2,089.64	-2,075.26	-372.79	7,189.14	0.43	417,430.03	657,571.74	N 32°9'49.33"	W 103°57'27.98"	2,108.47	190.18
12,137.00	89.44	180.53	10,278.04	2,184.60	-2,170.24	-374.27	7,189.84	0.82	417,335.06	657,570.26	N 32°9'48.39"	W 103°57'27.99"	2,202.28	189.78
12,232.00	89.83	179.54	10,278.64	2,279.51	-2,265.24	-374.33	7,190.44	1.12	417,240.07	657,570.20	N 32°9'47.45"	W 103°57'27.99"	2,295.96	189.38
12,327.00	89.83	179.36	10,278.93	2,374.37	-2,360.23	-373.42	7,190.73	0.19	417,145.08	657,571.11	N 32°9'46.51"	W 103°57'27.99"	2,389.59	188.99
12,421.00	89.19	178.52	10,278.61	2,469.23	-2,454.23	-372.49	7,191.18	0.27	417,051.09	657,572.04	N 32°9'45.58"	W 103°57'27.99"	2,482.33	188.59
12,516.00	89.98	179.34	10,279.71	2,563.09	-2,549.22	-371.54	7,191.51	0.42	416,956.11	657,572.99	N 32°9'44.64"	W 103°57'27.98"	2,576.15	188.29
12,610.00	89.78	179.29	10,279.91	2,656.94	-2,643.21	-370.41	7,191.71	0.22	416,862.12	657,574.12	N 32°9'43.71"	W 103°57'27.97"	2,669.04	187.98
12,705.00	89.81	179.38	10,280.25	2,751.80	-2,738.21	-369.31	7,192.05	0.10	416,767.13	657,575.22	N 32°9'42.77"	W 103°57'27.96"	2,763.00	187.68
12,800.00	89.85	179.20	10,280.53	2,846.65	-2,833.20	-368.13	7,192.33	0.19	416,672.15	657,576.39	N 32°9'41.83"	W 103°57'27.95"	2,857.02	187.40
12,894.00	89.19	178.52	10,281.14	2,940.48	-2,927.19	-366.71	7,192.94	0.50	416,578.17	657,577.82	N 32°9'40.80"	W 103°57'27.94"	2,950.07	187.14
12,989.00	89.77	179.11	10,281.83	3,035.31	-3,022.17	-365.19	7,193.63	0.39	416,483.19	657,579.34	N 32°9'39.96"	W 103°57'27.92"	3,044.16	186.89
13,084.00	89.83	179.13	10,282.16	3,130.14	-3,117.16	-363.73	7,193.96	0.07	416,388.21	657,580.80	N 32°9'39.02"	W 103°57'27.91"	3,138.31	186.66
13,178.00	89.83	178.99	10,282.44	3,223.97	-3,211.15	-362.19	7,194.24	0.15	416,294.23	657,582.34	N 32°9'38.09"	W 103°57'27.90"	3,231.51	186.44
13,273.00	89.12	178.44	10,282.82	3,318.76	-3,306.12	-360.66	7,194.87	0.59	416,198.26	657,583.87	N 32°9'37.15"	W 103°57'27.89"	3,325.72	186.17
13,368.00	89.60	179.24	10,283.38	3,413.56	-3,401.10	-358.13	7,195.18	0.85	416,104.29	657,586.39	N 32°9'36.21"	W 103°57'27.86"	3,419.90	186.01
13,462.00	88.85	179.44	10,284.65	3,507.40	-3,495.08	-357.05	7,195.45	0.83	416,010.32	657,587.48	N 32°9'35.28"	W 103°57'27.85"	3,513.27	185.83
13,557.00	89.32	179.64	10,286.17	3,602.26	-3,590.07	-356.29	7,197.97	0.54	415,915.34	657,588.24	N 32°9'34.34"	W 103°57'27.84"	3,607.71	185.67
13,652.00	89.66	180.70	10,286.95	3,697.17	-3,682.07	-354.99	7,199.27	0.37	415,820.36	657,589.70	N 32°9'33.40"	W 103°57'27.83"	3,702.72	185.43
13,746.00	89.80	180.90	10,287.12	3,791.12	-3,779.06	-353.57	7,198.92	0.56	415,726.37	657,586.96	N 32°9'32.47"	W 103°57'27.87"	3,795.94	185.41
13,841.00	91.08	181.19	10,286.56	3,886.09	-3,874.04	-359.30	7,198.36	1.59	415,631.39	657,585.23	N 32°9'31.53"	W 103°57'27.89"	3,890.66	185.30
13,936.00	89.86	180.99	10,285.78	3,981.05	-3,969.01	-361.11	7,197.58	1.30	415,536.42	657,583.42	N 32°9'30.59"	W 103°57'27.91"	3,985.41	185.20
14,031.00	89.11	179.59	10,286.28	4,075.91	-4,061.91	-362.99	7,199.03	0.69	415,441.45	657,582.94	N 32°9'29.65"	W 103°57'27.91"	4,080.16	185.13
14,125.00	90.52	180.53	10,286.94	4,169.88	-4,158.00	-361.67	7,198.74	1.81	415,347.45	657,582.86	N 32°9'28.72"	W 103°57'27.93"	4,173.70	184.97
14,220.00	90.84	181.12	10,285.81	4,264.83	-4,252.99	-363.04	7,197.61	0.71	415,252.47	657,581.49	N 32°9'27.78"	W 103°57'27.95"	4,268.45	184.88
14,315.00	90.40	180.41	10,284.78	4,359.78	-4,347.97	-364.31	7,196.58	0.88	415,157.50	657,580.22	N 32°9'26.84"	W 103°57'27.97"	4,363.21	184.79
14,410.00	90.70	180.70	10,283.95	4,454.72	-4,442.96	-365.68	7,195.65	0.37	415,062.51	657,579.30	N 32°9'25.90"	W 103°57'27.98"	4,458.75	184.70
14,504.00	91.16	181.17	10,282.51	4,548.68	-4,536.94	-366.76	7,194.31	0.78	414,968.54	657,577.77	N 32°9'24.97"	W 103°57'28.00"	4,554.74	184.62
14,599.00	89.39	179.39	10,282.05	4,643.60	-4,631.93	-367.23	7,193.85	2.64	414,873.56	657,577.30	N 32°9'24.03"	W 103°57'28.01"	4,646.46	184.53
14,693.00	90.68	179.58	10,282.00	4,737.46	-4,725.92	-366.38	7,193.80	1.39	414,779.57	657,577.10	N 32°9'23.10"	W 103°57'28.01"	4,740.10	184.43
14,787.00	89.73	178.96	10,282.81	4,831.30	-4,819.91	-365.10	7,194.28	2.21	414,685.60	657,579.43	N 32°9'22.17"	W 103°57'28.02"	4,832.72	184.32
14,882.00	89.67	179.64	10,283.81	4,926.13	-4,914.89	-363.86	7,195.61	1.29	414,590.62	657,580.67	N 32°9'21.23"	W 103°57'27.98"	4,928.54	184.23
14,977.00	87.98	178.90	10,285.76	5,020.96	-5,009.86	-362.65	7,197.56	1.94	414,495.66	657,581.88	N 32°9'20.29"	W 103°57'27.97"	5,022.96	184.14
15,071.00	89.79	178.31	10,287.58	5,114.72	-5,103.81	-360.36	7,199.38	2.03	414,401.72	657,584.17	N 32°9'19.36"	W 103°57'27.95"	5,116.51	184.04
15,166.00	89.37	179.04	10,288.28	5,209.50	-5,198.78	-358.16	7,200.08	0.69	414,306.75	657,586.36	N 32°9'18.42"	W 103°57'27.93"	5,211.10	183.94
15,261.00	89.61	178.79	10,289.21	5,304.31	-5,292.59	-356.97	7,201.78	0.30	414,211.78	657,588.16	N 32°9'17.48"	W 103°57'27.91"	5,305.67	183.85
15,355.00	90.68	178.93	10,289.05	5,398.11	-5,387.74	-354.50	7,200.85	1.25	414,117.81	657,590.03	N 32°9'16.55"	W 103°57'27.89"	5,399.39	183.76
15,450.00	90.23	178.75	10,288.30	5,492.91	-5,482.71	-352.57	7,200.10	0.51	414,022.84	657,591.96	N 32°9'15.61"	W 103°57'27.88"	5,494.04	183.68
15,545.00	90.95	179.27	10,287.32	5,587.73	-5,577.69	-350.93	7,199.12	0.93	413,927.87	657,593.60	N 32°9'14.67"	W 103°57'27.86"	5,588.72	183.60
15,640.00	89.65	178.77	10,287.07	5,682.54	-5,672.50	-349.49	7,198.67	1.74	413,833.89	657,595.20	N 32°9'13.74"	W 103°57'27.85"	5,682.42	183.52
15,734.00	89.02	178.07	10,288.36	5,776.30	-5,766.63	-346.70	7,200.16	0.83	413,738.95	657,597.82	N 32°9'12.80"	W 103°57'27.82"	5,777.04	183.44
15,829.00	89.89	179.64	10,288.43	5,871.10	-5,861.60	-344.81	7,200.23	2.57	413,643.98	657,599.72	N 32°9'11.86"	W 103°57'27.80"	5,871.74	183.37
15,923.00	89.69	180.47	10,289.97	5,965.90	-5,956.49	-343.60	7,199.77	0.88	413,549.00	657,601.90	N 32°9'10.91"	W 103°57'27.81"	5,966.67	183.31
16,018.00	90.53	181.02	10,285.80	6,059.94	-6,050.58	-346.13	7,197.60	0.69	413,455.02	657,598.40	N 32°9'9.99"	W 103°57'27.82"	6,060.47	183.27
16,113.00	88.58	180.46	10,286.54	6,154.89	-6,145.56	-347.36	7,198.34	2.14	413,360.05	657,597.17	N 32°9'9.05"	W 103°57'27.84"	6,155.37	183.24
16,207.00	89.81	181.03	10,287.86	6,248.83	-6,239.54	-348.58	7,199.66	1.44	413,266.07	657,595.95	N 32°9'8.12"	W 103°57'27.86"	6,249.27	183.20
16,302.00	89.74	180.69	10,288.61	6,343.81	-6,334.52	-349.59	7,200.03	0.39	413,171.10	657,592.94	N 32°9'7.18"	W 103°57'27.87"	6,344.21	183.18
16,396.00	88.51	180.91	10,289.66	6,437.77	-6,428.49	-352.47	7,201.46	1.40	413,077.14	657,592.05	N 32°9'6.25"	W 103°57'27.91"	6,438.14	183.14
16,491.00	89.56</													




OXY



Borehole:		Well:	Field:	Structure:
Corral Bluff 11-14 Fed Com 33H		Corral Bluff 11-14 Fed Com 33H	NM Eddy County (NAD 83)	Oxy Corral Bluff 11-14 Fed Com Pad Section 2 Lot N
Gravity & Magnetic Parameters			Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet	
Model: IFR1	Dip: 59.757°	Date: 11-Jul-2023	Lat: N 32 9 9.85	Northings: 419505.131US
MagDec: 6.578°	FS: 47490.6nT	Gravity FS: 998.452mgn (9.80665 Based)	Grid Conv: 0.2005°	Grid Conv: 0.2005°
			Lon: W 103 57 23.55	Easting: 657944.5HUS
			Scale Fact: 0.99992466	Scale Fact: 0.99992466
			Miscellaneous	
			Slot: Corral Bluff 11-14 Fed Com 33H	TVD Ref: RKB (3088.200 ft above MSL)
			Plan: Oxy Corral Bluff 11-14 Fed Com 33H Rev2 kFc 13Jul23	

Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,088.20	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	-3,063.20	0.00
First SLB Survey	177.00	0.46	77.58	177.00	-0.16	0.13	0.60	-2,911.20	0.30
Actual KOP	9,649.00	6.52	236.97	9,630.93	49.25	-34.97	-325.75	6,542.73	2.97
Wolfcamp Intersection	10,277.07	53.89	176.43	10,155.00	351.89	-337.77	-328.47	7,066.80	6.64
FTP / 100ft FNL Cross	10,332.00	57.46	177.34	10,185.97	397.02	-383.06	-326.01	7,097.77	6.64
Section 11-14 Line Cross	15,563.00	90.65	179.17	10,287.07	5,605.70	-5,595.69	-350.69	7,198.87	1.74
LTP / 100ft FSL Cross	20,787.00	88.34	177.25	10,286.03	10,815.96	-10,806.10	-461.91	7,197.83	1.79
Last SLB Survey	20,810.00	88.16	176.88	10,286.73	10,838.84	-10,829.06	-460.73	7,198.53	1.79
Projection to Total Depth	20,842.00	88.16	176.88	10,287.76	10,870.67	-10,861.00	-458.99	7,199.56	0.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 2 / SESW / 32.152737 / -103.956542	County or Parish/State: EDDY / NM
Well Number: 33H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547769	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2763430

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/28/2023

Date Operation Actually Began: 09/12/2023

Type of Action: Workover Operations

Time Sundry Submitted: 07:46

Actual Procedure: RUPU 09/12/23, RIH & clean out to PBTD @ 20797', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 10353-20702' Total 1260 holes. Frac in 42 stages w/ 347909BBL Produced Water + 100930BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25869470# sand, RD NexTier 09/26/23. Well ready to produce 10/09/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/15/2024.

Received by OCD: 1/7/2024 8:54:54 PM

Page 8 of 14

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 2 / SESW / 32.152737 / -103.956542	County or Parish/State: EDDY / NM
Well Number: 33H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547769	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: NOV 28, 2023 07:46 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/21/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-015-47769										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name CORRAL BLUFF 11-14 FEDERAL COM				
						6. Well Number: 33H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PURPLE SAGE WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	2	25S	29E		283	SOUTH	2227	WEST	EDDY
BH:	N	14	25S	29E		44	SOUTH	1729	WEST	EDDY
13. Date Spudded 06/27/23	14. Date T.D. Reached 07/30/2023		15. Date Rig Released 08/02/2023			16. Date Completed (Ready to Produce) 10/09/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3063' GL		
18. Total Measured Depth of Well 20842'M 10288'V			19. Plug Back Measured Depth 20797'M 10286'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10353-20702' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		733'		14.75"		600sx-surf circ		
7.625" HCL80		26.4		9585'		9.875"		2194sx-surf		
5.5" P110 ICY		20		20822'		6.75"		833sx-TOC@7774'		
24. LINER RECORD										
SIZE	TOP		BOTTOM		SACKS CEMENT		SCREEN			
26. Perforation record (interval, size, and number) 10353-20702' Total 1260 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10353-20702'		347909BBL Produced Water + 100930BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25869470# sand		
28. PRODUCTION										
Date First Production 10/12/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING					Well Status (Prod. or Shut-in) Prod.			
Date of Test 10/20/2023	Hours Tested 24 hrs.	Choke Size 53	Prod'n For Test Period	Oil - Bbl 2488	Gas - MCF 6365	Water - Bbl. 7596	Gas - Oil Ratio 2558			
Flow Tubing Press.	Casing Pressure 1894	Calculated 24- Hour Rate	Oil - Bbl. 2488	Gas - MCF 6365	Water - Bbl. 7596	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <u>Jana Mendiola</u> Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>1/7/2024</u>										
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 481'	T. Bell Canyon 3290'	T. Ojo Alamo	T. Penn A"
T. Salado 986'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2080'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3239'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4140'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5390'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6968'	T. Todilto	
T. Abo	T. 1 st Bone Spring 7886'	T. Entrada	
T. Wolfcamp 10299'	T. 2 nd Bone Spring 8706'	T. Wingate	
T. Penn	T. 3 rd Bone Spring 9772'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
CORRAL BLUFF 11-14 FEDERAL COM 33H
API No. 30-015-47769



Perfs @ 10353-20702'

TD- 20842'M 10288'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 300724

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 300724
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 300724

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 300724
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM approval.	1/23/2024
plmartinez	Submit CBL to OCD Permitting as [UF-WL] EP Well Log Submission.	1/23/2024