

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 10/25/21
⁴ API Number 30-015-46435	⁵ Pool Name ALACRAN HILLS; WOLFCAMP	⁶ Pool Code 70070
⁷ Property Code 323153	⁸ Property Name LONE TREE DRAW 14-13 STATE COM	⁹ Well Number 623H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	21S	27E		1960	South	280	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	13	21S	27E		2461	South	99	East	EDDY
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/25/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil

IV. Well Completion Data

²¹ Spud Date 2/1/21	²² Ready Date 10/25/21	²³ TD 19465	²⁴ PBSD 19454 MD/9289 TVD	²⁵ Perforations 9440 - 19444	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	325	325 sx Cl C; Circ 83 sx		
9.875	8.625	8550	550 sx Cl H; Circ 45 sx		
7.875	5.5	19457	2540 sx Cl H; Circ 334 sx		
	Tubing: 2.875	8591			

V. Well Test Data

³¹ Date New Oil 11/18/21	³² Gas Delivery Date 11/18/21	³³ Test Date 11/18/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 269 psi	³⁶ Csg. Pressure 89 psi
³⁷ Choke Size N/A	³⁸ Oil 1416 bbl	³⁹ Water 2047 bbl	⁴⁰ Gas 3590 mcf		⁴¹ Test Method flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Chelsey Green</i>			OIL CONSERVATION DIVISION		
Printed name: Chelsey Green			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: chelsey.green@dvn.com			Approval Date: <i>1/26/2024</i>		
Date: 11/2/2022		Phone: 405-228-8595			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46435	² Pool Code 70070	³ Pool Name ALACRAN HILLS; WOLFCAMP (GAS)
⁴ Property Code 323153	⁵ Property Name LONE TREE DRAW 14-13 STATE COM	⁶ Well Number 623H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3243.3

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	21 S	27 E		1960	SOUTH	280	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	13	21 S	27 E		2461	SOUTH	99	EAST	EDDY
¹² Dedicated Acres 1280	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 14 LAT. = 32.4874912°N LONG. = 104.1691037°W NMSP EAST (FT) N = 541119.08 E = 591975.56 N/4 CORNER SEC. 14 LAT. = 32.4875224°N LONG. = 104.1604749°W NMSP EAST (FT) N = 541134.84 E = 594636.11 SECTION CORNER LAT. = 32.4875562°N LONG. = 104.1518459°W NMSP EAST (FT) N = 541151.36 E = 597296.73 N/4 CORNER SEC. 13 LAT. = 32.4875870°N LONG. = 104.1431449°W NMSP EAST (FT) N = 541167.23 E = 599979.56 NE CORNER SEC. 13 LAT. = 32.4876206°N LONG. = 104.1344381°W NMSP EAST (FT) N = 541184.34 E = 602664.16				17 OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>Chelsey Green</i> 12/06/21 Signature Date Chelsey Green Printed Name chelsey.green@dmv.com E-mail Address			
W/4 CORNER SEC. 14 LAT. = 32.4801923°N LONG. = 104.1690906°W NMSP EAST (FT) N = 538463.77 E = 591983.67 KICK OFF POINT 2398' FSL, 14' FWL LAT. = 32.4794755°N LONG. = 104.1690459°W FIRST TAKE POINT 2423' FSL, 584' FWL LAT. = 32.4795535°N LONG. = 104.1671963°W ELEV. = 3243.3' LAT. = 32.4782770°N (NAD83) LONG. = 104.1681846°W NMSP EAST (FT) N = 537767.42 E = 592264.14 QUARTER CORNER LAT. = 32.4802576°N LONG. = 104.1518272°W NMSP EAST (FT) N = 538496.17 E = 597307.02 E/4 CORNER SEC. 13 LAT. = 32.4803887°N LONG. = 104.1344261°W NMSP EAST (FT) N = 538553.42 E = 602672.77 LAST TAKE POINT 2459' FSL, 141' FEL LAT. = 32.4799163°N LONG. = 104.1348841°W BOTTOM OF HOLE LAT. = 32.4799251°N LONG. = 104.1347454°W NMSP EAST (FT) N = 536384.56 E = 602574.63 SE CORNER SEC. 13 LAT. = 32.4731637°N LONG. = 104.1344163°W NMSP EAST (FT) N = 535924.99 E = 602680.71				18 SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> NOVEMBER 30, 2021 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 SURVEY NO. 7257F			

Intent ☐ As Drilled ☒

API # 30-015-46435		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: LONE TREE DRAW 14-13 STATE COM	Well Number 623H

Kick Off Point (KOP)

UL L	Section 14	Township 21S	Range 27E	Lot	Feet 2398	From N/S SOUTH	Feet 14	From E/W WEST	County EDDY
Latitude 32.4794755					Longitude 104.1690459			NAD 83	

First Take Point (FTP)

UL L	Section 14	Township 21S	Range 27E	Lot	Feet 2423	From N/S SOUTH	Feet 584	From E/W WEST	County EDDY
Latitude 32.4795535					Longitude 104.1671963			NAD 83	

Last Take Point (LTP)

UL I	Section 13	Township 21S	Range 27E	Lot	Feet 2459	From N/S SOUTH	Feet 141	From E/W EAST	County EDDY
Latitude 32.4799163					Longitude 104.1348841			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ YESIs this well an infill well? ☐ NO

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



DEVON ENERGY

Eddy County, NM (NAD83)

Sec 14-T21S-R27E

Lone Tree Draw 14-13 State Com 623H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

12 March, 2021





SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 623H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3267.50usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3267.50usft
Well:	Lone Tree Draw 14-13 State Com 623H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 14-T21S-R27E			
Site Position:		Northing:	541,119.08 usft	Latitude:	32.487491
From:	Map	Easting:	591,975.56 usft	Longitude:	-104.169104
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.09 °

Well		Lone Tree Draw 14-13 State Com 623H				
Well Position	+N/-S	0.00 usft	Northing:	537,767.42 usft	Latitude:	32.478277
	+E/-W	0.00 usft	Easting:	592,264.14 usft	Longitude:	-104.168185
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,244.50 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	2021/01/07	6.89	60.06	47,628.67543804

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	90.00	

Survey Program	Date	2021/03/12			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
81.66	327.00	Gyros (Wellbore #1)	GYRO-NS-CT	OWSG XYZ Accel with XY Static and Continuous Gyro	
413.00	19,465.00	Survey #2 (Wellbore #1)	MWD+HDGM	OWSG MWD + HDGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	537,767.42	592,264.14	32.478277	-104.168185
81.66	0.54	287.66	81.66	0.12	-0.37	537,767.54	592,263.78	32.478277	-104.168186
173.33	1.11	300.74	173.32	0.70	-1.54	537,768.12	592,262.60	32.478279	-104.168190
265.00	1.03	305.72	264.97	1.64	-2.97	537,769.06	592,261.17	32.478282	-104.168194
327.00	1.02	306.71	326.96	2.29	-3.87	537,769.71	592,260.27	32.478283	-104.168197
413.00	1.49	295.52	412.94	3.23	-5.49	537,770.65	592,258.65	32.478286	-104.168203
595.00	1.32	294.03	594.89	5.10	-9.54	537,772.53	592,254.60	32.478291	-104.168216
778.00	1.49	292.18	777.83	6.86	-13.67	537,774.28	592,250.47	32.478296	-104.168229
960.00	1.67	292.71	959.76	8.78	-18.31	537,776.20	592,245.84	32.478301	-104.168244
1,142.00	1.93	291.39	1,141.67	10.92	-23.61	537,778.34	592,240.54	32.478307	-104.168261
1,326.00	2.64	300.18	1,325.53	14.18	-30.16	537,781.60	592,233.99	32.478316	-104.168283



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 623H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3267.50usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3267.50usft
Well:	Lone Tree Draw 14-13 State Com 623H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,510.00	2.90	297.02	1,509.31	18.42	-37.96	537,785.85	592,226.18	32.478328	-104.168308
1,698.00	3.08	296.67	1,697.06	22.85	-46.71	537,790.27	592,217.43	32.478340	-104.168336
1,885.00	3.08	296.49	1,883.79	27.35	-55.70	537,794.77	592,208.44	32.478352	-104.168365
2,074.00	3.17	298.42	2,072.50	32.10	-64.84	537,799.52	592,199.30	32.478366	-104.168395
2,264.00	3.34	296.14	2,262.20	37.04	-74.43	537,804.46	592,189.71	32.478379	-104.168426
2,452.00	3.25	299.57	2,449.89	42.08	-83.98	537,809.50	592,180.16	32.478393	-104.168457
2,641.00	3.43	297.81	2,638.57	47.36	-93.64	537,814.78	592,170.50	32.478408	-104.168488
2,830.00	3.34	298.25	2,827.24	52.61	-103.49	537,820.03	592,160.65	32.478422	-104.168520
3,018.00	3.43	302.38	3,014.91	58.21	-113.07	537,825.63	592,151.08	32.478438	-104.168551
3,207.00	3.43	303.17	3,203.57	64.33	-122.57	537,831.75	592,141.57	32.478454	-104.168582
3,395.00	5.19	316.09	3,391.04	73.54	-133.18	537,840.96	592,130.96	32.478480	-104.168616
3,584.00	7.03	335.07	3,578.97	90.19	-143.98	537,857.61	592,120.16	32.478526	-104.168651
3,773.00	9.15	336.04	3,766.08	114.41	-154.96	537,881.83	592,109.18	32.478592	-104.168687
3,962.00	8.44	334.72	3,952.86	140.68	-166.99	537,908.10	592,097.15	32.478664	-104.168726
4,150.00	9.85	337.62	4,138.46	168.03	-179.00	537,935.45	592,085.14	32.478740	-104.168765
4,338.00	8.97	337.53	4,323.93	196.44	-190.73	537,963.86	592,073.41	32.478818	-104.168802
4,527.00	8.44	337.45	4,510.75	222.87	-201.68	537,990.29	592,062.46	32.478891	-104.168838
4,717.00	9.85	345.27	4,698.34	251.47	-211.16	538,018.89	592,052.98	32.478969	-104.168868
4,905.00	9.23	344.21	4,883.74	281.53	-219.35	538,048.95	592,044.79	32.479052	-104.168895
5,094.00	8.62	343.60	5,070.45	309.70	-227.48	538,077.12	592,036.67	32.479129	-104.168921
5,283.00	7.83	342.10	5,257.51	335.54	-235.43	538,102.96	592,028.71	32.479200	-104.168947
5,474.00	6.77	339.20	5,446.96	358.44	-243.43	538,125.87	592,020.72	32.479263	-104.168972
5,661.00	5.89	337.01	5,632.82	377.58	-251.09	538,145.00	592,013.05	32.479316	-104.168997
5,849.00	5.10	331.38	5,819.95	393.80	-258.86	538,161.22	592,005.28	32.479361	-104.169022
6,039.00	4.13	332.70	6,009.33	407.29	-266.04	538,174.71	591,998.10	32.479398	-104.169046
6,228.00	3.96	331.29	6,197.86	419.06	-272.30	538,186.48	591,991.84	32.479430	-104.169066
6,416.00	0.62	231.19	6,385.71	424.12	-276.21	538,191.54	591,987.93	32.479444	-104.169078
6,605.00	2.02	127.39	6,574.67	421.46	-274.36	538,188.88	591,989.78	32.479437	-104.169072
6,794.00	1.06	89.16	6,763.61	419.46	-269.97	538,186.88	591,994.18	32.479431	-104.169058
6,983.00	1.06	64.46	6,952.58	420.24	-266.64	538,187.66	591,997.50	32.479433	-104.169047
7,172.00	0.35	121.24	7,141.56	420.69	-264.57	538,188.11	591,999.57	32.479435	-104.169041
7,361.00	1.14	237.34	7,330.55	419.38	-265.66	538,186.80	591,998.48	32.479431	-104.169044
7,550.00	1.58	269.86	7,519.50	418.36	-269.85	538,185.78	591,994.29	32.479428	-104.169058
7,739.00	0.62	0.12	7,708.47	419.37	-272.45	538,186.80	591,991.69	32.479431	-104.169066
7,927.00	1.41	79.49	7,896.45	420.81	-270.18	538,188.23	591,993.97	32.479435	-104.169059
8,116.00	1.85	23.85	8,085.38	424.03	-266.66	538,191.45	591,997.49	32.479444	-104.169047
8,304.00	1.41	351.86	8,273.31	429.09	-265.76	538,196.51	591,998.39	32.479458	-104.169045
8,493.00	1.58	345.09	8,462.24	433.91	-266.76	538,201.33	591,997.39	32.479471	-104.169048
8,634.00	2.30	31.80	8,603.17	438.20	-265.77	538,205.62	591,998.38	32.479483	-104.169045
8,728.00	18.55	76.50	8,695.37	443.33	-250.12	538,210.75	592,014.03	32.479497	-104.168994
8,822.00	31.83	82.04	8,780.25	450.28	-210.85	538,217.70	592,053.29	32.479516	-104.168866
8,876.00	38.68	85.01	8,824.32	453.73	-179.90	538,221.15	592,084.25	32.479525	-104.168766
Cross FTP @ 8876' MD, 2524' FSL, 100' FWL									
8,916.00	43.79	86.69	8,854.39	455.61	-153.61	538,223.04	592,110.53	32.479530	-104.168681
9,011.00	53.99	81.86	8,916.80	462.97	-82.55	538,230.40	592,181.60	32.479550	-104.168450
9,105.00	61.55	82.91	8,966.89	473.47	-3.79	538,240.89	592,260.36	32.479579	-104.168195
9,199.00	64.19	86.69	9,009.77	481.02	79.50	538,248.44	592,343.64	32.479599	-104.167925
9,294.00	65.95	92.93	9,049.84	481.27	165.59	538,248.69	592,429.73	32.479599	-104.167645
9,341.00	70.61	98.21	9,067.24	477.00	209.01	538,244.43	592,473.15	32.479587	-104.167505
9,388.00	75.71	98.12	9,080.85	470.62	253.52	538,238.04	592,517.67	32.479570	-104.167360
9,440.00	80.90	94.60	9,091.39	464.99	304.11	538,232.42	592,568.25	32.479554	-104.167196
9,482.00	86.26	88.80	9,096.09	463.77	345.79	538,231.19	592,609.94	32.479550	-104.167061
9,577.00	89.08	87.40	9,099.95	466.92	440.65	538,234.34	592,704.79	32.479559	-104.166754
9,672.00	87.32	88.98	9,102.94	469.92	535.55	538,237.34	592,799.69	32.479566	-104.166446
9,766.00	89.16	91.79	9,105.82	469.28	629.49	538,236.71	592,893.63	32.479564	-104.166141



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 623H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3267.50usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3267.50usft
Well:	Lone Tree Draw 14-13 State Com 623H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
9,860.00	88.90	91.61	9,107.41	466.50	723.43	538,233.92	592,987.58	32.479556	-104.165836
9,955.00	91.80	91.18	9,106.83	464.18	818.39	538,231.61	593,082.54	32.479549	-104.165529
10,049.00	89.87	89.33	9,105.46	463.77	912.37	538,231.19	593,176.52	32.479548	-104.165224
10,143.00	88.46	89.42	9,106.83	464.79	1,006.36	538,232.21	593,270.50	32.479550	-104.164919
10,238.00	88.90	90.91	9,109.02	464.52	1,101.33	538,231.94	593,365.47	32.479549	-104.164611
10,332.00	90.31	90.74	9,109.67	463.16	1,195.31	538,230.59	593,459.46	32.479545	-104.164306
10,427.00	89.60	89.15	9,109.74	463.25	1,290.31	538,230.68	593,554.45	32.479545	-104.163998
10,520.00	89.16	90.03	9,110.75	463.92	1,383.30	538,231.34	593,647.44	32.479546	-104.163697
10,614.00	90.04	89.51	9,111.41	464.30	1,477.30	538,231.72	593,741.44	32.479547	-104.163392
10,708.00	89.69	88.89	9,111.63	465.61	1,571.29	538,233.03	593,835.43	32.479550	-104.163087
10,802.00	87.85	88.63	9,113.65	467.64	1,665.24	538,235.07	593,929.38	32.479555	-104.162782
10,896.00	88.81	88.89	9,116.39	469.68	1,759.18	538,237.10	594,023.32	32.479560	-104.162478
10,990.00	86.35	90.38	9,120.36	470.28	1,853.08	538,237.70	594,117.22	32.479562	-104.162173
11,085.00	86.35	92.05	9,126.40	468.27	1,947.86	538,235.69	594,212.01	32.479556	-104.161866
11,180.00	86.17	91.70	9,132.60	465.16	2,042.61	538,232.59	594,306.75	32.479547	-104.161559
11,267.00	87.05	90.91	9,137.74	463.19	2,129.43	538,230.61	594,393.58	32.479541	-104.161277
11,371.00	87.58	89.94	9,142.62	462.42	2,233.31	538,229.84	594,497.46	32.479538	-104.160940
11,466.00	88.99	88.98	9,145.46	463.31	2,328.26	538,230.73	594,592.41	32.479540	-104.160632
11,561.00	90.57	89.33	9,145.82	464.71	2,423.25	538,232.13	594,687.39	32.479544	-104.160324
11,655.00	87.14	87.92	9,147.70	466.97	2,517.19	538,234.39	594,781.33	32.479550	-104.160020
11,749.00	89.96	87.13	9,150.08	471.02	2,611.06	538,238.45	594,875.20	32.479560	-104.159715
11,844.00	86.97	84.58	9,152.63	477.89	2,705.76	538,245.31	594,969.90	32.479579	-104.159408
11,938.00	88.90	84.41	9,156.01	486.90	2,799.26	538,254.32	595,063.40	32.479603	-104.159105
12,032.00	89.52	85.37	9,157.31	495.27	2,892.88	538,262.69	595,157.02	32.479626	-104.158801
12,126.00	90.22	85.99	9,157.52	502.35	2,986.61	538,269.77	595,250.75	32.479645	-104.158497
12,220.00	90.75	88.19	9,156.73	507.12	3,080.48	538,274.54	595,344.62	32.479658	-104.158193
12,314.00	91.28	89.51	9,155.06	509.01	3,174.44	538,276.43	595,438.58	32.479662	-104.157888
12,410.00	91.78	89.07	9,152.50	510.20	3,270.40	538,277.62	595,534.54	32.479665	-104.157577
12,504.00	88.37	89.42	9,152.38	511.43	3,364.38	538,278.86	595,628.52	32.479668	-104.157272
12,598.00	88.46	89.24	9,154.98	512.53	3,458.33	538,279.96	595,722.48	32.479671	-104.156967
12,692.00	86.09	89.42	9,159.44	513.63	3,552.21	538,281.05	595,816.36	32.479673	-104.156663
12,787.00	86.44	89.42	9,165.63	514.59	3,647.01	538,282.01	595,911.15	32.479675	-104.156355
12,881.00	84.77	89.15	9,172.84	515.76	3,740.72	538,283.18	596,004.86	32.479678	-104.156051
12,976.00	83.71	87.84	9,182.37	518.24	3,835.20	538,285.66	596,099.35	32.479685	-104.155745
13,071.00	86.70	88.19	9,190.31	521.52	3,929.80	538,288.94	596,193.95	32.479693	-104.155438
13,166.00	87.41	89.77	9,195.19	523.21	4,024.66	538,290.63	596,288.80	32.479697	-104.155131
13,260.00	87.76	90.03	9,199.15	523.37	4,118.58	538,290.79	596,382.72	32.479697	-104.154826
13,354.00	89.08	89.77	9,201.74	523.54	4,212.54	538,290.96	596,476.68	32.479697	-104.154521
13,450.00	91.10	89.42	9,201.59	524.21	4,308.53	538,291.64	596,572.67	32.479699	-104.154210
13,544.00	91.19	89.51	9,199.72	525.09	4,402.51	538,292.51	596,666.65	32.479701	-104.153905
13,639.00	90.84	91.00	9,198.03	524.67	4,497.49	538,292.09	596,761.63	32.479699	-104.153597
13,733.00	88.02	92.41	9,198.97	521.87	4,591.43	538,289.30	596,855.57	32.479691	-104.153293
13,828.00	86.09	92.32	9,203.85	517.96	4,686.22	538,285.38	596,950.36	32.479680	-104.152985
13,922.00	85.21	91.35	9,210.98	514.96	4,779.90	538,282.38	597,044.04	32.479671	-104.152681
14,016.00	86.53	91.53	9,217.75	512.60	4,873.62	538,280.02	597,137.77	32.479664	-104.152378
14,111.00	88.64	91.61	9,221.75	510.00	4,968.50	538,277.42	597,232.64	32.479657	-104.152070
14,186.00	85.72	91.55	9,225.44	507.94	5,043.37	538,275.36	597,307.51	32.479651	-104.151827
Cross Section @ 14186' MD, 2578' FSL, 0' FWL									
14,206.00	84.94	91.53	9,227.07	507.40	5,063.30	538,274.82	597,327.44	32.479649	-104.151762
14,300.00	85.82	90.56	9,234.64	505.69	5,156.97	538,273.12	597,421.12	32.479644	-104.151459
14,394.00	88.55	89.51	9,239.26	505.64	5,250.85	538,273.06	597,514.99	32.479643	-104.151154
14,488.00	86.79	88.01	9,243.08	507.67	5,344.74	538,275.09	597,608.89	32.479649	-104.150850
14,582.00	90.40	88.10	9,245.38	510.86	5,438.65	538,278.28	597,702.79	32.479657	-104.150545
14,676.00	90.48	87.75	9,244.66	514.26	5,532.58	538,281.68	597,796.73	32.479666	-104.150241
14,770.00	90.13	87.13	9,244.16	518.46	5,626.49	538,285.88	597,890.63	32.479677	-104.149936



SB Directional

Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 623H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3267.50usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3267.50usft
Well:	Lone Tree Draw 14-13 State Com 623H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
14,865.00	89.60	86.60	9,244.38	523.65	5,721.34	538,291.08	597,985.49	32.479691	-104.149628
14,959.00	88.29	85.81	9,246.12	529.88	5,815.12	538,297.30	598,079.26	32.479707	-104.149324
15,053.00	86.61	84.14	9,250.30	538.10	5,908.66	538,305.52	598,172.80	32.479730	-104.149021
15,148.00	86.09	86.60	9,256.35	545.75	6,003.15	538,313.17	598,267.29	32.479750	-104.148714
15,243.00	86.53	89.59	9,262.46	548.90	6,097.89	538,316.32	598,362.03	32.479758	-104.148407
15,338.00	86.70	88.19	9,268.07	550.74	6,192.70	538,318.16	598,456.84	32.479763	-104.148100
15,432.00	88.29	88.54	9,272.18	553.42	6,286.57	538,320.84	598,550.71	32.479770	-104.147795
15,527.00	86.61	87.22	9,276.41	556.93	6,381.41	538,324.35	598,645.55	32.479779	-104.147488
15,622.00	88.81	86.96	9,280.20	561.75	6,476.20	538,329.17	598,740.34	32.479792	-104.147180
15,716.00	89.96	86.87	9,281.21	566.81	6,570.06	538,334.23	598,834.20	32.479805	-104.146876
15,811.00	87.32	88.10	9,283.47	570.97	6,664.93	538,338.40	598,929.07	32.479816	-104.146568
15,906.00	88.20	90.21	9,287.18	572.37	6,759.84	538,339.79	599,023.98	32.479820	-104.146260
16,001.00	87.41	89.33	9,290.82	572.75	6,854.77	538,340.18	599,118.91	32.479820	-104.145953
16,095.00	86.09	91.26	9,296.15	572.27	6,948.61	538,339.69	599,212.75	32.479819	-104.145648
16,189.00	89.69	92.05	9,299.61	569.56	7,042.49	538,336.98	599,306.63	32.479811	-104.145344
16,284.00	86.09	90.38	9,303.10	567.54	7,137.39	538,334.97	599,401.53	32.479805	-104.145036
16,379.00	89.43	91.35	9,306.82	566.11	7,232.29	538,333.53	599,496.43	32.479800	-104.144728
16,473.00	86.61	90.74	9,310.06	564.40	7,326.21	538,331.82	599,590.35	32.479795	-104.144424
16,568.00	90.66	91.00	9,312.33	562.95	7,421.15	538,330.38	599,685.29	32.479791	-104.144116
16,662.00	88.64	90.65	9,312.90	561.60	7,515.13	538,329.02	599,779.27	32.479786	-104.143811
16,697.00	88.20	90.82	9,313.87	561.15	7,550.12	538,328.57	599,814.26	32.479785	-104.143698
16,756.00	90.31	91.35	9,314.63	560.04	7,609.10	538,327.46	599,873.24	32.479782	-104.143506
16,851.00	90.57	91.09	9,313.90	558.01	7,704.07	538,325.43	599,968.22	32.479776	-104.143198
16,946.00	88.46	90.91	9,314.71	556.36	7,799.05	538,323.78	600,063.19	32.479771	-104.142890
17,041.00	89.96	91.26	9,316.02	554.56	7,894.02	538,321.98	600,158.16	32.479765	-104.142582
17,135.00	89.52	91.53	9,316.44	552.27	7,987.99	538,319.69	600,252.13	32.479758	-104.142278
17,230.00	86.35	91.44	9,319.87	549.81	8,082.88	538,317.23	600,347.03	32.479751	-104.141970
17,325.00	85.47	90.82	9,326.64	547.94	8,177.62	538,315.36	600,441.77	32.479746	-104.141663
17,420.00	86.97	90.03	9,332.91	547.24	8,272.41	538,314.66	600,536.55	32.479743	-104.141355
17,514.00	92.15	90.74	9,333.63	546.60	8,366.37	538,314.03	600,630.52	32.479741	-104.141051
17,608.00	93.21	89.77	9,329.23	546.19	8,460.27	538,313.61	600,724.41	32.479739	-104.140746
17,703.00	91.36	88.54	9,325.44	547.59	8,555.17	538,315.01	600,819.32	32.479743	-104.140438
17,797.00	94.18	88.36	9,320.90	550.13	8,649.02	538,317.55	600,913.16	32.479749	-104.140134
17,891.00	95.76	88.54	9,312.76	552.66	8,742.63	538,320.08	601,006.77	32.479756	-104.139830
17,986.00	95.76	87.92	9,303.22	555.58	8,837.11	538,323.00	601,101.25	32.479763	-104.139524
18,079.00	95.06	86.96	9,294.46	559.71	8,929.60	538,327.14	601,193.74	32.479774	-104.139224
18,175.00	92.77	85.90	9,287.90	565.68	9,025.18	538,333.10	601,289.32	32.479790	-104.138914
18,270.00	92.86	87.40	9,283.24	571.22	9,119.90	538,338.65	601,384.04	32.479805	-104.138607
18,363.00	90.40	88.71	9,280.59	574.38	9,212.80	538,341.80	601,476.94	32.479813	-104.138306
18,458.00	89.69	88.71	9,280.52	576.52	9,307.77	538,343.94	601,571.92	32.479819	-104.137998
18,552.00	88.11	88.54	9,282.32	578.77	9,401.73	538,346.19	601,665.87	32.479824	-104.137693
18,647.00	88.99	88.63	9,284.72	581.12	9,496.67	538,348.54	601,760.81	32.479830	-104.137385
18,742.00	91.63	89.59	9,284.21	582.59	9,591.64	538,350.01	601,855.79	32.479834	-104.137077
18,836.00	93.03	89.68	9,280.39	583.19	9,685.56	538,350.61	601,949.71	32.479835	-104.136772
18,930.00	92.95	88.27	9,275.49	584.87	9,779.42	538,352.29	602,043.56	32.479839	-104.136468
19,026.00	89.16	86.43	9,273.72	589.31	9,875.28	538,356.73	602,139.42	32.479851	-104.136157
19,120.00	88.81	87.04	9,275.38	594.66	9,969.11	538,362.08	602,233.25	32.479865	-104.135853
19,214.00	88.46	86.60	9,277.62	599.87	10,062.94	538,367.30	602,327.08	32.479879	-104.135549
19,308.00	87.23	86.17	9,281.16	605.80	10,156.68	538,373.22	602,420.82	32.479895	-104.135245
19,400.00	86.26	85.64	9,286.38	612.35	10,248.30	538,379.78	602,512.44	32.479912	-104.134947
Final Survey @ 19400' MD									
19,463.00	86.26	85.64	9,290.49	617.13	10,310.98	538,384.56	602,575.12	32.479925	-104.134744
Cross LTP @ 19463' MD, 2628' FNL, 100' FEL									
19,465.00	86.26	85.64	9,290.62	617.29	10,312.97	538,384.71	602,577.11	32.479926	-104.134738
PBHL; 2628' FNL, 98' FEL									



SB Directional
Survey Report - Geographic



Company:	DEVON ENERGY	Local Co-ordinate Reference:	Well Lone Tree Draw 14-13 State Com 623H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3267.50usft
Site:	Sec 14-T21S-R27E	MD Reference:	RKB @ 3267.50usft
Well:	Lone Tree Draw 14-13 State Com 623H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.16 Single User Db

Design Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
Actual PBHL	0.00	0.00	9,290.62	617.29	10,312.97	538,384.71	602,577.11	32.479926	-104.134738
- actual wellpath hits target center									
- Point									

Casing Points					
Measured Depth	Vertical Depth			Casing Diameter	Hole Diameter
(usft)	(usft)	Name		(")	(")
19,465.00	9,290.62	20" Casing		20	24

Design Annotations					
Measured Depth	Vertical Depth	Local Coordinates			
(usft)	(usft)	+N/-S	+E/-W	Comment	
(usft)	(usft)	(usft)	(usft)		
8,876.00	8,824.32	453.73	-179.90	Cross FTP @ 8876' MD, 2524' FSL, 100' FWL	
14,186.00	9,225.44	507.94	5,043.37	Cross Section @ 14186' MD, 2578' FSL, 0' FWL	
19,400.00	9,286.38	612.35	10,248.30	Final Survey @ 19400' MD	
19,463.00	9,290.49	617.13	10,310.98	Cross LTP @ 19463' MD, 2628' FNL, 100' FEL	
19,465.00	9,290.62	617.29	10,312.97	PBHL; 2628' FNL, 98' FEL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO. 30-015-46435	
5. Indicate Type of Lease STATE ☒ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name LONE TREE DRAW 14-13 STATE COM	
8. Well Number 623H	
9. OGRID Number 6137	
10. Pool name or Wildcat ALACRAN HILLS; WOLFCAMP	
SUNDURY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>L</u> : <u>1960</u> feet from the <u>South</u> line and <u>280</u> feet from the <u>West</u> line Section <u>14</u> Township <u>21S</u> Range <u>27E</u> NMPM County <u>EDDY</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3243	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/31/21-8/9/21: MIRU WL & PT. TIH w/pump through frac plug and guns. Perf Wolfcamp, 9440'-19444', total 1198 holes. Frac totals 50 bbls acid, 19965035 # prop.

ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 19454'. CHC, FWB, ND BOP. Tbg ran 8/31/21 w/ 2-7/8" L-80 set @ 8591' . TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Chelsey Green TITLE Regulatory Specialist DATE 11/2/2022

Type or print name Chelsey Green E-mail address: chelsey.green@dmn.com PHONE: 405-228-8595

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-46435						
		2. Type of Lease		☒ STATE ☐ FEE ☐ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name LONE TREE DRAW 14-13 STATE COM 6. Well Number: 623H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						ALACRAN HILLS; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	L	14	21S	27E		1960	South	280	West	EDDY
BH:	I	13	21S	27E		2461	South	99	East	EDDY
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)			
2/1/21	3/9/21		3/12/21		10/25/21		3243 GL			
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
19465 MD, 9333 TVD			19454 MD/9289 TVD			Yes				
22. Producing Interval(s), of this completion - Top, Bottom, Name										
9440-19444, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375		54.5		325		17.5		325 sx Cl C; circ 83 sx		
8.625		32		8550		9.875		550 sx Cl H; circ 45 sx		
5.5		20		19457		7.875		2540 sx Cl H; circ 334 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2.875 L-80	8591			
26. Perforation record (interval, size, and number)										
9440 - 19444, total 1198 holes										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED										
9440-19444 Acidize and frac in 41 stages. See detailed summary attached.										
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
10/25/21		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
11/18/21	24	N/A		1416	3590	2047	2535			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
269 psi	89 psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude Longitude NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature	Printed Name			Title	Regulatory Specialist		Date			
	Chelsey Green						11/2/2022			
E-mail Address chelsey.green@dv.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from N/A to N/A No. 3, from N/A to N/A
No. 2, from N/A to N/A No. 4, from N/A to N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 155706

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 155706
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 155706

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 155706
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/26/2024