

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/05/2023
⁴ API Number 30 - 015-48026	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8584	⁶ Pool Code 98220
⁷ Property Code: 329731	⁸ Property Name: CORRAL BLUFF 11-14 FEDERAL COM	⁹ Well Number: 38H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	11	25S	29E		83	NORTH	294	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 426' FNL 322' FEL LTP- 202' FSL 339' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	14	25S	29E		63	SOUTH	337	EAST	EDDY

¹² Lse Code F	¹³ Producing Method Code : P	¹⁴ Gas Connection Date: 10/06/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	--	---	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 06/19/23	²² Ready Date 10/05/2023	²³ TD 20534'M 10401'V	²⁴ PBTD 20490'M 10401'V	²⁵ Perforations 10380-20395'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	692'		570	
9-7/8"	7-5/8"	9630'		2158	
6-3/4"	5-1/2"	20514'		854	
	2-3/8" TBG	9966'		NA	

V. Well Test Data

³¹ Date New Oil 10/07/23	³² Gas Delivery Date 10/06/23	³³ Test Date 10/12/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1816
³⁷ Choke Size 57	³⁸ Oil 2919	³⁹ Water 6778	⁴⁰ Gas 7084		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.comDate: 01/23/2024
Phone: 422-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:

PETROLEUM SPECIALIST

Approval Date:

1/26/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACERAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-48026	² Pool Code 98220	³ Pool Name PURPLE SAGE WOLFCAMP
⁴ Property Code 329731	⁵ Property Name CORRAL BLUFF 11_14 FED COM	⁶ Well Number 38H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3070'


¹⁰ Surface Location

UL or lot no. A	Section 11	Township 25S	Range 29E	Lot Idn	Feet from the 83	North/South line NORTH	Feet from the 294	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	---------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. P	Section 14	Township 25S	Range 29E	Lot Idn	Feet from the 63	North/South line SOUTH	Feet from the 337	East/West line EAST	County EDDY
¹² Dedicated Acres 1280.00		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No. NSL-8584			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:	Well:	Field:	Structure:
Corral Bluff 11-14 Fed Com 38H	Corral Bluff 11-14 Fed Com 38H	NM Eddy County (NAD 83)	Oxy Corral Bluff 11-14 Fed Com Pad Sec 11 Lot A

Gravity & Magnetic Parameters				Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous			
Model:	IFR1	Dip:	59.754°	Date:	22-Jun-2023	Lat:	N 32 9 6.18	Northing:	419143.34RU5	Grid Conv:	0.2053*	Slot:	Corral Bluff 11-14 Fed Com 38H	TVD Ref:	RKB (3096.000 ft above MSL)
MagDec:	6.572°	FS:	47.499nT	Gravity FS:	998.452mgm (9.80665 Based)	Lat:	W 103 56 51.21	Easting:	660726.33RU5	Scale Fact:	0.99992542	Plan:	Oxy Corral Bluff 11-14 Fed Com 38H Rev'd KFC 06Jun23		

Comments	Critical Points								
	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	DLS/P/100ft
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,096.00	
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,070.00	0.0
First SLB Survey	239.00	1.13	149.04	238.99	1.80	-1.80	1.08	-2,857.01	0.5
Actual KOP	9,726.00	2.54	190.46	9,723.51	-19.10	19.07	-30.54	6,627.51	2.3
FTP / 100ft FNL Cross	9,914.00	21.69	174.77	9,906.96	17.23	-17.26	-28.41	6,810.96	11.5
Wolfcamp Intersection	10,347.87	59.77	179.60	10,210.00	314.69	-314.72	-26.26	7,114.00	4.3
Section 11-14 Line Cross	15,290.00	90.53	181.16	10,332.01	5,232.61	-5,232.64	-33.81	7,236.01	0.5
LTP / 100ft FSL Cross	20,498.00	91.13	179.64	10,401.25	10,439.18	-10,439.18	9.99	7,305.25	1.2
Final Survey	20,501.00	91.16	179.66	10,401.19	10,442.18	-10,442.18	10.01	7,305.19	1.2
Projection to Total Depth	20,534.00	91.16	179.66	10,400.52	10,475.17	-10,475.17	10.21	7,304.52	0.0





Oxy Corral Bluff 11-14 Fed Com 38H IFR1 to 20534ft Survey Geodetic

Report Definitive Survey



Report Date: July 25, 2023 - 04:08 PM (UTC 0)
 Client: OXY
 Field: NM Eddy County (NAD 83)
 Structure / Slot: Oxy Corral Bluff 11-14 Fed Com Pad Sec 11 Lot A / Corral Bluff 11-14 Fed Com 38H
 Well: Corral Bluff 11-14 Fed Com 38H
 Borehole: Corral Bluff 11-14 Fed Com 38H
 UBH / API / JobNumber: Unknown / Unknown / Unknown
 Survey Name / Version: Oxy Corral Bluff 11-14 Fed Com 38H IFR1 to 20534ft / 2
 Survey Date: July 25, 2023
 Tort / AHD / DDI / ERD Ratio: 195.211' +/- 10605.609 ft / 6.611' / 1.019
 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
 Location Lat / Long: N 32°9'6.17581" W 103°56'51.20858"
 Location Grid N.E. YX: N 419143.340 RUS , E 660726.330 RUS
 CRS Grid Convergence Angle: 0.2053"
 Grid Scale Factor: 0.99992542
 Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
 Vertical Section Azimuth: 179.944 °(Grid North)
 Vertical Section Origin: 0.000 ft, 0.000 ft
 TVD Reference Datum: RKB
 TVD Reference Elevation: 3096.000 ft above MSL
 Seabed / Ground Elevation: 3070.000 ft above MSL
 Magnetic Declination: 6.572°
 Total Gravity Field Strength: 998.452 mgn (9.80665 Based)
 Gravity Model: GARM
 Total Magnetic Field Strength: 47499 nT
 Magnetic Dip Angle: 59.754°
 Declination Date: June 22, 2023
 Magnetic Declination Model: IFR1
 North Reference: 419,127.07
 Total Corr Mag: 6.3667°
 Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (+/-100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S °'")	Longitude (E/W °'")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.096.00		419,143.34	660,726.33	N 32°9'6.18"	W 103°56'51.21"		
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.070.00	0.00	419,143.34	660,726.33	N 32°9'6.18"	W 103°56'51.21"	0.00	0.00
First SLB Survey	239.00	1.13	149.04	238.99	1.80	-1.80	1.08	-2.857.01	0.53	419,141.54	660,727.41	N 32°9'6.16"	W 103°56'51.20"	2.10	149.04
	302.00	1.24	152.70	301.97	2.94	-2.94	1.71	-2.794.03	0.21	419,140.40	660,728.04	N 32°9'6.15"	W 103°56'51.19"	3.40	149.77
	395.00	1.37	147.11	394.95	4.77	-4.77	2.78	-2.701.05	0.20	419,138.57	660,729.11	N 32°9'6.13"	W 103°56'51.18"	5.52	149.77
	488.00	1.37	145.45	487.92	6.62	-6.62	4.01	-2.608.08	0.04	419,136.72	660,730.34	N 32°9'6.11"	W 103°56'51.17"	7.74	148.77
	581.00	1.70	143.47	580.89	8.65	-8.64	5.46	-2.515.11	0.36	419,134.70	660,731.79	N 32°9'6.09"	W 103°56'51.15"	10.22	147.69
	602.00	1.92	141.23	601.88	9.17	-9.17	5.87	-2.494.12	1.10	419,134.18	660,732.20	N 32°9'6.08"	W 103°56'51.14"	10.88	147.36
	744.00	2.81	130.07	743.76	13.27	-13.26	10.02	-2.352.24	0.70	419,130.08	660,736.35	N 32°9'6.04"	W 103°56'51.09"	16.52	142.92
	842.00	2.60	131.24	841.65	16.29	-16.28	13.53	-2.254.35	0.22	419,127.07	660,739.86	N 32°9'6.01"	W 103°56'51.05"	21.16	140.26
	935.00	0.13	27.52	934.82	17.59	-17.58	15.16	-2.161.38	2.83	419,125.77	660,741.49	N 32°9'6.00"	W 103°56'51.03"	23.21	139.21
	1,027.00	0.11	312.57	1,026.62	17.44	-17.42	15.15	-2.069.38	0.16	419,125.92	660,741.47	N 32°9'6.00"	W 103°56'51.03"	23.09	139.00
	1,120.00	0.13	147.58	1,119.62	17.47	-17.45	15.14	-1.976.38	0.26	419,125.89	660,741.47	N 32°9'6.00"	W 103°56'51.03"	23.10	139.06
	1,213.00	0.20	204.78	1,212.61	17.70	-17.69	15.13	-1.883.39	0.18	419,125.65	660,741.45	N 32°9'6.00"	W 103°56'51.03"	23.27	139.47
	1,308.00	0.17	339.05	1,307.61	17.72	-17.71	15.01	-1.788.39	0.36	419,125.63	660,741.33	N 32°9'6.00"	W 103°56'51.03"	23.21	139.72
	1,402.00	0.03	283.56	1,401.61	17.59	-17.57	14.93	-1.694.39	0.16	419,125.77	660,741.26	N 32°9'6.00"	W 103°56'51.04"	23.06	139.64
	1,496.00	0.17	262.36	1,495.61	17.60	-17.58	14.77	-1.600.39	0.15	419,125.76	660,741.10	N 32°9'6.00"	W 103°56'51.04"	22.96	139.97
	1,590.00	0.11	211.37	1,589.61	17.69	-17.68	14.58	-1.506.39	0.14	419,125.66	660,740.91	N 32°9'6.00"	W 103°56'51.04"	22.92	140.48
	1,685.00	0.10	51.47	1,684.61	17.72	-17.71	14.60	-1.411.39	0.22	419,125.64	660,740.93	N 32°9'6.00"	W 103°56'51.04"	22.95	140.49
	1,779.00	0.10	295.78	1,778.61	17.63	-17.62	14.59	-1.317.39	0.18	419,125.72	660,740.92	N 32°9'6.00"	W 103°56'51.04"	22.88	140.37
	1,968.00	0.18	65.52	1,967.61	17.44	-17.42	14.71	-1.128.39	0.14	419,125.92	660,741.04	N 32°9'6.00"	W 103°56'51.04"	22.81	139.82
	2,063.00	0.12	126.54	2,062.61	17.44	-17.42	14.93	-1.033.39	0.17	419,125.92	660,741.26	N 32°9'6.00"	W 103°56'51.04"	22.94	139.40
	2,157.00	0.08	222.49	2,156.61	17.54	-17.53	14.96	-939.39	0.16	419,125.81	660,741.29	N 32°9'6.00"	W 103°56'51.04"	23.05	139.51
	2,252.00	0.10	225.61	2,251.61	17.58	-17.56	14.84	-844.39	0.09	419,125.78	660,741.17	N 32°9'6.00"	W 103°56'51.04"	22.99	139.81
	2,346.00	0.09	215.62	2,345.61	17.62	-17.61	14.71	-750.39	0.11	419,125.73	660,741.04	N 32°9'6.00"	W 103°56'51.04"	22.95	140.12
	2,441.00	0.12	16.94	2,440.61	17.59	-17.57	14.70	-655.39	0.22	419,125.77	660,741.03	N 32°9'6.00"	W 103°56'51.04"	22.91	140.09
	2,536.00	0.13	178.92	2,535.61	17.60	-17.59	14.73	-560.39	0.26	419,125.75	660,741.06	N 32°9'6.00"	W 103°56'51.04"	22.94	140.05
	2,631.00	0.17	107.30	2,630.61	17.75	-17.74	14.87	-465.39	0.19	419,125.60	660,741.20	N 32°9'6.00"	W 103°56'51.04"	23.14	140.03
	2,726.00	0.14	103.85	2,725.61	17.82	-17.81	15.11	-370.39	0.03	419,125.53	660,741.44	N 32°9'6.00"	W 103°56'51.03"	23.36	139.68
	2,820.00	0.12	267.15	2,819.61	17.85	-17.84	15.13	-276.39	0.27	419,125.50	660,741.46	N 32°9'6.00"	W 103°56'51.03"	23.39	139.70
	2,915.00	0.15	127.84	2,914.61	17.93	-17.92	15.13	-181.39	0.27	419,125.42	660,741.46	N 32°9'6.00"	W 103°56'51.03"	23.45	139.83
	3,010.00	0.10	187.61	3,009.61	18.09	-18.08	15.21	-86.39	0.14	419,125.26	660,741.54	N 32°9'6.00"	W 103°56'51.03"	23.63	139.92
	3,200.00	0.33	150.15	3,199.61	18.73	-18.72	15.46	103.61	0.14	419,124.62	660,741.79	N 32°9'5.99"	W 103°56'51.03"	24.28	140.44
	3,294.00	0.13	271.97	3,293.61	18.96	-18.95	15.49	197.61	0.44	419,124.38	660,741.82	N 32°9'5.99"	W 103°56'51.03"	24.48	140.73
	3,389.00	0.12	27.25	3,388.61	18.87	-18.86	15.43	292.61	0.22	419,124.48	660,741.76	N 32°9'5.99"	W 103°56'51.03"	24.36	140.71
	3,483.00	0.11	4.75	3,482.61	18.69	-18.68	15.48	386.61	0.05	419,124.66	660,741.81	N 32°9'5.99"	W 103°56'51.03"	24.26	140.35
	3,578.00	0.13	45.26	3,577.61	18.53	-18.51	15.57	481.61	0.09	419,124.83	660,741.90	N 32°9'5.99"	W 103°56'51.03"	24.19	139.94
	3,672.00	0.06	215.56	3,671.61	18.49	-18.48	15.61	575.61	0.20	419,124.86	660,741.94	N 32°9'5.99"	W 103°56'51.03"	24.19	139.80
	3,862.00	0.12	172.16	3,861.61	18.77	-18.76	15.58	765.61	0.05	419,124.59	660,741.91	N 32°9'5.99"	W 103°56'51.03"	24.38	140.28
	3,956.00	0.12	48.16	3,955.61	18.80	-18.79	15.67	859.61	0.23	419,124.55	660,742.00	N 32°9'5.99"	W 103°56'51.03"	24.46	140.17
	4,050.00	0.14	253.37	4,049.61	18.77	-18.75	15.63	953.61	0.27	419,124.59	660,741.96	N 32°9'5.99"	W 103°56'51.03"	24.42	140.19
	4,144.00	0.12	413.61	4,143.61	18.71	-18.70	15.49	1,047.61	0.19	419,124.65	660,741.81	N 32°9'5.99"	W 103°56'51.03"	24.28	140.37
	4,239.00	0.14	243.44	4,238.61	18.67	-18.66	15.34	1,142.61	0.20	419,124.69	660,741.67	N 32°9'5.99"	W 103°56'51.03"	24.16	140.56
	4,334.00	0.15	237.42	4,333.61	18.79	-18.77	15.14	1,237.61	0.02	419,124.57	660,741.46	N 32°9'5.99"	W 103°56'51.03"	24.12	141.12
	4,523.00	0.11	75.31	4,522.61	18.88	-18.86	15.10	1,426.61	0.14	419,124.48	660,741.43	N 32°9'5.99"	W 103°56'51.03"	24.16	141.32
	4,618.00	0.11	77.99	4,617.61	18.83	-18.82	15.28	1,521.61	0.01	419,124.52	660,741.61	N 32°9'5.99"	W 103°56'51.03"	24.24	140.93
	4,712.00	0.14	71.00	4,711.61	18.78	-18.76	15.48	1,616.61	0.04	419,124.58	660,741.81	N 32°9'5.99"	W 103°56'51.03"	24.42	140.48
	4,807.00	0.13	155.14	4,806.61	18.84	-18.82	15.63	1,710.61	0.19	419,124.52	660,741.96	N 32°9'5.99"	W 103°56'51.03"	24.47	140.29
	4,901.00	0.15	340.64	4,900.61	18.82	-18.80	15.64	1,804.61	0.30	419,124.54	660,741.97	N 32°9'5.99"	W 103°56'51.03"	24.46	140.26
	4,996.00	0.11	77.07	4,995.61	18.68	-18.67	15.68	1,899.61	0.21	419,124.67	660,742.01	N 32°9'5.99"	W 103°56'51.03"	24.38	139.96
	5,185.00	0.16	275.66	5,184.61	18.62	-18.60	15.60	2,088.61	0.14	419,124.74	660,741.93	N 32°9'5.99"	W 103°56'51.03"	24.27	140.02
	5,279.00	0.12	344.16	5,278.61	18.51	-18.49	15.44	2,182.61	0.17	419,124.85	660,741.77	N 32°9'5.99"	W 103°56'51.03"	24.09	140.14
	5,374.00	0.12	1.86	5,373.61	18.31	-18.30	15.42	2,277.61	0.04	419,125.04	660,741.75	N 32°9'5.99"	W 103°56'51.03"	23.98	139.88
	5,468.00	0.10	198.04	5,467.61	18.29	-18.28	15.39	2,371.61	0.23	419,125.06	660,741.72	N 32°9'5.99"	W 103°56'51.03"	23.90	139.89
	5,563.00	0.12	160.88	5,562.61	18.46	-18.45	15.40	2,466.61	0.08	419,124.89	660,741.73	N 32°9'5.99"	W 103°56'51.03"	24.03	140.15
	5,657.00	0.13	101.44	5,656.61	18.58	-18.56	15.54	2,560.61	0.13	419,124.78	660,741.87	N 32°9'5.99"	W 103°56'51.03"	24.21	140.07
	5,752.00	0.10	137.71	5,751.61	18.66	-18.65	15.70	2,655.61	0.08	419,124.69	660,742.03	N 32°9'5.99"	W 103°56'51.03"	24.38	139.90
	5,846.00	0.12	332.69	5,845.61	18.64	-18.62	15.71	2,749.61	0.23	419,124.72	660,742.04	N 32°9'5.99"	W 103°56'51.03"	24.36	139.84
	5,941.00	0.12	139.24	5,940.61	18.62	-18.61	15.73	2,844.61							

Walcamp Intersection	10,121.00	45.77	180.15	10,077.76	131.23	-131.26	-22.03	6,981.76	11.89	419,012.09	660,704.30	N 32°9'4.88"	W 103°56'51.47"	133.09	189.53
	10,215.00	53.54	182.07	10,138.57	202.80	-202.82	-23.48	7,042.57	8.41	418,940.53	660,702.85	N 32°9'4.17"	W 103°56'51.49"	204.18	186.60
	10,309.00	59.55	181.53	10,190.36	281.15	-281.17	-25.93	7,094.36	6.41	418,862.19	660,700.40	N 32°9'3.39"	W 103°56'51.52"	282.37	185.27
	10,347.57	59.77	179.60	10,210.00	314.69	-314.72	-26.26	7,114.00	4.32	418,826.65	660,700.07	N 32°9'3.06"	W 103°56'51.53"	315.51	184.77
	10,404.00	60.13	176.83	10,238.11	363.25	-363.27	-24.75	7,142.11	4.32	418,780.10	660,701.58	N 32°9'2.58"	W 103°56'51.51"	364.11	183.90
	10,498.00	66.65	175.88	10,280.19	447.08	-447.10	-19.39	7,184.19	6.99	418,696.28	660,706.94	N 32°9'1.75"	W 103°56'51.45"	447.52	182.48
	10,593.00	80.71	177.71	10,306.83	537.88	-537.90	-14.36	7,210.83	14.91	418,605.49	660,711.98	N 32°9'0.85"	W 103°56'51.40"	538.09	181.53
	10,687.00	84.50	179.22	10,318.92	631.05	-631.06	-11.86	7,222.92	4.34	418,512.33	660,714.47	N 32°8'59.93"	W 103°56'51.37"	631.17	181.08
	10,781.00	89.04	182.21	10,324.22	724.86	-724.87	-13.04	7,228.22	5.78	418,418.53	660,713.29	N 32°8'59.00"	W 103°56'51.39"	724.99	181.03
	10,876.00	90.65	183.84	10,324.48	819.71	-819.73	-18.05	7,228.48	2.41	418,325.67	660,708.28	N 32°8'58.07"	W 103°56'51.45"	819.53	181.26
Section 11-14 Line Cross	10,970.00	89.61	184.38	10,324.26	913.46	-913.49	-24.79	7,228.26	1.25	418,229.92	660,701.54	N 32°8'57.14"	W 103°56'51.53"	913.82	181.55
	11,063.00	90.27	184.35	10,324.36	1,006.18	-1,006.22	-31.87	7,228.36	0.71	418,137.20	660,694.46	N 32°8'56.22"	W 103°56'51.62"	1,006.72	181.81
	11,155.00	89.89	182.45	10,324.23	1,098.01	-1,098.05	-37.32	7,228.23	2.11	418,045.37	660,689.01	N 32°8'55.31"	W 103°56'51.69"	1,098.68	181.95
	11,248.00	90.20	181.71	10,324.16	1,190.95	-1,190.99	-40.70	7,228.16	0.86	417,952.44	660,685.63	N 32°8'54.39"	W 103°56'51.73"	1,191.68	181.96
	11,437.00	89.27	180.08	10,325.03	1,379.91	-1,379.95	-43.65	7,229.03	0.99	417,763.49	660,682.68	N 32°8'52.52"	W 103°56'51.77"	1,380.64	181.81
	11,532.00	90.54	180.36	10,324.98	1,474.91	-1,474.95	-44.02	7,229.19	1.37	417,668.50	660,682.32	N 32°8'51.58"	W 103°56'51.78"	1,475.61	181.71
	11,626.00	89.63	179.15	10,325.05	1,568.90	-1,568.95	-43.62	7,229.05	1.61	417,574.51	660,682.72	N 32°8'50.65"	W 103°56'51.78"	1,569.55	181.59
	11,720.00	89.99	179.28	10,325.36	1,662.90	-1,662.94	-42.33	7,229.36	0.41	417,480.53	660,684.01	N 32°8'49.72"	W 103°56'51.77"	1,663.48	181.46
	11,814.00	89.86	179.45	10,325.49	1,756.89	-1,756.93	-41.29	7,229.49	0.23	417,386.54	660,685.05	N 32°8'48.79"	W 103°56'51.76"	1,757.42	181.35
	11,909.00	89.85	179.57	10,325.73	1,851.89	-1,851.93	-40.47	7,229.73	0.13	417,291.55	660,685.86	N 32°8'47.85"	W 103°56'51.76"	1,852.37	181.25
LTP / 100% FSL Cross	12,003.00	90.23	181.09	10,325.66	1,945.88	-1,945.92	-41.01	7,229.66	1.67	417,197.57	660,685.32	N 32°8'46.92"	W 103°56'51.77"	1,946.36	181.21
	12,192.00	90.25	179.38	10,324.87	2,134.87	-2,134.91	-41.79	7,229.87	0.90	417,008.59	660,684.54	N 32°8'45.05"	W 103°56'51.78"	2,135.32	181.12
	12,286.00	90.02	179.38	10,324.65	2,228.87	-2,228.91	-40.77	7,228.65	0.24	416,914.60	660,685.56	N 32°8'44.12"	W 103°56'51.78"	2,229.28	181.05
	12,380.00	89.62	178.34	10,324.94	2,322.85	-2,322.89	-38.90	7,228.94	1.19	416,820.63	660,687.43	N 32°8'43.19"	W 103°56'51.76"	2,323.21	180.96
	12,475.00	88.61	177.44	10,326.41	2,417.77	-2,417.81	-35.41	7,230.41	1.42	416,725.72	660,690.93	N 32°8'42.25"	W 103°56'51.72"	2,418.07	180.84
	12,569.00	89.95	179.42	10,327.59	2,511.73	-2,511.76	-32.83	7,231.59	2.54	416,631.77	660,693.50	N 32°8'41.32"	W 103°56'51.70"	2,511.97	180.75
	12,663.00	90.05	179.28	10,327.59	2,605.72	-2,605.75	-31.76	7,231.59	0.18	416,537.79	660,694.57	N 32°8'40.39"	W 103°56'51.69"	2,605.95	180.70
	12,757.00	90.07	179.19	10,327.49	2,699.71	-2,699.75	-30.51	7,231.49	0.10	416,443.80	660,695.82	N 32°8'39.46"	W 103°56'51.68"	2,699.92	180.65
	12,851.00	89.59	178.19	10,327.31	2,794.71	-2,794.74	-29.12	7,231.36	0.06	416,348.82	660,697.21	N 32°8'38.52"	W 103°56'51.65"	2,794.89	180.60
	12,946.00	89.97	178.93	10,327.31	2,888.69	-2,888.72	-27.54	7,231.31	0.26	416,254.84	660,698.79	N 32°8'37.59"	W 103°56'51.65"	2,888.85	180.55
Final Survey	13,041.00	89.92	179.60	10,327.40	2,983.69	-2,983.71	-26.32	7,231.40	0.71	416,159.86	660,700.01	N 32°8'36.65"	W 103°56'51.64"	2,983.83	180.51
	13,229.00	89.87	180.21	10,327.75	3,171.68	-3,171.71	-26.01	7,231.75	0.33	415,971.87	660,700.32	N 32°8'34.79"	W 103°56'51.64"	3,171.82	180.47
	13,324.00	89.92	179.96	10,327.92	3,266.68	-3,266.71	-26.15	7,231.92	0.27	415,876.88	660,700.18	N 32°8'33.85"	W 103°56'51.65"	3,266.82	180.46
	13,418.00	89.98	180.05	10,328.00	3,360.68	-3,360.71	-26.16	7,232.00	0.12	415,782.89	660,700.17	N 32°8'32.92"	W 103°56'51.65"	3,360.81	180.45
	13,513.00	89.92	179.81	10,328.00	3,455.68	-3,455.71	-26.04	7,232.00	0.26	415,687.89	660,700.29	N 32°8'31.98"	W 103°56'51.66"	3,455.81	180.43
	13,607.00	89.86	179.95	10,328.10	3,549.68	-3,549.71	-25.85	7,232.10	0.23	415,593.90	660,700.48	N 32°8'31.05"	W 103°56'51.66"	3,549.80	180.42
	13,701.00	90.16	180.18	10,328.08	3,643.68	-3,643.71	-25.95	7,232.08	0.40	415,499.91	660,700.38	N 32°8'30.12"	W 103°56'51.66"	3,643.80	180.41
	13,795.00	90.06	180.13	10,327.90	3,737.68	-3,737.71	-26.21	7,231.90	0.12	415,405.92	660,700.12	N 32°8'29.19"	W 103°56'51.67"	3,737.80	180.40
	13,890.00	89.84	179.68	10,327.99	3,832.68	-3,832.71	-26.05	7,231.99	0.53	415,310.92	660,700.28	N 32°8'28.25"	W 103°56'51.67"	3,832.80	180.39
	13,984.00	90.03	179.67	10,328.09	3,926.68	-3,926.71	-25.52	7,232.09	0.20	415,216.93	660,700.81	N 32°8'27.32"	W 103°56'51.67"	3,926.79	180.37
Projection to Total Depth	14,078.00	89.97	180.16	10,328.01	4,020.68	-4,020.71	-25.39	7,232.01	0.54	415,122.94	660,700.94	N 32°8'26.39"	W 103°56'51.67"	4,020.78	180.36
	14,173.00	89.97	180.16	10,327.98	4,115.68	-4,115.71	-25.68	7,231.98	0.11	415,027.95	660,700.66	N 32°8'25.45"	W 103°56'51.68"	4,115.79	180.36
	14,267.00	89.86	180.14	10,328.12	4,209.68	-4,209.71	-25.92	7,232.12	0.12	414,933.96	660,700.41	N 32°8'24.52"	W 103°56'51.69"	4,209.79	180.35
	14,362.00	89.79	180.19	10,328.41	4,304.68	-4,304.71	-26.20	7,232.41	0.09	414,838.96	660,700.14	N 32°8'23.58"	W 103°56'51.69"	4,304.79	180.35
	14,456.00	90.05	180.22	10,328.54	4,398.68	-4,398.71	-26.53	7,232.54	0.28	414,744.97	660,699.80	N 32°8'22.65"	W 103°56'51.70"	4,398.79	180.35
	14,551.00	90.03	180.73	10,328.47	4,493.67	-4,493.70	-27.32	7,232.47	0.54	414,649.98	660,699.01	N 32°8'21.71"	W 103°56'51.71"	4,493.78	180.35
	14,645.00	89.84	180.68	10,328.60	4,587.66	-4,587.69	-28.48	7,232.60	0.11	414,556.98	660,697.86	N 32°8'20.78"	W 103°56'51.73"	4,587.78	180.36
	14,740.00	89.21	180.15	10,329.20	4,682.66	-4,682.69	-29.16	7,233.20	0.95	414,461.01	660,697.17	N 32°8'19.84"	W 103°56'51.74"	4,682.78	180.36
	14,834.00	90.02	180.51	10,329.83	4,776.65	-4,776.68	-29.71	7,233.83	0.44	414,367.02	660,696.63	N 32°8'18.91"	W 103°56'51.75"	4,776.78	180.36
	14,929.00	89.88	180.26	10,330.66	4,871.64	-4,871.68	-30.34	7,234.66	1.13	414,272.04	660,695.99	N 32°8'17.97"	W 103°56'51.76"	4,871.77	180.36
Survey Type:	15,117.00	89.85	180.41	10,332.58	5,059.63	-5,059.66	-31.44	7,236.58	0.47	414,084.07	660,694.89	N 32°8'16.11"	W 103°56'51.79"	5,059.76	180.36
	15,290.00	90.53	181.16	10,332.01	5,232.61	-5,232.64	-33.81	7,236.01	0.58	413,911.10	660,692.52	N 32°8'14.40"	W 103°56'51.82"	5,232.75	180.37
	15,306.00	90.59	181.23	10,331.86	5,248.60	-5,248.64	-34.15	7,235.86	0.58	413,814.54	660,692.18	N 32°8'14.24"	W 103°56'51.82"	5,248.75	180.37
	15,401.00	90.00	180.40	10,331.37	5,343.59	-5,343.63	-35.50	7,235.37	1.07	413,600.12	660,691.80	N 32°8'13.30"	W 103°56'51.84"	5,343.74	180.38
	15,495.00	89.07	180.45	10,332.13	5,437.58	-5,437.62	-36.20	7,236.13	0.99	413,706.14	660,690.14	N 32			

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 11 / NENE / 32.151716 / -103.947558	County or Parish/State: EDDY / NM
Well Number: 38H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548026	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2764644

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 12/05/2023

Time Sundry Submitted: 03:02

Date Operation Actually Began: 09/04/2023

Actual Procedure: RUPU 09/04/23, RIH & clean out to PBTD @ 20490', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 10380-20395' Total 1200 holes. Frac in 40 stages w/ 281342BBL Produced Water + 75750BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 20238439# sand, RD Liberty 10/01/23. Well ready to produce 10/05/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/15/2024.

Received by OCD: 1/23/2024 4:59:04 PM

Page 8 of 14

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 11 / NENE / 32.151716 / -103.947558	County or Parish/State: EDDY / NM
Well Number: 38H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548026	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: DEC 05, 2023 03:01 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/10/2024
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG						1. WELL API NO. 30-015-48026				
						2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN				
						3. State Oil & Gas Lease No.				
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name CORRAL BLUFF 11-14 FEDERAL COM				
						6. Well Number: 38H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PURPLE SAGE WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	11	25S	29E		83	NORTH	294	EAST	EDDY
BH:	P	14	25S	29E		63	SOUTH	337	EAST	EDDY
13. Date Spudded 06/19/23	14. Date T.D. Reached 07/21/2023		15. Date Rig Released 07/24/2023		16. Date Completed (Ready to Produce) 10/05/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3070' GL		
18. Total Measured Depth of Well 20534'M 10401'V			19. Plug Back Measured Depth 20490'M 10401'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10380-20395' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		692'		14.75"		570sx-surf circ		
7.625" HCL80		26.4		9630'		9.875"		2158sx-surf circ		
5.5" P110		20		20514'		6.75"		854sx-TOC@7669'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
							2-3/8"	9966'		
26. Perforation record (interval, size, and number) 10380-20395' Total 1200 holes, Hole Size=0.42							27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
							DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED	
							10380-20395'		281342BBL Produced Water + 75750BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 20238439# sand	
28. PRODUCTION										
Date First Production 10/07/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) GAS LIFT				Well Status (<i>Prod. or Shut-in</i>) Prod.				
Date of Test 10/12/2023	Hours Tested 24 hrs.	Choke Size 57	Prod'n For Test Period	Oil - Bbl 2919	Gas - MCF 7084	Water - Bbl. 6778	Gas - Oil Ratio 2427			
Flow Tubing Press.	Casing Pressure 1816	Calculated 24- Hour Rate	Oil - Bbl. 2919	Gas - MCF 7084	Water - Bbl. 6778	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <i>Jana Mendiola</i>		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>01/23/2024</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 476'	T. Bell Canyon 3262'	T. Ojo Alamo	T. Penn A"
T. Salado 981'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1718'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3234'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4154'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5163'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6999'	T. Todilto	
T. Abo	T. 1st Bone Spring 7935'	T. Entrada	
T. Wolfcamp 10321'	T. 2nd Bone Spring 8778'	T. Wingate	
T. Penn	T. 3rd Bone Spring 9792'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
CORRAL BLUFF 11-14 FEDERAL COM 38H
API No. 30-015-48026

14-3/4" hole @ 702'
10-3/4" csg @ 692'
w/ 570sx-TOC-Surf Circ.

9-7/8" hole @ 9647'
7-5/8" csg @ 9630'
w/ 2158sx-TOC-Surf Circ.

6-3/4" hole @ 20534'
5-1/2" csg @ 20514'
w/ 854sx-TOC-7669'

2-3/8" tbg & gaslift @ 9966'

Perfs @ 10380-20395'

TD- 20534'M 10401'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 307034

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 307034
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 307034

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 307034
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM approval.	1/26/2024