

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 3/28/22
⁴ API Number 30-025-49431	⁵ Pool Name WC-025 G-08 S233430J; WOLFCAMP	⁶ Pool Code 97965
⁷ Property Code 315753	⁸ Property Name White Dove 17 Fed Com	⁹ Well Number 21H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	17	23S	34E		350	North	718	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	17	23S	34E		100	South	671	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/28/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
024650	Targa Permian, LP 1000 Louisiana, Ste 4300 Houston, TX 77002	Gas
330291	3 Bear Energy-Cottonwood, LLC 1200 17th Street Suite 750 Denver, CO 80202	Oil

IV. Well Completion Data

²¹ Spud Date 11/28/21	²² Ready Date 3/28/22	²³ TD 16274	²⁴ PBTD 16,258 MD/11,425 TVD	²⁵ Perforations 11565 - 16248	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	1178	470 sx CLC; Circ 274 sx		
9-7/8"	8-5/8"	10756	923 sx CLC; Circ 256 sx		
7-7/8"	5-1/2"	16262	990 sx CI POZ MIX; Circ 133 sx		
	Tubing: 2-7/8"	10773			

V. Well Test Data

³¹ Date New Oil 4/7/22	³² Gas Delivery Date 4/7/22	³³ Test Date 4/7/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 931 psi	³⁶ Csg. Pressure 14 psi
³⁷ Choke Size	³⁸ Oil 1251 bbl	³⁹ Water 2511 bbl	⁴⁰ Gas 2066 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvnm.com			Approval Date: 1/26/2024		
Date: 4/26/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-49431	Pool Code 97965	Pool Name WC-025 G-08 S233430J; WOLFCAMP
Property Code 315753	Property Name WHITE DOVE 17 FED COM	Well Number 21H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3479.4'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	17	23-S	34-E		350	NORTH	718	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	17	23-S	34-E		100	SOUTH	671	WEST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Shayda Omoumi Date: 4/26/2022

Printed Name: Shayda Omoumi

E-mail Address: shayda.omoumi@dvn.com

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: 12/14/2021

Signature & Seal of Professional Surveyor

Signature & Seal of Professional Surveyor

B. L. LAMAN
NEW MEXICO
22404
PROFESSIONAL SURVEYOR

4/25/2022

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

WHITE DOVE 17 FED COM 21H

EL: 3479.4'
LAT: 32.310914
LON: 103.498354
N: 477847.71
E: 799297.72

LAST TAKE POINT

126' FSL 670' FWL SEC. 17
LAT: 32.297711
LON: 103.498481
N: 473044.00
E: 799295.88

KICK OFF POINT

59' FNL 615' FWL SEC. 17
LAT: 32.311714
LON: 103.498690
N: 478137.72
E: 799191.91

BOTTOM OF HOLE

LAT: 32.297639
LON: 103.498478
N: 473018.04
E: 799297.24

FIRST TAKE POINT

478' FNL 623' FWL SEC. 17
LAT: 32.310563
LON: 103.498660
N: 477719.15
E: 799204.21

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Devon Energy

Lea County, NM (NAD83)

White Dove 17

White Dove 17 Fed Com 21H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

14 December, 2021

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 21H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Site:	White Dove 17	MD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Well:	White Dove 17 Fed Com 21H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		White Dove 17			
Site Position:		Northing:	477,847.71 usft	Latitude:	32.310914
From:	Map	Easting:	799,297.72 usft	Longitude:	-103.498355
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.45 °

Well	White Dove 17 Fed Com 21H					
Well Position	+N/-S	0.00 usft	Northing:	477,847.71 usft	Latitude:	32.310914
	+E/-W	0.00 usft	Easting:	799,297.72 usft	Longitude:	-103.498355
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,479.40 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	12/1/2021	6.38	59.92	47,687.30000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	180.01	

Survey Program	Date	12/14/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
175.00	16,274.00	Survey #1 (Wellbore #1)	MWD+HDGM	OWSG MWD + HDGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	477,847.71	799,297.72	32.310914	-103.498355
175.00	0.30	149.50	175.00	-0.39	0.23	477,847.32	799,297.95	32.310913	-103.498354
270.00	0.40	137.00	270.00	-0.85	0.58	477,846.86	799,298.30	32.310912	-103.498353
365.00	0.60	139.00	364.99	-1.47	1.14	477,846.24	799,298.86	32.310910	-103.498351
460.00	0.80	143.30	459.99	-2.38	1.86	477,845.33	799,299.58	32.310908	-103.498349
555.00	0.90	150.30	554.98	-3.56	2.63	477,844.15	799,300.34	32.310904	-103.498346
649.00	1.00	150.10	648.96	-4.91	3.40	477,842.80	799,301.12	32.310901	-103.498344
744.00	1.00	154.50	743.95	-6.38	4.17	477,841.33	799,301.89	32.310897	-103.498341
839.00	1.00	156.40	838.93	-7.88	4.86	477,839.83	799,302.58	32.310893	-103.498339
934.00	0.90	153.50	933.92	-9.31	5.52	477,838.40	799,303.24	32.310889	-103.498337
1,029.00	0.90	152.10	1,028.91	-10.64	6.21	477,837.07	799,303.92	32.310885	-103.498335
1,111.00	0.60	144.60	1,110.90	-11.56	6.76	477,836.15	799,304.47	32.310882	-103.498333

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 21H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Site:	White Dove 17	MD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Well:	White Dove 17 Fed Com 21H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,279.00	0.60	109.80	1,278.89	-12.57	8.09	477,835.14	799,305.81	32.310880	-103.498329
1,374.00	0.70	107.10	1,373.89	-12.91	9.12	477,834.80	799,306.83	32.310879	-103.498325
1,469.00	0.80	101.20	1,468.88	-13.21	10.32	477,834.50	799,308.04	32.310878	-103.498322
1,564.00	0.90	105.70	1,563.87	-13.54	11.69	477,834.17	799,309.41	32.310877	-103.498317
1,659.00	0.90	72.40	1,658.86	-13.52	13.12	477,834.19	799,310.84	32.310877	-103.498313
1,755.00	1.00	41.00	1,754.85	-12.66	14.39	477,835.05	799,312.11	32.310879	-103.498308
1,850.00	2.30	12.40	1,849.81	-10.17	15.34	477,837.54	799,313.06	32.310886	-103.498305
1,945.00	4.20	1.50	1,944.65	-4.83	15.84	477,842.88	799,313.56	32.310901	-103.498303
2,041.00	5.30	359.00	2,040.32	3.12	15.86	477,850.83	799,313.57	32.310923	-103.498303
2,136.00	6.60	353.70	2,134.80	12.93	15.18	477,860.64	799,312.90	32.310950	-103.498305
2,231.00	7.20	357.60	2,229.12	24.31	14.33	477,872.02	799,312.05	32.310981	-103.498308
2,326.00	7.50	355.70	2,323.34	36.44	13.62	477,884.15	799,311.34	32.311014	-103.498310
2,421.00	6.50	346.30	2,417.63	47.84	11.88	477,895.56	799,309.60	32.311046	-103.498315
2,516.00	6.60	349.00	2,512.01	58.43	9.56	477,906.14	799,307.28	32.311075	-103.498322
2,612.00	6.70	352.80	2,607.36	69.40	7.81	477,917.11	799,305.53	32.311105	-103.498328
2,707.00	5.90	348.90	2,701.79	79.69	6.18	477,927.40	799,303.89	32.311133	-103.498333
2,802.00	6.00	354.20	2,796.28	89.42	4.73	477,937.13	799,302.45	32.311160	-103.498337
2,897.00	5.90	348.00	2,890.77	99.14	3.22	477,946.85	799,300.93	32.311187	-103.498342
2,993.00	6.20	357.70	2,986.24	109.14	1.98	477,956.85	799,299.70	32.311214	-103.498345
3,088.00	6.20	356.70	3,080.68	119.39	1.48	477,967.10	799,299.20	32.311242	-103.498347
3,183.00	6.30	345.00	3,175.12	129.55	-0.16	477,977.26	799,297.55	32.311270	-103.498352
3,278.00	6.20	342.80	3,269.56	139.48	-3.03	477,987.19	799,294.69	32.311298	-103.498361
3,373.00	5.90	345.20	3,364.03	149.10	-5.79	477,996.81	799,291.92	32.311324	-103.498370
3,469.00	4.50	356.60	3,459.63	157.63	-7.28	478,005.34	799,290.44	32.311348	-103.498374
3,564.00	5.20	355.60	3,554.29	165.65	-7.83	478,013.36	799,289.89	32.311370	-103.498376
3,659.00	6.00	5.50	3,648.84	174.88	-7.68	478,022.59	799,290.04	32.311395	-103.498375
3,755.00	6.80	16.50	3,744.24	185.33	-5.59	478,033.04	799,292.13	32.311424	-103.498368
3,850.00	7.40	21.20	3,838.52	196.42	-1.78	478,044.13	799,295.94	32.311454	-103.498355
3,945.00	7.80	9.90	3,932.69	208.48	1.54	478,056.19	799,299.26	32.311487	-103.498344
4,040.00	8.40	16.20	4,026.74	221.49	4.59	478,069.20	799,302.31	32.311523	-103.498334
4,136.00	8.60	10.10	4,121.69	235.29	7.80	478,083.00	799,305.52	32.311561	-103.498323
4,231.00	8.10	359.30	4,215.69	248.98	8.97	478,096.69	799,306.68	32.311598	-103.498319
4,326.00	8.00	356.00	4,309.75	262.26	8.42	478,109.98	799,306.14	32.311635	-103.498321
4,421.00	5.70	349.00	4,404.07	273.49	7.06	478,121.20	799,304.78	32.311666	-103.498325
4,517.00	5.10	344.40	4,499.64	282.28	5.00	478,129.99	799,302.72	32.311690	-103.498331
4,612.00	3.10	350.70	4,594.39	288.88	3.45	478,136.59	799,301.17	32.311708	-103.498336
4,707.00	2.80	339.50	4,689.27	293.59	2.23	478,141.30	799,299.94	32.311721	-103.498340
4,802.00	2.70	332.70	4,784.16	297.75	0.39	478,145.46	799,298.11	32.311733	-103.498346
4,897.00	2.40	329.20	4,879.07	301.45	-1.66	478,149.16	799,296.06	32.311743	-103.498352
4,992.00	2.30	326.30	4,973.99	304.75	-3.73	478,152.46	799,293.98	32.311752	-103.498359
5,088.00	2.20	328.10	5,069.91	307.91	-5.78	478,155.62	799,291.94	32.311761	-103.498366
5,183.00	2.20	333.80	5,164.84	311.10	-7.54	478,158.81	799,290.17	32.311770	-103.498371
5,278.00	2.50	308.50	5,259.76	314.02	-9.97	478,161.73	799,287.75	32.311778	-103.498379
5,373.00	2.50	306.20	5,354.67	316.54	-13.26	478,164.25	799,284.45	32.311785	-103.498390
5,468.00	2.40	302.60	5,449.59	318.83	-16.61	478,166.54	799,281.11	32.311791	-103.498400
5,563.00	2.20	278.20	5,544.51	320.16	-20.09	478,167.87	799,277.62	32.311795	-103.498412
5,658.00	2.30	276.70	5,639.44	320.65	-23.79	478,168.36	799,273.93	32.311796	-103.498424
5,753.00	2.20	279.60	5,734.37	321.17	-27.48	478,168.88	799,270.24	32.311798	-103.498435
5,849.00	1.40	251.10	5,830.32	321.10	-30.41	478,168.81	799,267.31	32.311798	-103.498445
5,943.00	1.40	233.40	5,924.29	320.04	-32.42	478,167.75	799,265.30	32.311795	-103.498451
6,039.00	1.40	237.40	6,020.26	318.71	-34.35	478,166.42	799,263.37	32.311791	-103.498458
6,134.00	1.40	239.50	6,115.24	317.50	-36.32	478,165.21	799,261.39	32.311788	-103.498464
6,229.00	1.30	242.80	6,210.21	316.42	-38.28	478,164.13	799,259.44	32.311785	-103.498471
6,324.00	1.20	237.40	6,305.19	315.39	-40.08	478,163.10	799,257.64	32.311782	-103.498476
6,419.00	1.20	236.10	6,400.17	314.30	-41.74	478,162.01	799,255.98	32.311779	-103.498482

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 21H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Site:	White Dove 17	MD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Well:	White Dove 17 Fed Com 21H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,515.00	1.20	245.30	6,496.14	313.32	-43.49	478,161.03	799,254.23	32.311776	-103.498487
6,610.00	1.10	246.80	6,591.13	312.54	-45.23	478,160.25	799,252.49	32.311774	-103.498493
6,705.00	1.10	243.60	6,686.11	311.78	-46.89	478,159.49	799,250.83	32.311772	-103.498499
6,801.00	1.10	243.20	6,782.09	310.95	-48.53	478,158.66	799,249.18	32.311770	-103.498504
6,896.00	1.20	243.10	6,877.07	310.09	-50.24	478,157.80	799,247.48	32.311768	-103.498509
6,991.00	1.20	241.70	6,972.05	309.17	-52.00	478,156.88	799,245.72	32.311765	-103.498515
7,086.00	1.10	242.20	7,067.03	308.27	-53.68	478,155.98	799,244.04	32.311763	-103.498521
7,181.00	1.20	243.10	7,162.01	307.40	-55.38	478,155.11	799,242.34	32.311760	-103.498526
7,276.00	1.10	249.50	7,256.99	306.63	-57.12	478,154.34	799,240.60	32.311758	-103.498532
7,372.00	0.30	306.70	7,352.99	306.45	-58.18	478,154.16	799,239.54	32.311758	-103.498535
7,467.00	0.20	299.70	7,447.98	306.69	-58.52	478,154.40	799,239.19	32.311758	-103.498536
7,562.00	0.20	299.00	7,542.98	306.85	-58.81	478,154.56	799,238.90	32.311759	-103.498537
7,657.00	0.30	301.70	7,637.98	307.06	-59.17	478,154.77	799,238.55	32.311760	-103.498538
7,753.00	0.30	248.80	7,733.98	307.10	-59.62	478,154.81	799,238.10	32.311760	-103.498540
7,848.00	0.30	227.10	7,828.98	306.84	-60.03	478,154.55	799,237.69	32.311759	-103.498541
7,943.00	0.40	216.10	7,923.98	306.40	-60.41	478,154.11	799,237.31	32.311758	-103.498542
8,038.00	0.80	233.60	8,018.97	305.74	-61.14	478,153.45	799,236.58	32.311756	-103.498545
8,134.00	0.80	239.40	8,114.96	305.00	-62.26	478,152.71	799,235.46	32.311754	-103.498548
8,229.00	0.80	239.00	8,209.96	304.32	-63.39	478,152.03	799,234.32	32.311752	-103.498552
8,324.00	0.80	235.40	8,304.95	303.61	-64.51	478,151.32	799,233.21	32.311750	-103.498556
8,419.00	0.90	246.40	8,399.94	302.93	-65.74	478,150.64	799,231.98	32.311748	-103.498560
8,515.00	1.00	247.60	8,495.92	302.31	-67.20	478,150.02	799,230.51	32.311747	-103.498565
8,610.00	1.20	248.40	8,590.90	301.63	-68.90	478,149.34	799,228.82	32.311745	-103.498570
8,705.00	1.50	265.60	8,685.88	301.17	-71.06	478,148.88	799,226.66	32.311744	-103.498577
8,800.00	1.20	272.20	8,780.85	301.11	-73.29	478,148.82	799,224.42	32.311743	-103.498584
8,895.00	1.00	253.30	8,875.83	300.91	-75.08	478,148.62	799,222.64	32.311743	-103.498590
8,991.00	1.90	258.70	8,971.80	300.36	-77.45	478,148.07	799,220.27	32.311741	-103.498598
9,086.00	1.00	227.50	9,066.77	299.49	-79.60	478,147.20	799,218.12	32.311739	-103.498605
9,181.00	0.70	175.10	9,161.76	298.35	-80.16	478,146.06	799,217.56	32.311736	-103.498607
9,276.00	0.50	170.00	9,256.76	297.36	-80.04	478,145.07	799,217.68	32.311733	-103.498606
9,371.00	0.60	172.00	9,351.75	296.46	-79.90	478,144.17	799,217.82	32.311731	-103.498606
9,466.00	0.60	232.10	9,446.75	295.66	-80.22	478,143.37	799,217.49	32.311729	-103.498607
9,561.00	0.70	257.60	9,541.74	295.23	-81.18	478,142.94	799,216.54	32.311727	-103.498610
9,656.00	0.90	261.30	9,636.73	295.00	-82.49	478,142.71	799,215.23	32.311727	-103.498614
9,752.00	1.00	259.20	9,732.72	294.72	-84.05	478,142.44	799,213.66	32.311726	-103.498619
9,847.00	1.00	249.70	9,827.71	294.28	-85.65	478,141.99	799,212.07	32.311725	-103.498624
9,942.00	1.00	249.60	9,922.69	293.71	-87.20	478,141.42	799,210.52	32.311723	-103.498629
10,037.00	1.00	256.20	10,017.68	293.22	-88.78	478,140.93	799,208.93	32.311722	-103.498635
10,132.00	1.00	250.40	10,112.66	292.74	-90.37	478,140.45	799,207.35	32.311721	-103.498640
10,228.00	1.00	269.10	10,208.65	292.45	-92.00	478,140.16	799,205.72	32.311720	-103.498645
10,323.00	1.00	277.50	10,303.64	292.54	-93.65	478,140.25	799,204.07	32.311720	-103.498650
10,418.00	1.20	253.30	10,398.62	292.37	-95.42	478,140.08	799,202.30	32.311720	-103.498656
10,513.00	1.60	252.10	10,493.59	291.67	-97.64	478,139.38	799,200.08	32.311718	-103.498663
10,608.00	1.70	265.90	10,588.55	291.16	-100.30	478,138.87	799,197.41	32.311717	-103.498672
10,716.00	2.10	257.80	10,696.49	290.63	-103.84	478,138.34	799,193.88	32.311715	-103.498683
10,803.00	2.20	247.20	10,783.43	289.65	-106.93	478,137.36	799,190.78	32.311713	-103.498693
KOP @ 10803' MD, 61' FNL, 611' FWL									
10,898.00	8.10	180.50	10,878.06	282.24	-108.68	478,129.95	799,189.04	32.311692	-103.498699
10,993.00	15.70	177.80	10,970.95	262.67	-108.24	478,110.38	799,189.48	32.311639	-103.498698
11,033.69	20.79	175.72	11,009.58	249.96	-107.49	478,097.67	799,190.23	32.311604	-103.498696
X FTP @ 11034' MD, 100' FNL, 610' FWL									
11,088.00	27.60	174.10	11,059.09	227.81	-105.47	478,075.52	799,192.24	32.311543	-103.498690
11,183.00	38.40	175.30	11,138.65	176.36	-100.78	478,024.07	799,196.94	32.311401	-103.498676
11,279.00	46.60	178.60	11,209.37	111.66	-97.48	477,959.38	799,200.24	32.311223	-103.498667
11,374.00	54.20	180.60	11,269.89	38.53	-97.04	477,886.24	799,200.68	32.311022	-103.498668

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 21H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Site:	White Dove 17	MD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Well:	White Dove 17 Fed Com 21H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,469.00	61.40	178.80	11,320.48	-41.80	-96.57	477,805.91	799,201.15	32.310801	-103.498668
11,565.00	68.20	177.20	11,361.34	-128.56	-93.50	477,719.15	799,204.21	32.310563	-103.498661
11,660.00	79.70	176.40	11,387.56	-219.56	-88.40	477,628.15	799,209.32	32.310313	-103.498646
11,755.00	86.30	176.60	11,399.13	-313.62	-82.65	477,534.09	799,215.07	32.310054	-103.498630
11,850.00	88.50	176.70	11,403.44	-408.35	-77.10	477,439.36	799,220.62	32.309794	-103.498614
11,945.00	89.10	177.10	11,405.43	-503.19	-71.96	477,344.52	799,225.75	32.309533	-103.498600
12,040.00	90.10	176.70	11,406.09	-598.05	-66.83	477,249.66	799,230.89	32.309272	-103.498586
12,135.00	89.90	178.70	11,406.09	-692.97	-63.02	477,154.74	799,234.70	32.309011	-103.498576
12,230.00	89.50	179.40	11,406.59	-787.95	-61.44	477,059.76	799,236.28	32.308750	-103.498573
12,325.00	89.90	178.20	11,407.08	-882.93	-59.45	476,964.78	799,238.27	32.308489	-103.498569
12,420.00	90.50	179.70	11,406.75	-977.91	-57.71	476,869.80	799,240.01	32.308228	-103.498566
12,515.00	90.20	178.20	11,406.17	-1,072.89	-55.97	476,774.82	799,241.75	32.307967	-103.498563
12,611.00	89.80	179.60	11,406.17	-1,168.87	-54.13	476,678.84	799,243.59	32.307703	-103.498559
12,706.00	89.30	180.90	11,406.92	-1,263.86	-54.54	476,583.85	799,243.18	32.307442	-103.498563
12,801.00	89.90	179.90	11,407.58	-1,358.86	-55.20	476,488.85	799,242.51	32.307181	-103.498568
12,896.00	89.90	183.10	11,407.75	-1,453.81	-57.69	476,393.90	799,240.03	32.306920	-103.498578
12,992.00	88.00	182.00	11,409.51	-1,549.70	-61.96	476,298.02	799,235.76	32.306656	-103.498594
13,087.00	89.30	182.90	11,411.75	-1,644.58	-66.02	476,203.13	799,231.70	32.306395	-103.498610
13,182.00	86.50	181.90	11,415.23	-1,739.42	-70.00	476,108.29	799,227.72	32.306135	-103.498625
13,277.00	87.00	179.30	11,420.61	-1,834.25	-70.99	476,013.46	799,226.73	32.305874	-103.498631
13,372.00	87.70	178.40	11,425.01	-1,929.13	-69.08	475,918.58	799,228.63	32.305613	-103.498627
13,467.00	91.20	177.80	11,425.92	-2,024.06	-65.94	475,823.65	799,231.78	32.305352	-103.498619
13,562.00	90.20	176.80	11,424.76	-2,118.95	-61.46	475,728.76	799,236.26	32.305092	-103.498607
13,657.00	89.60	179.60	11,424.92	-2,213.89	-58.48	475,633.82	799,239.24	32.304830	-103.498600
13,752.00	89.70	179.00	11,425.50	-2,308.88	-57.32	475,538.83	799,240.40	32.304569	-103.498598
13,847.00	88.60	177.60	11,426.91	-2,403.82	-54.50	475,443.89	799,243.22	32.304308	-103.498592
13,943.00	90.10	178.70	11,428.00	-2,499.76	-51.40	475,347.95	799,246.32	32.304045	-103.498584
14,038.00	90.70	177.50	11,427.34	-2,594.71	-48.25	475,253.00	799,249.47	32.303784	-103.498576
14,133.00	89.90	179.30	11,426.84	-2,689.66	-45.60	475,158.05	799,252.12	32.303523	-103.498570
14,228.00	89.80	178.80	11,427.09	-2,784.65	-44.02	475,063.06	799,253.70	32.303261	-103.498567
14,323.00	89.00	178.30	11,428.08	-2,879.61	-41.62	474,968.10	799,256.10	32.303000	-103.498562
14,419.00	90.70	179.50	11,428.34	-2,975.59	-39.78	474,872.12	799,257.94	32.302736	-103.498558
14,514.00	90.60	178.70	11,427.26	-3,070.57	-38.28	474,777.14	799,259.43	32.302475	-103.498556
14,609.00	89.10	177.50	11,427.51	-3,165.51	-35.13	474,682.20	799,262.58	32.302214	-103.498548
14,704.00	90.00	179.30	11,428.25	-3,260.47	-32.48	474,587.24	799,265.24	32.301953	-103.498542
14,799.00	89.50	178.60	11,428.67	-3,355.45	-30.74	474,492.26	799,266.98	32.301692	-103.498539
14,894.00	90.20	179.30	11,428.92	-3,450.43	-29.00	474,397.28	799,268.72	32.301431	-103.498535
14,989.00	92.30	179.70	11,426.84	-3,545.40	-28.17	474,302.31	799,269.55	32.301170	-103.498535
15,084.00	89.20	179.40	11,425.60	-3,640.38	-27.43	474,207.33	799,270.29	32.300909	-103.498535
15,179.00	88.50	178.90	11,427.51	-3,735.35	-26.02	474,112.36	799,271.70	32.300648	-103.498533
15,274.00	88.20	179.50	11,430.24	-3,830.30	-24.69	474,017.41	799,273.03	32.300387	-103.498531
15,370.00	88.80	180.00	11,432.75	-3,926.27	-24.27	473,921.45	799,273.45	32.300123	-103.498532
15,465.00	92.60	180.00	11,431.59	-4,021.24	-24.27	473,826.47	799,273.45	32.299862	-103.498535
15,560.00	92.30	179.30	11,427.53	-4,116.15	-23.69	473,731.56	799,274.03	32.299601	-103.498535
15,655.00	90.80	178.80	11,424.96	-4,211.10	-22.12	473,636.61	799,275.60	32.299340	-103.498532
15,750.00	89.90	178.70	11,424.38	-4,306.08	-20.05	473,541.64	799,277.67	32.299079	-103.498528
15,845.00	89.40	177.70	11,424.96	-4,401.03	-17.06	473,446.69	799,280.66	32.298818	-103.498521
15,941.00	90.00	177.90	11,425.47	-4,496.95	-13.38	473,350.76	799,284.34	32.298554	-103.498511
16,036.00	89.40	178.70	11,425.96	-4,591.91	-10.56	473,255.80	799,287.16	32.298293	-103.498505
16,131.00	89.90	177.60	11,426.54	-4,686.86	-7.49	473,160.86	799,290.23	32.298032	-103.498497
16,220.00	91.00	177.00	11,425.85	-4,775.75	-3.30	473,071.96	799,294.42	32.297788	-103.498486
16,274.00	91.00	177.00	11,424.90	-4,829.67	-0.47	473,018.04	799,297.24	32.297640	-103.498478
PBHL & LTP @ 16274' MD, 103' FSL, 670' FWL									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well White Dove 17 Fed Com 21H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Site:	White Dove 17	MD Reference:	GE 3479.4' + KB 25' @ 3504.40usft
Well:	White Dove 17 Fed Com 21H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name		Casing Diameter (")	Hole Diameter (")
16,274.00	11,424.90	20" Casing		20	24

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
10,803.00	10,783.43	289.65	-106.93	KOP @ 10803' MD, 61' FNL, 611' FWL	
11,033.69	11,009.58	249.96	-107.49	X FTP @ 11034' MD, 100' FNL, 610' FWL	
16,274.00	11,424.90	-4,829.67	-0.47	PBHL & LTP @ 16274' MD, 103' FSL, 670' FWL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-49431
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name White Dove 17 Fed Com
4. Well Location Unit Letter <u>D</u> : <u>350</u> feet from the <u>North</u> line and <u>718</u> feet from the <u>West</u> line Section <u>17</u> Township <u>23S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number 21H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3479.4'		9. OGRID Number 6137
		10. Pool name or Wildcat WC-025 G-08 S233430J; WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/26/22-3/28/22: MIRU WL & PT. TIH & ran CBL, found TOC @ SURFACE. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 11565'-16248', total 574 holes. Frac totals 10,730,530# proppant, 68 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 16,258' MD/11,425' TVD. CHC, FWB, ND BOP. RIH w/322 jts 2-7/8" L-80 tbg, set @ 10773'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 4/26/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-49431						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name White Dove 17 Fed Com 6. Well Number: 21H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						WC-025 G-08 S233430J; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	17	23S	34E		350	North	718	West	Lea
BH:	M	17	23S	34E		100	South	671	West	Lea
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3479.4' GL		
11/28/21	12/11/21	12/12/21		3/28/22						
18. Total Measured Depth of Well			19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run			
16274 MD, 11425 TVD			16,258 MD/11,425 TVD		Yes		CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name										
11565-16248, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		1178		17-1/2"		470 sx CIC; circ 274 sx		
8-5/8"		32		10756		9-7/8"		923 sx CIC; circ 256 sx		
5-1/2"		20		16262		7-7/8"		990 sx CI POZ MIX; circ 133 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET	PACKER SET	
						2-7/8" L-80		10773		
26. Perforation record (interval, size, and number)										
11565 - 16248, total 574 holes										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL					AMOUNT AND KIND MATERIAL USED					
11565-16248					Acidize and frac in 20 stages. See detailed summary attached.					
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
3/28/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
4/7/22	24			1251	2066	2511	1651.478817			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
931 psi	14 psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Shayda Omoumi		Title		Regulatory Compliance Associate		Date 4/26/2022
E-mail Address		shayda.omoumi@dvn.com								

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 1000			
Salt - 1100			
Base of Salt - 4662			
Lamar - 4662			
Delaware - 5020			
Cherry Canyon - 5936			
Brushy Canyon - 7610			
1st Bone Spring Lime - 8593			
Bone Spring 1st - 9630			
Bone Spring 2nd - 10204			
3rd Bone Spring Lime - 10631			
Bone Spring 3rd - 11189			
Wolfcamp - 11386			
Strawn - 12015			

No. 1, from.....	N/A.....	to.....	N/A.....	No. 3, from.....	N/A.....	to.....	N/A.....
No. 2, from.....	N/A.....	to.....	N/A.....	No. 4, from.....	N/A.....	to.....	N/A.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

Well Name: WHITE DOVE 17 FED COM	Well Location: T23S / R34E / SEC 17 / NWNW /	County or Parish/State:
Well Number: 21H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM97157	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549431	Well Status: Approved Application for Permit to Drill	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Subsequent Report

Sundry ID: 2648302

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 12/10/2021

Time Sundry Submitted: 08:23

Date Operation Actually Began: 11/28/2021

Actual Procedure: DRILLING OPS SUMMARY - SURFACE - (11/28/21 – 12/1/21) SPUD @ 12:00. TD 17-1/2" HOLE @ 1190'. RIH W/ 28 JTS 13-3/8" 54.50# J-55 CSG, SET @ 1178.3'. LEAD W/ 470 SX CLC, YLD 1.84 CU FT/SK. DISP W/ 175 BBLS BW. CIRC 274 SX CMT TO SURF. PT CSG TO 1500 PSI FOR 30MIN, OK. PT BOPE 250/5,000 PSI, HELD EACH TEST FOR 10 MIN, OK. INTERMEDIATE - (12/1/21 – 12/7/21) TD 9-7/8" HOLE @ 10,771'. RIH W/ 244 JTS 8-5/8" 32# P-110EC VAM SPRINT FJ CSG SET @ 10,757'. LEAD W/ 716 SX CLC, YLD 2.98 CU FT/SK. TAIL W/ 207 SX CLC, YLD 1.33 CU FT/SK. DISP W/ 606 BBLS DISP. CIRC 256 SX CMT TO SURF. PT CSG TO 2500 PSI FOR 30 MINS, OK.

Well Name: WHITE DOVE 17 FED
COMWell Location: T23S / R34E / SEC 17 /
NWNW /

County or Parish/State:

Well Number: 21H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM97157

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002549431

Well Status: Approved Application for
Permit to DrillOperator: DEVON ENERGY
PRODUCTION COMPANY LP**Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: REBECCA DEAL

Signed on: DEC 10, 2021 08:22 PM

Name: DEVON ENERGY PRODUCTION COMPANY LP

Title: Regulatory Compliance Professional

Street Address: 333 West Sheridan Avenue

City: Oklahoma City

State: OK

Phone: (405) 228-8429

Email address: Rebecca.Deal@dvn.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 12/29/2021

Signature: Jonathon Shepard

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 102268

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 102268
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 102268

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 102268
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/26/2024