

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 08/19/2023
⁴ API Number 30-015-53279	⁵ Pool Name COTTON DRAW; BONE SPRING	⁶ Pool Code 13367
⁷ Property Code: 334034	⁸ Property Name: VANADIUM 32 STATE COM	⁹ Well Number: 176H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	29	23S	31E		472	SOUTH	1404	EAST	EDDY

¹¹ Bottom Hole Location FTP: 239' FNL 731' FEL LTP: 216' FNL 1920' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	32	23S	31E		44	NORTH	1922	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 8/21/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/27/23	²² Ready Date 08/19/23	²³ TD 21900'M 9829'V	²⁴ PBDT 21855'M 9830'V	²⁵ Perforations 10502-21728'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		470'	533
12-1/4"		9-5/8"		4265'	1219
8-3/4"		7-5/8"		9450'	486
6-3/4"		5-1/2"		21859'	1007

V. Well Test Data 2-3/8" TBG 9905'

³¹ Date New Oil 08/21/23	³² Gas Delivery Date 08/21/23	³³ Test Date 08/28/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 889
³⁷ Choke Size 128/128	³⁸ Oil 3116	³⁹ Water 6412	⁴⁰ Gas 3733		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 01/28/2024 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/31/2024

File 3160-4 within 10 days of BLM Approval.

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☒ AMENDED REPORT

¹ API Number 30-015-53279		² Pool Code 13367	³ Pool Name COTTON DRAW; BONE SPRING	
⁴ Property Code 334034	⁵ Property Name VANADIUM 32 STATE COM			⁶ Well Number 176H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.			⁹ Elevation 3360'

UL or lot no. O	Section 29	Township 23S	Range 31E	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
					472	SOUTH	1404	EAST	EDDY

UL or lot no. C	Section 32	Township 23S	Range 31E	Lot Idn	Feet from the 44	North/South line NORTH	Feet from the 1922	East/West line WEST	County EDDY
¹² Dedicated Acres 360.00		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

Released to Imaging: 1/31/2024 8:57:48 AM




OXY



Borehole:	Well:	Field:	Structure:
Vanadium 32 State 176H	Vanadium 32 State 176H	NM Eddy County (NAD 83)	Oxy Vanadium 32 State Pad Lot O (east)

Gravity & Magnetic Parameters					Surface Location					NAD83 New Mexico State Plane, Eastern Zone, US Feet					Miscellaneous	
Model:	IFR1	Dip:	59.884°	Date:	30-Apr-2023	Lat:	N 32 16 10.12	Northing:	462184.621US	Grid Conv:	0.287°	Slot:	176H	TVD Ref:	RKB (3384.700 ft above MSL)	
MagDec:	6.665°	FS:	47568.4nT	Gravity FS:	998.452mgn (9.80665 Based)	Lon:	W 103 47 45.01	Easting:	707467.081US	Scale Fact:	0.9999407	Plan:	Oxy Vanadium 32 State 176H Rev3 kFc 18May23			

Comments	Critical Points								DLS(°/100ft)
	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,384.70	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	-3,359.70	0.00
First Gyro Survey	34.18	0.14	188.55	34.18	0.00	-0.01	0.00	-3,350.52	1.53
Last Gyro Survey	414.41	0.19	161.52	414.41	0.07	-1.11	0.20	-2,970.29	0.48
First SLB Survey	524.00	0.48	179.25	524.00	0.17	-1.74	0.27	-2,860.70	0.28
2nd Bone Springs Intersection	9,301.31	7.38	93.06	9,267.00	-532.62	-46.72	560.95	5,882.30	0.60
Actual KOP	9,485.00	5.64	88.33	9,449.35	-554.18	-46.18	583.05	6,064.65	9.00
FTP / 100% FNL Cross	10,361.00	76.88	174.61	10,059.81	-507.47	-568.76	666.32	6,675.11	11.54
Lateral Window exit	14,367.00	93.34	192.65	10,079.45	503.35	-4,569.82	630.27	6,694.75	6.72
Lateral Window enter	14,955.00	95.42	215.28	10,034.04	846.27	-5,108.94	412.27	6,649.34	1.06
LTP / 100% FNL Cross	21,843.00	90.64	0.53	9,830.02	2,028.79	-582.90	-1,945.37	6,445.32	0.58
Final Survey	21,865.00	90.54	0.46	9,829.79	2,023.24	-560.91	-1,945.18	6,445.09	0.58
Projection to Total Depth	21,900.00	90.54	0.46	9,829.46	2,014.44	-525.91	-1,944.90	6,444.76	0.00





Oxy Vanadium 32 State 176H Gyro-IFR1 to 21900ft Survey Geodetic

Report Definitive Survey



Report Date: June 05, 2023 - 05:57 PM (UTC 0)
 Client: OXY
 Field: NM Eddy County (NAD 83)
 Structure / Slot: Oxy Vanadium 32 State Pad Lot O (east) / 176H
 Well: Vanadium 32 State 176H
 Borehole: Vanadium 32 State 176H
 UBH/ API / JobNumber: Unknown / Unknown / Unknown
 Survey Name / Version: Oxy Vanadium 32 State 176H Gyro-IFR1 to 21900ft / 2
 Survey Date: June 04, 2023
 Tort / AHD / DDI / ERD Ratio: 388.933 ' / 12677.474 ft / 7.029 / 1.254
 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
 Location Lat / Long: N 32°16'10.11552" W 103°47'45.01052"
 Location Grid N/E Y/X: N 462184.622 RUS E 707467.079 RUS
 CRS Grid Convergence Angle: 0.287"
 Grid Scale Factor: 0.9999407
 Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
 Vertical Section Azimuth: 255.883 °(Grid North)
 Vertical Section Origin: 0.000 ft, 0.000 ft
 TVD Reference Datum: RKB
 TVD Reference Elevation: 3384.700 ft above MSL
 Seabed / Ground Elevation: 3359.700 ft above MSL
 Magnetic Declination: 6.665°
 Total Gravity Field Strength: 998.452mgm (9.80665 Based)
 Gravity Model: GARM
 Total Magnetic Field Strength: 47568.4 nT
 Magnetic Dip Angle: 59.884°
 Declination Date: April 30, 2023
 Magnetic Declination Model: IFR1
 North Reference: Grid
 Total Corr Mag: 6.378°
 Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.384.70		462,184.62	707,467.08	N 32°16'10.12"	W 103°47'45.01"		
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	-3.359.70	0.00	462,184.62	707,467.08	N 32°16'10.12"	W 103°47'45.01"	0.00	0.00
First Gyro Survey	34.18	0.14	188.55	34.18	0.00	-0.01	0.00	-3.350.52	1.53	462,184.61	707,467.08	N 32°16'10.12"	W 103°47'45.01"	0.01	188.55
	95.74	0.32	188.43	95.74	0.10	-0.26	-0.04	-3.288.96	0.29	462,184.37	707,467.04	N 32°16'10.11"	W 103°47'45.01"	0.26	188.47
	120.64	0.38	183.75	120.64	0.15	-0.41	-0.05	-3.264.06	0.27	462,184.22	707,467.03	N 32°16'10.11"	W 103°47'45.01"	0.41	187.51
	149.89	0.34	168.28	149.89	0.18	-0.59	-0.04	-3.234.81	0.36	462,184.03	707,467.04	N 32°16'10.11"	W 103°47'45.01"	0.59	184.12
	178.36	0.19	166.40	178.36	0.19	-0.72	-0.01	-3.206.34	0.53	462,183.90	707,467.07	N 32°16'10.11"	W 103°47'45.01"	0.72	181.13
	208.13	0.13	169.23	208.13	0.19	-0.80	0.00	-3.176.57	0.20	462,183.82	707,467.08	N 32°16'10.11"	W 103°47'45.01"	0.80	179.73
	236.63	0.11	162.75	236.63	0.19	-0.86	0.02	-3.148.07	0.08	462,183.77	707,467.10	N 32°16'10.11"	W 103°47'45.01"	0.86	178.80
	268.12	0.14	130.75	268.12	0.17	-0.91	0.06	-3.116.58	0.24	462,183.71	707,467.14	N 32°16'10.11"	W 103°47'45.01"	0.91	176.47
	299.50	0.11	106.55	299.50	0.12	-0.94	0.11	-3.085.20	0.19	462,183.68	707,467.19	N 32°16'10.11"	W 103°47'45.01"	0.95	173.11
	362.46	0.10	182.82	362.46	0.08	-1.02	0.17	-3.022.24	0.21	462,183.61	707,467.25	N 32°16'10.11"	W 103°47'45.01"	1.03	170.54
	393.88	0.10	144.99	393.88	0.08	-1.07	0.18	-2.990.82	0.21	462,183.56	707,467.26	N 32°16'10.10"	W 103°47'45.01"	1.08	170.22
Last Gyro Survey	414.41	0.18	151.52	414.41	0.07	-1.11	0.20	-2.970.29	0.48	462,183.51	707,467.28	N 32°16'10.10"	W 103°47'45.01"	1.13	169.58
	524.00	0.48	179.25	524.00	0.17	-1.14	0.27	-2.860.70	0.28	462,182.88	707,467.35	N 32°16'10.10"	W 103°47'45.01"	1.76	171.25
	614.00	0.53	168.85	613.99	0.27	-2.53	0.35	-2.770.71	0.12	462,182.09	707,467.43	N 32°16'10.09"	W 103°47'45.01"	2.55	172.04
	705.00	0.62	170.11	704.99	0.33	-3.43	0.52	-2.679.71	0.10	462,181.19	707,467.60	N 32°16'10.08"	W 103°47'45.00"	3.47	171.38
First SLB Survey	796.00	1.03	129.38	795.98	-0.12	-4.43	1.24	-2.588.72	0.76	462,180.19	707,468.32	N 32°16'10.07"	W 103°47'45.00"	4.60	164.41
	887.00	2.20	111.52	886.94	-2.02	-5.59	3.49	-2.497.76	1.38	462,179.03	707,470.57	N 32°16'10.06"	W 103°47'44.99"	6.59	148.00
	977.00	3.48	105.74	976.83	-5.80	-6.97	7.73	-2.407.87	1.46	462,177.66	707,474.81	N 32°16'10.05"	W 103°47'44.92"	10.41	132.02
	1,068.00	3.03	94.12	1,067.68	-10.48	-7.89	12.79	-2.317.02	0.88	462,176.73	707,479.87	N 32°16'10.04"	W 103°47'44.86"	15.02	121.67
	1,159.00	1.16	90.20	1,158.62	-13.65	-8.06	16.11	-2.226.08	2.06	462,176.56	707,483.19	N 32°16'10.03"	W 103°47'44.82"	18.01	116.59
	1,250.00	0.39	90.54	1,249.61	-14.85	-8.07	17.34	-2.135.09	0.85	462,176.55	707,484.42	N 32°16'10.03"	W 103°47'44.81"	19.12	114.96
	1,341.00	0.38	92.39	1,340.61	-15.44	-8.09	17.95	-2.044.09	0.02	462,176.54	707,485.03	N 32°16'10.03"	W 103°47'44.80"	19.89	114.25
	1,431.00	0.51	96.31	1,430.60	-16.10	-8.14	18.65	-1.954.10	0.15	462,176.48	707,485.72	N 32°16'10.03"	W 103°47'44.79"	20.35	113.59
	1,526.00	0.38	88.86	1,525.60	-16.80	-8.18	19.38	-1.859.10	0.15	462,176.44	707,486.46	N 32°16'10.03"	W 103°47'44.79"	21.04	112.89
	1,621.00	0.38	88.31	1,620.60	-17.41	-8.17	20.01	-1.764.10	0.00	462,176.46	707,487.09	N 32°16'10.03"	W 103°47'44.78"	21.61	112.20
	1,715.00	0.21	72.06	1,714.60	-17.89	-8.10	20.49	-1.670.10	0.20	462,176.52	707,487.56	N 32°16'10.03"	W 103°47'44.77"	22.03	111.58
	1,810.00	0.18	71.95	1,809.60	-18.21	-8.00	20.79	-1.575.10	0.03	462,176.62	707,487.87	N 32°16'10.04"	W 103°47'44.77"	22.28	111.05
	1,905.00	0.12	51.81	1,904.60	-18.45	-7.90	21.01	-1.480.10	0.08	462,176.73	707,488.09	N 32°16'10.04"	W 103°47'44.77"	22.45	110.60
	1,999.00	0.15	41.09	1,998.60	-18.64	-7.74	21.17	-1.386.10	0.04	462,176.88	707,488.25	N 32°16'10.04"	W 103°47'44.76"	22.54	110.09
	2,094.00	0.09	345.63	2,093.60	-18.75	-7.58	21.24	-1.291.10	0.13	462,177.05	707,488.31	N 32°16'10.04"	W 103°47'44.76"	22.55	109.64
	2,188.00	0.11	345.30	2,187.60	-18.74	-7.42	21.19	-1.197.10	0.02	462,177.20	707,488.27	N 32°16'10.04"	W 103°47'44.76"	22.45	109.29
	2,283.00	0.15	310.28	2,282.60	-18.67	-7.25	21.08	-1.102.10	0.09	462,177.37	707,488.15	N 32°16'10.04"	W 103°47'44.77"	22.29	108.98
	2,378.00	0.22	268.60	2,377.60	-18.42	-7.17	20.80	-1.007.10	0.15	462,177.45	707,487.88	N 32°16'10.04"	W 103°47'44.77"	22.00	108.03
	2,472.00	0.27	268.01	2,471.60	-18.11	-7.18	20.48	-913.10	0.05	462,177.44	707,487.56	N 32°16'10.04"	W 103°47'44.77"	21.70	109.33
	2,567.00	0.17	304.43	2,566.60	-17.88	-7.11	20.22	-818.10	0.11	462,177.51	707,487.30	N 32°16'10.04"	W 103°47'44.78"	21.43	109.37
	2,662.00	0.22	289.36	2,661.59	-17.63	-6.97	19.93	-723.11	0.07	462,177.65	707,487.01	N 32°16'10.05"	W 103°47'44.78"	21.12	109.27
	2,756.00	0.37	291.15	2,755.59	-17.23	-6.80	19.48	-629.11	0.16	462,177.82	707,486.56	N 32°16'10.05"	W 103°47'44.78"	20.63	109.24
	2,851.00	0.32	284.71	2,850.59	-16.75	-6.62	18.94	-534.11	0.07	462,178.00	707,486.02	N 32°16'10.05"	W 103°47'44.79"	20.06	109.27
	3,040.00	0.36	288.85	3,039.59	-15.79	-6.29	17.87	-345.11	0.02	462,178.33	707,484.94	N 32°16'10.05"	W 103°47'44.80"	18.94	109.41
	3,135.00	0.46	286.05	3,134.59	-15.21	-6.09	17.22	-250.11	0.11	462,178.53	707,484.29	N 32°16'10.05"	W 103°47'44.81"	18.26	109.49
	3,229.00	0.68	286.69	3,228.58	-14.41	-5.83	16.32	-156.12	0.23	462,178.79	707,483.40	N 32°16'10.06"	W 103°47'44.82"	17.33	109.65
	3,324.00	0.88	319.67	3,323.58	-13.78	-5.43	15.58	-61.12	0.44	462,179.20	707,482.65	N 32°16'10.06"	W 103°47'44.83"	16.49	109.21
	3,419.00	0.92	105.90	3,418.57	-14.30	-5.39	15.11	-33.87	1.32	462,179.23	707,483.18	N 32°16'10.06"	W 103°47'44.82"	16.98	108.52
	3,514.00	1.42	119.36	3,513.55	-15.82	-6.18	17.87	128.85	0.80	462,178.44	707,484.94	N 32°16'10.05"	W 103°47'44.80"	18.90	109.08
	3,608.00	1.50	126.50	3,607.52	-17.44	-7.48	19.87	222.82	0.21	462,177.14	707,486.95	N 32°16'10.04"	W 103°47'44.78"	21.23	110.63
	3,703.00	2.01	133.65	3,702.48	-19.12	-9.37	22.07	317.78	0.58	462,175.25	707,489.15	N 32°16'10.02"	W 103°47'44.75"	23.98	113.00
	3,797.00	2.18	139.33	3,796.42	-20.80	-11.86	24.43	411.72	0.29	462,172.76	707,491.51	N 32°16'10.00"	W 103°47'44.73"	27.16	115.90
	3,892.00	1.94	152.00	3,891.35	-21.99	-14.66	26.36	506.65	0.54	462,169.97	707,493.44	N 32°16'99.97"	W 103°47'44.70"	30.16	119.07
	3,986.00	2.03	149.53	3,985.30	-22.84	-17.49	27.96	600.60	0.13	462,167.13	707,495.03	N 32°16'99.94"	W 103°47'44.69"	32.98	122.04
	4,081.00	2.12	148.20	4,080.24	-23.85	-20.44	29.74	695.54	0.11	462,164.18	707,496.81	N 32°16'99.91"	W 103°47'44.67"	36.08	124.50
	4,176.00	1.90	151.79	4,175.18	-24.77	-23.32	31.41	790.48	0.27	462,161.30	707,498.48	N 32°16'99.88"	W 103°47'44.65"	39.12	126.60
	4,201.00	2.84	151.63	4,200.16	-24.98	-24.08	31.81	815.46	0.56	462,159.20	707,499.85	N 32°16'99.88"	W 103°47'44.64"	39.40	127.12
	4,351.00	1.48	155.98	4,350.09	-25.97	-28.20	33.87	965.39	0.36	462,156.43	707,501.65	N 32°16'99.82"	W 103°47'44.62"	44.07	129.78
	4,446.00	0.05	2.66	4,445.08	-29.19	-29.27	34.37	1,060.38	1.61	462,155.35	707,501.45	N 32°16'99.82"	W 103°47'44.61"	45.13	130.42
	4,541.00	0.03	350.94	4,540.08	-26.21	-29.21	34.37	1,155.38	0.02	462,155.42	707,501.45	N 32°16'99.82"	W 103°47'44.61"	45.10	130.36
	4,636.00	0.06	300.62	4,635.08	-26.17	-29.16	34.32	1,250.38	0.05	462,155.47	707,501.40	N 32°16'99.83"	W 103°47'44.61"	45.04	130.35
	4,730.00	0.05	106.97	4,729.08	-26.17	-29.15	34.32	1,344.38	0.12	462,155.1					

2nd Bone Springs Intersection	8,613.00	6.94	90.42	8,584.17	-447.69	-52.79	474.91	5,199.47	1.99	462,131.84	707,941.96	N 32°16'59.77"	W 103°47'39.48"	477.83	96.34
	8,802.00	7.10	78.32	8,771.77	-470.41	-50.51	497.76	5,387.07	0.79	462,134.12	707,964.81	N 32°16'59.59"	W 103°47'39.22"	500.32	95.79
	8,897.00	7.37	80.23	8,866.01	-482.35	-48.28	509.52	5,481.31	0.38	462,136.34	707,976.57	N 32°16'59.61"	W 103°47'39.08"	511.80	95.41
	8,992.00	7.26	81.70	8,960.24	-494.40	-46.38	521.46	5,575.54	0.23	462,138.24	707,988.51	N 32°16'59.63"	W 103°47'38.94"	523.52	95.08
	9,087.00	7.45	89.27	9,054.46	-506.36	-45.44	533.56	5,669.76	1.04	462,139.19	708,000.61	N 32°16'59.64"	W 103°47'38.80"	535.49	94.87
	9,181.00	7.27	93.38	9,147.68	-517.97	-45.71	545.59	5,762.98	0.59	462,139.91	708,012.64	N 32°16'59.64"	W 103°47'38.66"	547.50	94.79
	9,276.00	7.41	94.21	9,241.91	-529.51	-46.51	557.70	5,857.21	0.18	462,138.11	708,024.75	N 32°16'59.63"	W 103°47'38.52"	559.64	94.77
	9,301.31	7.38	93.06	9,267.00	-532.62	-46.72	560.95	5,882.30	0.60	462,137.90	708,028.00	N 32°16'59.63"	W 103°47'38.48"	562.89	94.76
	9,371.00	7.32	89.85	9,336.12	-541.20	-46.95	569.86	5,951.42	0.60	462,137.68	708,036.91	N 32°16'59.62"	W 103°47'38.38"	571.79	94.71
	9,434.00	6.77	85.05	9,398.65	-548.76	-46.62	577.58	6,013.95	1.28	462,138.01	708,044.62	N 32°16'59.63"	W 103°47'38.29"	579.45	94.61
Actual KOP	9,482.00	5.66	85.60	9,446.36	-553.89	-46.19	582.76	6,061.66	2.32	462,138.43	708,049.80	N 32°16'59.63"	W 103°47'38.23"	584.58	94.53
	9,485.00	5.64	88.33	9,449.35	-554.18	-46.18	583.05	6,064.65	9.00	462,138.45	708,050.09	N 32°16'59.63"	W 103°47'38.22"	584.88	94.53
	9,576.00	9.68	146.10	9,539.64	-561.15	-52.41	591.80	6,154.94	9.00	462,132.22	708,058.84	N 32°16'59.57"	W 103°47'38.12"	594.12	95.06
	9,577.00	15.39	165.04	9,632.37	-564.04	-71.24	599.52	6,247.67	7.33	462,113.39	708,066.56	N 32°16'59.38"	W 103°47'38.03"	603.74	96.78
	9,795.00	73.47	97.19	9,719.95	-561.44	-104.44	605.19	6,335.25	12.50	462,080.19	708,072.23	N 32°16'59.05"	W 103°47'37.91"	614.14	99.79
	9,860.00	35.73	173.50	9,801.08	-554.95	-153.36	610.80	6,416.38	9.42	462,031.27	708,077.84	N 32°16'58.57"	W 103°47'37.81"	629.76	104.09
	9,954.00	47.11	170.90	9,871.46	-548.27	-214.84	619.38	6,486.76	12.24	461,969.80	708,086.42	N 32°16'57.96"	W 103°47'37.81"	655.58	109.13
	10,049.00	57.57	169.92	9,929.42	-542.39	-288.88	631.94	6,544.72	11.04	461,895.76	708,098.98	N 32°16'57.23"	W 103°47'37.67"	694.84	114.57
	10,143.00	61.99	172.62	9,976.73	-534.73	-369.14	644.22	6,592.03	5.32	461,815.50	708,111.26	N 32°16'56.43"	W 103°47'37.53"	742.48	119.81
	10,238.00	64.96	173.52	10,019.15	-524.08	-453.51	654.46	6,634.45	3.24	461,731.14	708,121.50	N 32°16'55.60"	W 103°47'37.42"	796.24	124.72
FTP / 100ft FNL Cross	10,333.00	73.65	174.46	10,052.69	-511.54	-541.81	663.74	6,667.99	9.19	461,642.84	708,130.78	N 32°16'54.72"	W 103°47'37.31"	856.80	129.22
	10,361.00	76.88	174.61	10,059.81	-507.47	-568.76	666.32	6,675.11	11.54	461,615.89	708,133.36	N 32°16'54.45"	W 103°47'37.28"	876.05	130.48
	10,428.00	84.60	174.94	10,070.59	-497.26	-634.56	672.33	6,685.89	11.54	461,550.10	708,139.37	N 32°16'53.80"	W 103°47'37.22"	924.50	133.34
	10,523.00	87.59	177.15	10,077.06	-480.54	-729.10	678.87	6,692.36	3.91	461,455.56	708,145.91	N 32°16'52.87"	W 103°47'37.15"	996.22	137.04
	10,617.00	97.45	180.32	10,081.29	-469.78	-809.57	689.54	6,698.76	3.39	461,361.70	708,147.98	N 32°16'51.94"	W 103°47'37.13"	1,098.16	140.40
	10,712.00	88.85	182.31	10,084.52	-434.39	-917.88	678.76	6,699.82	2.69	461,266.79	708,145.80	N 32°16'51.00"	W 103°47'37.11"	1,141.59	143.52
	10,901.00	89.71	182.00	10,086.90	-381.44	-1,106.73	671.66	6,702.20	0.48	461,077.96	708,138.69	N 32°16'50.13"	W 103°47'37.25"	1,294.60	148.75
	10,996.00	89.80	181.41	10,087.30	-355.53	-1,201.69	688.83	6,702.60	0.63	460,983.01	708,135.87	N 32°16'50.19"	W 103°47'37.29"	1,375.28	150.90
	11,091.00	89.53	180.45	10,087.86	-330.87	-1,296.67	687.29	6,703.16	1.05	460,888.03	708,134.32	N 32°16'57.25"	W 103°47'37.32"	1,458.30	152.77
	11,185.00	89.64	180.26	10,088.54	-307.38	-1,390.67	666.70	6,703.84	0.23	460,794.04	708,133.74	N 32°16'56.32"	W 103°47'37.33"	1,542.23	154.39
Lateral Window exit	11,280.00	88.89	180.73	10,089.76	-283.42	-1,485.66	665.88	6,705.06	0.93	460,699.05	708,132.92	N 32°16'55.38"	W 103°47'37.34"	1,628.06	155.86
	11,374.00	89.58	181.13	10,091.01	-259.02	-1,579.64	664.36	6,706.31	0.85	460,605.08	708,131.40	N 32°16'54.45"	W 103°47'37.37"	1,713.66	157.19
	11,469.00	89.69	180.92	10,091.62	-234.20	-1,674.62	662.66	6,706.92	0.25	460,510.10	708,129.70	N 32°16'53.51"	W 103°47'37.39"	1,800.96	158.41
	11,564.00	89.83	180.45	10,092.02	-209.93	-1,769.61	661.52	6,707.32	0.52	460,415.12	708,128.56	N 32°16'52.57"	W 103°47'37.41"	1,889.22	159.50
	11,658.00	90.11	180.24	10,092.07	-186.46	-1,863.61	660.36	6,707.37	0.37	460,321.13	708,126.00	N 32°16'51.64"	W 103°47'37.42"	1,977.35	160.47
	11,753.00	89.75	179.67	10,092.19	-163.36	-1,956.61	661.03	6,707.48	0.71	460,226.13	708,128.07	N 32°16'50.70"	W 103°47'37.45"	2,067.15	161.35
	11,847.00	89.46	179.02	10,092.83	-141.48	-2,052.60	662.11	6,708.13	0.76	460,132.15	708,129.14	N 32°16'49.77"	W 103°47'37.42"	2,156.75	162.12
	11,942.00	89.44	179.61	10,093.74	-119.41	-2,147.59	663.24	6,709.04	0.62	460,037.16	708,130.28	N 32°16'48.83"	W 103°47'37.41"	2,247.67	162.84
	12,037.00	89.58	179.39	10,094.55	-97.04	-2,242.58	664.07	6,709.85	0.27	459,942.18	708,131.11	N 32°16'47.89"	W 103°47'37.41"	2,338.84	163.50
	12,132.00	89.14	179.97	10,095.62	-74.39	-2,337.57	664.60	6,710.92	0.77	459,847.19	708,131.64	N 32°16'46.95"	W 103°47'37.41"	2,430.21	164.13
Lateral Window enter	12,226.00	89.46	179.54	10,096.76	-51.85	-2,431.56	665.00	6,712.06	0.57	459,753.21	708,132.04	N 32°16'46.02"	W 103°47'37.41"	2,520.86	164.70
	12,321.00	89.64	179.60	10,097.51	-29.38	-2,526.56	665.72	6,712.81	0.20	459,658.22	708,132.75	N 32°16'45.08"	W 103°47'37.41"	2,612.79	165.24
	12,415.00	89.62	179.02	10,098.12	-7.55	-2,620.55	666.85	6,713.42	0.62	459,564.23	708,133.89	N 32°16'44.15"	W 103°47'37.40"	2,704.07	165.72
	12,510.00	89.70	179.38	10,098.68	14.33	-2,715.54	668.17	6,713.98	0.39	459,469.25	708,135.21	N 32°16'43.21"	W 103°47'37.39"	2,796.54	166.18
	12,605.00	89.77	179.72	10,099.85	46.78	-2,806.74	669.54	6,714.25	0.46	459,374.26	708,135.96	N 32°16'42.27"	W 103°47'37.38"	2,888.94	166.84
	12,699.00	89.20	179.08	10,099.64	58.75	-2,903.53	669.90	6,714.94	1.07	459,280.27	708,136.94	N 32°16'41.34"	W 103°47'37.38"	2,980.78	167.01
	12,794.00	89.75	179.46	10,100.51	80.74	-2,999.51	671.12	6,715.81	0.70	459,185.29	708,138.15	N 32°16'40.40"	W 103°47'37.37"	3,073.68	167.39
	12,888.00	89.55	179.97	10,101.08	103.22	-3,093.51	671.58	6,716.38	0.58	459,091.30	708,138.62	N 32°16'39.47"	W 103°47'37.37"	3,165.57	167.75
	12,983.00	89.77	179.71	10,101.64	126.13	-3,188.51	671.85	6,716.94	0.36	458,996.31	708,138.89	N 32°16'38.53"	W 103°47'37.37"	3,258.52	168.10
	13,078.00	89.54	179.75	10,102.22	148.86	-3,283.51	672.30	6,717.52	0.25	458,901.32	708,139.33	N 32°16'37.59"	W 103°47'37.37"	3,351.63	168.43
Lateral Window enter	13,173.00	89.72	179.25	10,102.83	171.23	-3,378.50	673.12	6,718.13	0.56	458,806.33	708,140.16	N 32°16'36.65"	W 103°47'37.37"	3,444.90	168.73
	13,267.00	89.78	180.24	10,103.24	193.75	-3,472.50									

20,159.00	90.63	1.22	9,842.29	2,441.46	-2,266.78	-1,947.40	6,457.59	0.92	459,917.98	705,519.80	N 32°15'47.78"	W 103°48'7.82"	2,988.42	220.67
20,254.00	89.82	0.74	9,841.92	2,416.71	-2,171.80	-1,945.77	6,457.22	0.99	460,012.96	705,521.43	N 32°15'48.72"	W 103°48'7.80"	2,915.94	221.86
20,349.00	89.62	358.78	9,842.38	2,393.93	-2,076.80	-1,946.17	6,457.68	2.07	460,107.95	705,521.03	N 32°15'49.66"	W 103°48'7.80"	2,846.17	223.14
20,444.00	89.81	0.52	9,842.85	2,371.24	-1,981.81	-1,946.67	6,458.15	1.95	460,202.93	705,520.53	N 32°15'50.60"	W 103°48'7.80"	2,777.96	224.49
20,538.00	90.71	359.73	9,842.43	2,348.04	-1,887.81	-1,946.38	6,457.73	1.35	460,296.92	705,520.82	N 32°15'51.53"	W 103°48'7.79"	2,711.50	225.88
20,633.00	90.45	359.57	9,841.47	2,325.43	-1,792.82	-1,946.96	6,456.77	0.32	460,391.91	705,520.24	N 32°15'52.47"	W 103°48'7.79"	2,646.67	227.36
20,728.00	90.69	359.93	9,840.52	2,302.67	-1,697.83	-1,947.37	6,455.82	0.46	460,486.90	705,519.83	N 32°15'53.41"	W 103°48'7.79"	2,583.58	228.92
20,822.00	90.45	359.16	9,839.59	2,280.47	-1,603.83	-1,948.12	6,454.89	0.86	460,580.89	705,519.08	N 32°15'54.34"	W 103°48'7.79"	2,523.38	230.54
20,917.00	90.29	359.90	9,838.97	2,258.05	-1,508.84	-1,948.90	6,454.27	0.80	460,675.87	705,518.30	N 32°15'55.28"	W 103°48'7.80"	2,464.71	232.25
21,106.00	90.35	359.96	9,837.92	2,212.18	-1,319.84	-1,949.13	6,453.22	0.04	460,864.86	705,518.07	N 32°15'57.15"	W 103°48'7.79"	2,353.95	235.90
21,201.00	90.56	0.38	9,837.16	2,188.74	-1,224.85	-1,948.85	6,452.46	0.49	460,959.85	705,518.35	N 32°15'58.09"	W 103°48'7.78"	2,301.79	237.85
21,295.00	90.53	0.04	9,836.27	2,165.48	-1,130.85	-1,948.50	6,451.57	0.36	461,053.84	705,518.70	N 32°15'59.02"	W 103°48'7.77"	2,252.89	239.87
21,390.00	90.45	359.87	9,835.46	2,142.38	-1,035.86	-1,948.58	6,450.76	0.20	461,148.83	705,518.62	N 32°15'59.96"	W 103°48'7.76"	2,206.80	242.01
21,485.00	90.77	0.75	9,834.44	2,118.71	-940.86	-1,948.06	6,449.74	0.99	461,243.82	705,519.13	N 32°16'0.90"	W 103°48'7.75"	2,163.37	244.22
21,579.00	90.64	0.13	9,833.29	2,095.09	-846.87	-1,947.34	6,448.59	0.67	461,337.80	705,519.86	N 32°16'1.83"	W 103°48'7.74"	2,123.52	246.50
21,674.00	90.51	0.21	9,832.33	2,071.64	-751.88	-1,947.06	6,447.63	0.16	461,432.79	705,520.14	N 32°16'2.77"	W 103°48'7.73"	2,087.19	248.89
21,768.00	91.00	0.79	9,831.10	2,047.92	-657.89	-1,946.24	6,446.40	0.81	461,526.77	705,520.96	N 32°16'3.70"	W 103°48'7.71"	2,054.43	251.32
LTP / 100ft FNL Cross	21,843.00	90.64	0.53	9,830.02	2,028.79	-582.90	6,445.32	0.58	461,601.75	705,521.83	N 32°16'4.44"	W 103°48'7.70"	2,030.83	253.32
Final Survey	21,865.00	90.54	0.46	9,829.79	2,023.24	-560.91	6,445.09	0.58	461,623.75	705,522.02	N 32°16'4.66"	W 103°48'7.70"	2,024.44	253.91
Projection to Total Depth	21,900.00	90.54	0.46	9,829.46	2,014.44	-525.91	6,444.76	0.00	461,658.74	705,522.30	N 32°16'5.01"	W 103°48'7.69"	2,014.75	254.87

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Borehole / Survey
	1	0.000	414.410	Act Stns		GYD_GC+DROP+OH	Vanadium 32 State 176H / Oxy Vanadium 32 State 176H Gyro+IFR1 to 21900ft
	1	414.410	21,900.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Vanadium 32 State 176H / Oxy Vanadium 32 State 176H Gyro+IFR1 to 21900ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
21,900.000	26.400	26.400	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP) SEE AS-DRILLED C-102

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP) SEE AS-DRILLED C-102

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP) SEE AS-DRILLED C-102

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-53279
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name VANADIUM 32 STATE COM
8. Well Number- 176H
9. OGRID Number- 16696
10. Pool name or Wildcat COTTON DRAW; BONE SPRING

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator- OXY USA INC.

3. Address of Operator- P.O. BOX 50250 MIDLAND, TX 79710

4. Well Location

Unit Letter __O__: __472__ feet from the __SOUTH__ line and __1404__ feet from the __EAST__ line

Section 29 Township 23S Range 31E NMPM County- EDDY

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3360' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: COMPLETION ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RUPU 07/14/23, RIH & clean out to PBTD @ 21855', pressure test casing to 11300# for 30 min, good test. RIH & perf @ 10502-21728' Total 1284 holes. Frac in 41 stages w/ 373873BBL Produced Water + 18770BBL Brackish Water (> 1,000 mg/I TDS and < 10,000 mg/I TDS)w/ 28086860# sand, RD NextTier 08/01/23. Well ready to produce 08/19/23. 09/23/23 RIH with 2-3/8" L80 4.7# tbg & gas lift set @ 9905', RD 09/24/23.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jana Mendiola TITLE SR. REGULATORY ANALYST DATE 11-07-23

Type or print name JANA MENDIOLA E-mail address: janalyn_mendiola@oxy.com PHONE: 432-685-5936

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 Revised April 3, 2017 1. WELL API NO. 30-015-53279 2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN 3. State Oil & Gas Lease No.						
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name VANADIUM 32 STATE COM 6. Well Number: 176H						
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.				9. OGRID: 16696						
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710				11. Pool name or Wildcat COTTON DRAW; BONE SPRING						
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	29	23S	31E		472	SOUTH	1404	EAST	EDDY
BH:	C	32	23S	31E		44	NORTH	1922	WEST	EDDY
13. Date Spudded 03/27/2023	14. Date T.D. Reached 06/03/2023	15. Date Rig Released 06/06/2023		16. Date Completed (Ready to Produce) 08/19/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3360' GL				
18. Total Measured Depth of Well 21900'M 9829'V		19. Plug Back Measured Depth 21855'M 9830'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL				
22. Producing Interval(s), of this completion - Top, Bottom, Name 10502-21728' 2 nd BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		470'		17.5"		533sx-surf circ		
9.625" HCL80		40		4265'		12.25"		1219sx-surf circ		
7.625" HCL80		26.4		9450'		8.75"		486sx-TOC@2765'		
5.5" P110 ICY		20		21859'		6.75"		1007sx-TOC@8697'		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2-3/8"	9905'			
26. Perforation record (interval, size, and number) Perf @ 10502-21728' Total 1284 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10502-21728'		373873BBL Produced Water + 18770BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS)w/ 28086860# sand		
28. PRODUCTION										
Date First Production 08/21/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 08/28/2023	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 3116	Gas - MCF 3733	Water - Bbl. 6412	Gas - Oil Ratio 1198			
Flow Tubing Press.	Casing Pressure 889	Calculated 24- Hour Rate	Oil - Bbl. 3116	Gas - MCF 3733	Water - Bbl. 6412	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD, C-104, As-Drilled C-102, Kickoff Points Form, Final Directional Survey, Completion Sundry C-103										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <i>Jana Mendiola</i>		Name: Jana Mendiola			Title: Sr. Regulatory Analyst			Date: 11/07/2023		
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 384'	T. Bell Canyon 4149'	T. Ojo Alamo	T. Penn A"
T. Salado 712'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2618'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4110'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5137'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6303'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7946'	T. Todilto	
T. Abo	T. 1 st Bone Springs 8999'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 9646'	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Vanadium 32 State Com 176H
API No. 30-015-53279



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 308695

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 308695
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 308695

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 308695
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval.	1/31/2024