

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-28053
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator MORNINGSTAR OPERATING LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name STATE 35 UNIT
4. Well Location Unit Letter <u>E</u> : <u>1330</u> feet from the <u>N</u> line and <u>1310</u> feet from the <u>W</u> line Section <u>35</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 005
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4014 GL		9. OGRID Number 330132
		10. Pool name or Wildcat VACUUM; GRAYBURG-SAN ANDRES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MorningStar Operating requests approval to TA:

- MIRU.
- POOH with rods and tubing.
- Run bit and scraper.
- Set 5-1/2" CIBP ~4435'. Cap with 35' of cement.
- Pressure test plug and casing to 550 psi.
- Circulate hole with packer fluid.
- Notify OCD of intent to run MIT and proceed as directed.

**Condition of Approval: notify
 OCD Hobbs office 24 hours
 prior of running MIT Test & Chart**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE Regulatory Analyst DATE 02/15/2024

Type or print name Connie Blaylock E-mail address: cblaylock@txoenergy.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 2/20/24

Conditions of Approval (if any):

WELLBORE DIAGRAM**State 35 Unit #5****Surface Csg.**

Size:	8-5/8"
Wt.:	24#, K55
Set @:	349'
Sxs cmt:	400 sx
Circ:	Yes
TOC:	Surface
Hole Size:	12-1/4"

Production Csg.

Size:	5-1/2"
Wt.:	15.5#, K-55
Set @:	4800'
Sxs Cmt:	1270 sx
Circ:	Yes
TOC:	Surface
Hole Size:	7 7/8"

Perfs:
4506'-4544', 4562'-4566'

Well Info

KB:	11'
DF:	
GL:	4014'
Spud Date:	2/27/1983
Compl Date:	5/13/1983
Status:	
API	30-025-28053

Convert to producer: 5/18/2012

Tubing (9/2014):

KB
131 jts 2-7/8" J55 tbg
TAC
12 jts 2-7/8" tbg (372')
SN @ 4451'
4' perf sub w/ bull plug
EOT @ 4456'

Rods (9/2014):

1-1/2" x 26' polish rod
2', 4', 6', 6', 8' pony rods
51- 1" rods (1275')
60- 7/8" rods (1500')
60- 3/4" rods (1500')
3- 1-3/4" sinker bars (75')
1" x 1' short rod
2" x 24' pump

Perfs:
4,506'-4,566' (overall)

PBTD: 4736'**TD: 4800'**

WELLBORE DIAGRAM Proposed
State 35 Unit #5

Surface Csg.

Size:	8-5/8"
Wt.:	24#, K55
Set @:	349'
Sxs cmt:	400 sx
Circ:	Yes
TOC:	Surface
Hole Size:	12-1/4"

Production Csg.

Size:	5-1/2"
Wt.:	15.5#, K-55
Set @:	4800'
Sxs Cmt:	1270 sx
Circ:	Yes
TOC:	Surface
Hole Size:	7 7/8"

Well Info

KB:	11'
DF:	
GL:	4014'
Spud Date:	2/27/1983
Compl Date:	5/13/1983
Status:	
API	30-025-28053

Convert to producer: 5/18/2012

Perfs:
4506'-4544', 4562'-4566'

Cap w/ 35' cmt
Set CIBP ~ 4435'

Perfs:
4,506'-4,566' (overall)

PBTD: 4736'
TD: 4800'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 314915

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 314915
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT	2/20/2024