

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-015-40488 |
| 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name Everest 14N |
| 8. Well Number #8 |
| 9. OGRID Number 372290 |
| 10. Pool name or Wildcat Yeso |
| 4. Well Location Unit Letter N : 990 feet from the S line and 2210 feet from the W line Section 14 Township 18S Range 26E NMPM County Eddy |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3319' |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO: | SUBSEQUENT REPORT OF: |
|--|--|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | P AND A <input checked="" type="checkbox"/> |
| CLOSED-LOOP SYSTEM <input type="checkbox"/> | CASING/CEMENT JOB <input type="checkbox"/> |
| OTHER: <input type="checkbox"/> | OTHER: <input type="checkbox"/> |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

01/03/24 MIRU plugging equipment. POH w/ rods & K-bars. Dug out cellar. POH w/ 37 stands of 2 7/8" tbg & anchor. 01/04/24 Set 5 1/2" CIBP @ 2475'. Circ'd hole w/ 60 bbls Brine. Spotted 25 sx class C cmt @ 2475-2234'. RU 3rd party wireline & tagged @ 2293'. Ran CBL. Circ'd hole w/ 20 bbls MLF. Spotted 25 sx class C cmt @ 850-609'. Spotted 25 sx class C cmt @ 485-244'. WOC. 01/05/24 Tagged plug @ 244'. Perf'd @ 230'. Pressured up on perms to 500 PSI ND BOP. Spotted 40 sx class C cmt @ 230' to surface. Rigged down & moved off. 01/08/24 Moved in backhoe and welder. Cut off well head & anchors. Gabriel David Alvarado w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 6 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Spence Laird TITLE EHS&R Manager DATE 1/10/2024

Type or print name Spence Laird E-mail address: spencelaird@rileypermian.com PHONE: 1-405-543-1411

For State Use Only


APPROVED BY: [Signature] TITLE Staff Manager DATE 3/6/24

Conditions of Approval (if any):

| Riley Permian | | PLUGGED | |
|---------------|-------------|-----------|--------------------|
| Author: | Abby @ BCM | Well No. | #8 |
| Well Name | Everest 14N | API #: | 30-015-40488 |
| Field/Pool | Yeso | Location: | Sec 14, T18S, R26E |
| County | Eddy | | 990 FSL & 2210 FWL |
| State | NM | GL: | 3319' |
| Spud Date | 1/30/2013 | | |

| Description | O.D. | Grade | Weight | Depth | Hole | Cmt Sx | TOC |
|-------------|-------|-------|--------|-------|--------|--------|-----|
| Surface Csg | 8 5/8 | J55 | 24# | 437 | 12 1/4 | 435 | 0 |
| Prod Csg | 5 1/2 | J55 | 17# | 4,315 | 7 5/8 | 900 | 0 |

| Formation | Top |
|-----------|------|
| Queen | 337 |
| GRBG | 695 |
| SA | 979 |
| Glorieta | 2415 |
| Yeso | 2557 |
| Tubb | 4030 |
| | |



4. Perf'd @ 230'. Pressured up on perfs to 500 PSI. Spotted 40 sx class C cmt @ 230' to surface.

8 5/8 24# CSG @ 437

Hole Size: 12 1/4

3. Spotted 25 sx class C cmt @ 485-244'. WOC & tagged @ 244'.

2. Spotted 25 sx class C cmt @ 850-609'.

1. Set 5 1/2" CIBP @ 2475'. Circ'd hole w/ 60 bbls Brine. Spotted 25 sx class C cmt @ 2475-2234'. WOC & tagged @ 2293'. Ran CBL. Circ'd hole w/ 20 bbls MLF. Perfs @ 2506-3945'

5 1/2 17# CSG @ 4,315

Hole Size: 7 5/8

TDPB @ 4257
TD @ 4315

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 302879

CONDITIONS

| | |
|---|--|
| Operator: RILEY PERMIAN OPERATING COMPANY, LLC 29 E Reno Avenue, Suite 500 Oklahoma City, OK 73104 | OGRID: 372290 |
| | Action Number: 302879 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| | | |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| gcordero | None | 3/6/2024 |