District I 1625 N French Dr. Hobbs, NM 88240 Phone: (575) 393-6161 Fax. (575) 393-0720

## State of New Mexico Energy, Minerals and Natural Resources Departmen Oil Conservation Division Hobbs District Office

	Oil C	onservation Division	n resources Hobbs Dist	Departm	nent			
1		TO ME A THE MANUEL A TO THE	EST REPO		е			
ARMST	RONG Operato	Name NERLY	- A ROBE C	JA I	The second secon	APTNum	nher	The same of the same of
B16	REPTIL	Property Name			30-0	125-	nher -33883 Well No.	3
	CACIA!	75					Well No.	and profession designations
UL-Lot Section To	ownship Range	7. Surface Loc	The same of the sa					
5 2	NW 4	2081	N/S Line FNL		From	E/W Line	County	
TA'D WELL		Well State	18			WI	LEA	
YES (NO)	YES SHUT-IN	NO INJ	/ X I	PRODUC			DATE	
			SWD O	IL	GAS	9/6	DATE Z	
		OBSERVED I	ልሞልበ					
	(A)Surface		MIM					
Pressure		(B)Interm(1)	(C)Interm(2)		(D)Prod Cs	ng	(E)Tubing	7
Flow Characteristics						)	0	
Puff	Y) N	(Y) N						-
Steady Flow	Y /N	Y/N	¥ /	/	(Y)	<b>A</b>	CO2	
Surges	Y/N	Y / (N')	Y /			(N)	WTR_	
Down to nothing	YN	(Y) N	Y /			N)	Type of Fluid	
Gas or Oil Water	YIN	Y / N	Y /	N YN			Injected for Waterflood if	
water	YN	YIN	/ Y /		Y /(		applica	
								_
Remarks - Please state for each	string (A,B,C,D,E) pertin	ent information regarding bloom						
	ν .	matter regarding Dieec	l down or continu	ous build up	if applies.			
1								
	0///							
Signature:				Total consideration that the encourage				
0	Hamil			OH.	00110		Contract of the Contract of th	_
Printed name: CORY HUBBARD				OIL CONSERVATION DIVISION				
Title: FOREMAN				Entered into RBDMS				
E-mail Address: CHUBB	ARD Q AEC	VM. COM		Re-test				$\coprod$
Date: 9/11/23	Phone: (575)	6267147						
	Wimess:							_

INSTRUCTIONS ON BACK OF THIS FORM

## PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 265142

## **CONDITIONS**

Operator:	OGRID:
ARMSTRONG ENERGY CORP	1092
P.O. Box 1973	Action Number:
Roswell, NM 88202	265142
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

## CONDITIONS

Created By		Condition Date
kfortner	None	3/14/2024