

Well Name: NV NAVAJO 22	Well Location: T29N / R14W / SEC 22 / SWSW / 36.7093337 / -108.3017309	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: SHIPROCK
Lease Number: 14206032199	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004531046	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2779499

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 03/14/2024	Time Sundry Submitted: 08:33
Date Operation Actually Began: 03/12/2024	

Actual Procedure: Hilcorp Energy Company plugged and abandoned the subject well on 3/13/2024 per the attached report.

SR Attachments

Actual Procedure

HILCORP_NV_NAVAJO_22_3_CBL_20240314083240.pdf

NV_NAVAJO_22_3_PA_Subsequent_20240314083133.pdf

Well Name: NV NAVAJO 22	Well Location: T29N / R14W / SEC 22 / SWSW / 36.7093337 / -108.3017309	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: SHIPROCK
Lease Number: 14206032199	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004531046	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TAMMY JONES	Signed on: MAR 14, 2024 08:33 AM
Name: HILCORP ENERGY COMPANY	
Title: Regulatory Compliance Specialist	
Street Address: 382 ROAD 3100	
City: AZTEC	State: NM
Phone: (505) 324-5185	
Email address: TAJONES@HILCORP.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 03/14/2024
Signature: Matthew Kade	

NV NAVAJO 22 3

30.045.31046

PLUG & ABANDONMENT

3/12/2024 – MIRU. CK PRESSURES. SITP = 0 PSI, SICP = 105 PSI, SIICP = 0 PSI, SIBHP = 0 PSI. B/D WELL, 4 MINS. LD POLISH ROD. LD 3/4" ROD SUBS, 30 JTS OF 3/4" RODS, 8 GUIDE 3/4" RODS, 3 SINKER BAR, & SHEAR TOOL ONTO TRAILOR. ND WH, NU BOP, PRESSURE TEST & FUNCTION TEST BOP'S, RU RIG FLOOR, PULL TBG HANGER @ 5K SW. LD 33 JTS OF 2.375" PRODUCTION TBG ONTO TRAILER. LD 1 SINKER BAR & ON/OFF TOOL THAT BROKE OFF @ SHEAR TOOL ON ROD BHA. LD TBG BARREL PUMP. MOVE AROUND TRAILORS. SPOT IN WORK STRING. MU 4.5" SCRAPER. PU 30 JTS OF 2.375" TBG TO 920'. TALLEY, STRAP & RABBIT TBG. LD 2 JT. TOO H 14 STDS OF 2.375" TBG. LD SCRAPER. MU CICR TIH TO 909'. SET CICR @ 909'. LW 16 BBLS & PUMP 22 BBLS. PT TO 590 PSI & PASSED. BLM REP. GOOD W/TEST. TOO H 14 STDS. RU WIRELINE, RUN CBL FROM 909' TO SURFACE. POOH R/D WIRELINE. TIH 14 STDS & 1 JT OF 2.375" TBG TO 909'. WAIT ON ORDERS TO PROCEED WITH CEMENT TO SURFACE INSIDE 4.5" CASING FROM 909'. GOT APPROVAL. **PUMP CEMENT PLUG #1 (FRD TOP & SURFACE)** 76 SXS 15.5 BBLS, 1.15, 15.8#, 5 GAL/SX TOC @ 0', BOC @ 909'. LD 29 JTS. WASH OUT BOP OF CEMENT & WASH OUT TBG OF CEMENT. WOC #1 PLUG OVER NIGHT. **(NOTIFIED NMOCD MONICA KUEHLING AND BLM OF RIG MOVE FROM NAVAJO 22 #3 TO NV PATRICIA 26 #2 TOMORROW)** DRAIN & WINTERIZE EQUIPMENT. SISW, DEBRIEF CREW. SDFN. **(BLM REP. NATASHA DISHFACE ON LOCATION)**

3/13/2024 – CK PRESSURES. SITP = 0 PSI, SICP = 0 PSI, SIICP = 0 PSI, SIBHP = 0 PSI. B/D WELL, 0 MINS. RD RIG FLOOR, ND BOP & NU WH. PREP TO CUT OFF WH. CUT OFF WH, (TOC IN 4.5" PROD 0' & 7" SURFACE 25') WELD ON P&A MARKER. RU 1" POLY LINE & RUN IN 7" SURFACE CASING. FILL CASING AND CELLAR WITH 30 SXS CEMENT. 7" CASING VOLUME WAS 17 SXS TO TOP OFF. RIG DOWN RIG AND EQUIPMENT. **(RIG RELEASED @ 8:30 3/13/24)**

(BLM REP. NATASHA DISHFACE ON LOCATION)

Tammy Jones

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Sent: Wednesday, March 13, 2024 7:55 AM
To: John LaMond; Rennick, Kenneth G; Kade, Matthew H
Cc: Farmington Regulatory Techs; Brice Clyde - (C); Clay Padgett; Lee Murphy; Max Weaver; Rustin Mikeska
Subject: RE: [EXTERNAL] CBL Submission & P&A Revision for Hilcorp's NV NAVAJO 22 3 (API # 3004531046)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Approved for record

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division
North District
Office Phone: 505-334-6178 ext. 123
Cell Phone: 505-320-0243
Email - monica.kuehling@emnrd.nm.gov

From: John LaMond <jlamond@hilcorp.com>
Sent: Tuesday, March 12, 2024 5:32 PM
To: Rennick, Kenneth G <krennick@blm.gov>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Max Weaver <mweaver@hilcorp.com>; Rustin Mikeska <rmikeska@hilcorp.com>
Subject: RE: [EXTERNAL] CBL Submission & P&A Revision for Hilcorp's NV NAVAJO 22 3 (API # 3004531046)

Thank you, Kenny.

Monica at the NMOCD just called and provided verbal approval as well. She mentioned that the NMOCD defers to the BLM in this situation since this is a tribal well.

Please let me know if you have any questions.

Thanks,

John LaMond

Operations Engineer – Technical Services
Hilcorp Energy Company
1111 Travis
Houston, TX 77002
346-237-2210 (Office)

832-754-9692 (Cell)

jlamond@hilcorp.com

From: Rennick, Kenneth G <krennick@blm.gov>

Sent: Tuesday, March 12, 2024 6:02 PM

To: John LaMond <jlamond@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Max Weaver <mweaver@hilcorp.com>; Rustin Mikeska <rmikeska@hilcorp.com>

Subject: Re: [EXTERNAL] CBL Submission & P&A Revision for Hilcorp's NV NAVAJO 22 3 (API # 3004531046)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The BLM finds the proposal appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov

Mobile & Text: 505.497.0019

From: John LaMond <jlamond@hilcorp.com>

Sent: Tuesday, March 12, 2024 4:58 PM

To: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; John LaMond <jlamond@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Max Weaver <mweaver@hilcorp.com>; Rustin Mikeska <rmikeska@hilcorp.com>

Subject: [EXTERNAL] CBL Submission & P&A Revision for Hilcorp's NV NAVAJO 22 3 (API # 3004531046)

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good afternoon Kenny & Monica,

Hilcorp is currently on the NV NAVAJO 22 3 (API # 3004531046) for P&A.

Attached is the CBL run this afternoon (3/12/2024). The log shows TOC @ ~158'. Surface casing shoe is at ~125'.

Additionally, the following was performed/discovered:

- Pressure tested the 4.5" casing above the CICR set at 590 psi (GOOD Test).
- Dug out the cellar around the wellhead, noticed visible holes in the 7" surface casing.

Moving forward, Hilcorp requests the following adjustments to the approved NOI (attached)

- PLUG #1:
 - Pump cement from CICR set at 909' to surface. 71sx Class G (1.15 yield)
 - RIH w/ 1" polyline to +/- 158', circulate cement to surface.
 - Top off as needed.

Kenny and Monica, do we have permission to proceed with this plan?

Thanks,

John LaMond

Operations Engineer – Technical Services

Hilcorp Energy Company

1111 Travis

Houston, TX 77002

346-237-2210 (Office)

832-754-9692 (Cell)

jlamond@hilcorp.com

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.




Current Schematic - Version 3

Well Name: NV NAVAJO 22 #3

API / UWI 3004531046	Surface Legal Location T29N-R14W-S22	Field Name Kutz W Pictured Cliffs	Route 0207	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 5,625.00	Original KB/RT Elevation (ft) 5,630.00	RKB to GL (ft) 5.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

Original Hole [Vertical]



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 323201

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 323201
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Tribal - well plugged 3/13/2024	3/28/2024