

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. PO BOX 50250 MIDLAND, TX 79710		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date NW - 11/21/2023
⁴ API Number 30 - 025-48981	⁵ Pool Name Antelope Ridge; Wolfcamp	⁶ Pool Code 2220
⁷ Property Code 330861	⁸ Property Name Maltese 5 8 Fed COM	⁹ Well Number 38H

II. ¹⁰ Surface Location

UL or lot no. 1	Section 5	Township 24S	Range 35E	Lot Idn	Feet from the 180	North/South Line North	Feet from the 825	East/West line East	County Lea
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. P	Section 8	Township 24S	Range 35E	Lot Idn	Feet from the 24	North/South line South	Feet from the 539	East/West line East	County Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 11/21/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters


¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	Centerion Pipeline, L.P.	O
248749	DCP Midstream, L.P.	G

IV. Well Completion Data

²¹ Spud Date 06/27/2023	²² Ready Date 11/21/2023	²³ TD 22056' MD; 12017' TVD	²⁴ PBTD 22013' MD; 12016' TVD	²⁵ Perforations 11997-21860	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8" 54.5# J-55	1321'	1395 sx Class C - TOC 0'		
12 1/4"	7 5/8" 26.4# HCL80	11105'	5499sx Class H - TOC 0'		
6 3/4"	5 1/2" 20# P110	22036'	745sx Class H - TOC 10947'		

V. Well Test Data

³¹ Date New Oil 11/30/2023	³² Gas Delivery Date 11/30/2023	³³ Test Date 12/9/2023	³⁴ Test Length 24 Hours	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 573
³⁷ Choke Size 0	³⁸ Oil 1312	³⁹ Water 1361	⁴⁰ Gas 742		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION
Printed name: Sarah McKinney	Approved by: PATRICIA MARTINEZ
Title: Regulatory Analyst Sr.	Title: PETROLEUM SPECIALIST
E-mail Address: sarah_mckinney@oxy.com	Approval Date: 4/24/2024
Date: 01/16/2024	Phone: 713-215-7295

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
As-Drilled Plat

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48981		² Pool Code 2220		³ Pool Name Antelope Ridge; Wolfcamp	
⁴ Property Code 330861		⁵ Property Name MALTESE 5 8 FED COM			⁶ Well Number 38H
⁷ OGRID No. 16696		⁸ Operator Name OXY USA INC.			⁹ Elevation 3447.5'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	5	24S	35E		180	NORTH	825	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	8	24S	35E		24	SOUTH	539	EAST	LEA
¹² Dedicated Acres 1280		¹³ Joint or Infill Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Sarah McKinney 1/11/24
Signature Date

Sarah McKinney
Printed Name

sarah_mckinney@oxy.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

December 12, 2019
Date of Survey


Signature and Seal of Professional Surveyor:

PAUL BUCHELE
NEW MEXICO
23782
11-29-23
PROFESSIONAL SURVEYOR

Certificate Number:

NAD 83 (SURFACE HOLE LOCATION) LATITUDE = 32°15'12.00" (32.253333°) LONGITUDE = -103°23'01.43" (-103.383730°)	NAD 83 (AS-DRILLED KOP) LATITUDE = 32°15'13.05" (32.253624°) LONGITUDE = -103°22'58.15" (-103.382818°)	NAD 83 (AS-DRILLED FTP) LATITUDE = 32°15'08.86" (32.252461°) LONGITUDE = -103°22'57.94" (-103.382762°)
NAD 27 (SURFACE HOLE LOCATION) LATITUDE = 32°15'11.55" (32.253207°) LONGITUDE = -103°22'59.73" (-103.383258°)	NAD 27 (AS-DRILLED KOP) LATITUDE = 32°15'12.60" (32.253499°) LONGITUDE = -103°22'56.44" (-103.382346°)	NAD 27 (AS-DRILLED FTP) LATITUDE = 32°15'08.41" (32.252335°) LONGITUDE = -103°22'56.24" (-103.382290°)
STATE PLANE NAD 83 (N.M. EAST) N: 457194.03' E: 834896.66'	STATE PLANE NAD 83 (N.M. EAST) N: 457302.65' E: 835177.77'	STATE PLANE NAD 83 (N.M. EAST) N: 456879.42' E: 835198.83'
STATE PLANE NAD 27 (N.M. EAST) N: 457134.58' E: 793711.94'	STATE PLANE NAD 27 (N.M. EAST) N: 457243.20' E: 793993.03'	STATE PLANE NAD 27 (N.M. EAST) N: 456819.98' E: 794014.09'
NAD 83 (AS- DRILLED LPP #1) LATITUDE = 32°15'00.69" (32.250191°) LONGITUDE = -103°22'57.76" (-103.382710°)	NAD 83 (AS- DRILLED LPP #2) LATITUDE = 32°14'21.50" (32.239306°) LONGITUDE = -103°22'57.83" (-103.382732°)	NAD 83 (AS- DRILLED LPP #3) LATITUDE = 32°14'08.43" (32.235674°) LONGITUDE = -103°22'57.92" (-103.382756°)
NAD 27 (AS- DRILLED LPP #1) LATITUDE = 32°15'00.23" (32.250065°) LONGITUDE = -103°22'56.06" (-103.382238°)	NAD 27 (AS- DRILLED LPP #2) LATITUDE = 32°14'21.05" (32.239180°) LONGITUDE = -103°22'56.14" (-103.382260°)	NAD 27 (AS- DRILLED LPP #3) LATITUDE = 32°14'07.97" (32.235548°) LONGITUDE = -103°22'56.22" (-103.382284°)
STATE PLANE NAD 83 (N.M. EAST) N: 456053.72' E: 835222.11'	STATE PLANE NAD 83 (N.M. EAST) N: 452093.65' E: 835250.63'	STATE PLANE NAD 83 (N.M. EAST) N: 450772.35' E: 835254.78'
STATE PLANE NAD 27 (N.M. EAST) N: 455994.30' E: 794037.35'	STATE PLANE NAD 27 (N.M. EAST) N: 452034.33' E: 794065.70'	STATE PLANE NAD 27 (N.M. EAST) N: 450713.08' E: 794069.79'
NAD 83 (AS- DRILLED LPP #4) LATITUDE = 32°13'55.35" (32.232042°) LONGITUDE = -103°22'57.96" (-103.382766°)	NAD 83 (AS- DRILLED LTP) LATITUDE = 32°13'31.40" (32.225389°) LONGITUDE = -103°22'57.89" (-103.382747°)	NAD 83 (AS- DRILLED BHL) LATITUDE = 32°13'29.46" (32.224851°) LONGITUDE = -103°22'57.83" (-103.382732°)
NAD 27 (AS- DRILLED LPP #4) LATITUDE = 32°13'54.90" (32.231917°) LONGITUDE = -103°22'56.26" (-103.382295°)	NAD 27 (AS- DRILLED LTP) LATITUDE = 32°13'30.95" (32.225263°) LONGITUDE = -103°22'56.19" (-103.382276°)	NAD 27 (AS- DRILLED BHL) LATITUDE = 32°13'29.01" (32.224725°) LONGITUDE = -103°22'56.14" (-103.382261°)
STATE PLANE NAD 83 (N.M. EAST) N: 449451.11' E: 835263.35'	STATE PLANE NAD 83 (N.M. EAST) N: 447030.57' E: 835290.74'	STATE PLANE NAD 83 (N.M. EAST) N: 446834.92' E: 835297.08'
STATE PLANE NAD 27 (N.M. EAST) N: 449391.86' E: 794078.30'	STATE PLANE NAD 27 (N.M. EAST) N: 446971.39' E: 794105.59'	STATE PLANE NAD 27 (N.M. EAST) N: 446775.74' E: 794111.93'

LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S89°42'25"W	2641.36'
L2	S89°45'04"W	2642.88'





Oxy Maltese 5-8 Fed Com 38H IFR1 Surveys to 22056ft Survey
Geodetic Report
DefinitiveSurvey



Report Date:	September 02, 2023 - 05:08 PM (UTC 0)	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	177.786 °(Grid North)
Field:	NM Lea County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Maltese 5-8 Fed Com Pad Lot 1 / Maltese 5-8 Fed Com 38H	TVD Reference Datum:	RKB
Well:	Maltese 5-8 Fed Com 38H	TVD Reference Elevation:	3473.500 ft above MSL
Borehole:	Maltese 5-8 Fed Com 38H	Seabed / Ground Elevation:	3447.500 ft above MSL
UBHI / API / JobNumber:	Unknown / Unknown / Unknown	Magnetic Declination:	6.327°
Survey Name / Version:	Oxy Maltese 5-8 Fed Com 38H IFR1 Surveys to 22056ft / 4	Total Gravity Field Strength:	998.4669mgn (9.80665 Based)
Survey Date:	September 02, 2023	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	216.373 ° / 10807.625 ft / 6.633 / 0.899	Total Magnetic Field Strength:	47515.2 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.82°
Location Lat / Long:	N 32°15'11.99773", W 103°23'1.42949"	Declination Date:	August 09, 2023
Location Grid N/E Y/X:	N 457194.030 ftUS , E 834896.660 ftUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.507°	North Reference:	Grid
Grid Scale Factor:	1.00000779	North UTM mag North Scale:	5.82°
Engine Version:	2023.1.0.1	Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,473.50		457,194.03	834,896.66	N 32°15'12.00"	W 103°23'1.43"		
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,447.50	0.00	457,194.03	834,896.66	N 32°15'12.00"	W 103°23'1.43"	0.00	0.00
First SLB Survey	176.00	0.18	170.04	176.00	0.23	-0.23	0.04	-3,297.50	0.12	457,193.80	834,896.70	N 32°15'12.00"	W 103°23'1.43"	0.24	170.04
	249.00	0.39	190.77	249.00	0.59	-0.59	0.01	-3,224.50	0.32	457,193.44	834,896.67	N 32°15'11.99"	W 103°23'1.43"	0.59	178.62
	346.00	0.75	202.32	345.99	1.49	-1.50	-0.29	-3,127.51	0.39	457,192.53	834,896.37	N 32°15'11.98"	W 103°23'1.43"	1.53	190.89
	439.00	0.91	108.91	438.99	2.31	-2.30	0.18	-3,034.51	1.30	457,191.73	834,896.84	N 32°15'11.97"	W 103°23'1.43"	2.31	175.56
	533.00	0.76	108.83	532.98	2.80	-2.75	1.48	-2,940.52	0.16	457,191.28	834,898.14	N 32°15'11.97"	W 103°23'1.41"	3.12	151.76
	626.00	0.45	190.94	625.97	3.38	-3.30	1.99	-2,847.53	0.89	457,190.73	834,898.65	N 32°15'11.96"	W 103°23'1.41"	3.86	148.94
	720.00	0.86	34.95	719.97	3.18	-3.09	2.32	-2,753.53	1.37	457,190.94	834,898.98	N 32°15'11.97"	W 103°23'1.40"	3.86	143.04
	815.00	2.12	35.66	814.94	1.22	-1.08	3.76	-2,658.56	1.33	457,192.95	834,900.42	N 32°15'11.99"	W 103°23'1.39"	3.91	105.98
	910.00	2.44	43.80	909.86	-1.57	1.81	6.18	-2,563.64	0.48	457,195.84	834,902.84	N 32°15'12.02"	W 103°23'1.36"	6.44	73.67
	1,004.00	2.08	43.93	1,003.79	-4.14	4.48	8.75	-2,469.71	0.38	457,198.51	834,905.41	N 32°15'12.04"	W 103°23'1.33"	9.83	62.86
	1,099.00	1.65	43.81	1,098.74	-6.29	6.71	10.89	-2,374.76	0.45	457,200.74	834,907.55	N 32°15'12.06"	W 103°23'1.30"	12.79	58.35
	1,194.00	0.97	32.92	1,193.71	-7.89	8.37	12.28	-2,279.79	0.76	457,202.40	834,908.94	N 32°15'12.08"	W 103°23'1.29"	14.86	55.70
	1,252.00	0.96	37.57	1,251.70	-8.67	9.17	12.84	-2,221.80	0.14	457,203.20	834,909.50	N 32°15'12.09"	W 103°23'1.28"	15.78	54.46
	1,433.00	0.69	61.07	1,432.69	-10.32	10.90	14.72	-2,040.81	0.24	457,204.93	834,911.38	N 32°15'12.10"	W 103°23'1.26"	18.31	53.47
	1,528.00	0.82	50.35	1,527.68	-10.99	11.61	15.74	-1,945.82	0.20	457,205.64	834,912.40	N 32°15'12.11"	W 103°23'1.25"	19.56	53.59
	1,623.00	0.66	52.29	1,622.67	-11.73	12.38	16.70	-1,850.83	0.17	457,206.41	834,913.36	N 32°15'12.12"	W 103°23'1.23"	20.79	53.45
	1,718.00	0.68	50.81	1,717.66	-12.38	13.07	17.57	-1,755.84	0.03	457,207.10	834,914.23	N 32°15'12.13"	W 103°23'1.22"	21.90	53.35
	1,812.00	0.66	45.39	1,811.66	-13.08	13.80	18.38	-1,661.84	0.07	457,207.83	834,915.05	N 32°15'12.13"	W 103°23'1.21"	22.99	53.10
	1,907.00	0.70	46.27	1,906.65	-13.84	14.59	19.19	-1,566.85	0.04	457,208.62	834,915.85	N 32°15'12.14"	W 103°23'1.20"	24.11	52.76
	2,002.00	0.82	53.00	2,001.64	-14.61	15.40	20.16	-1,471.86	0.16	457,209.43	834,916.82	N 32°15'12.15"	W 103°23'1.19"	25.37	52.62
	2,096.00	1.00	55.65	2,095.63	-15.43	16.27	21.37	-1,377.87	0.20	457,210.30	834,918.03	N 32°15'12.16"	W 103°23'1.18"	26.86	52.72
	2,191.00	1.16	59.53	2,190.61	-16.33	17.22	22.88	-1,282.89	0.19	457,211.25	834,919.54	N 32°15'12.17"	W 103°23'1.16"	28.64	53.04
	2,286.00	1.19	58.27	2,285.59	-17.27	18.23	24.55	-1,187.91	0.04	457,212.26	834,921.21	N 32°15'12.18"	W 103°23'1.14"	30.58	53.41
	2,381.00	1.43	59.73	2,380.57	-18.31	19.34	26.41	-1,092.93	0.26	457,213.37	834,923.07	N 32°15'12.19"	W 103°23'1.12"	32.74	53.78
	2,570.00	1.97	66.34	2,569.48	-20.61	21.84	31.43	-904.02	0.30	457,215.87	834,928.09	N 32°15'12.21"	W 103°23'1.06"	38.27	55.21
	2,665.00	2.22	68.61	2,664.42	-21.81	23.16	34.64	-809.08	0.28	457,217.19	834,931.30	N 32°15'12.22"	W 103°23'1.02"	41.67	56.23
	2,760.00	2.42	68.56	2,759.34	-23.07	24.57	38.22	-714.16	0.21	457,218.60	834,934.88	N 32°15'12.24"	W 103°23'0.98"	45.43	57.26
	2,854.00	2.69	68.73	2,853.25	-24.45	26.09	42.12	-620.25	0.29	457,220.12	834,938.78	N 32°15'12.25"	W 103°23'0.94"	49.55	58.22
	2,949.00	2.95	69.17	2,948.13	-25.96	27.77	46.48	-525.37	0.27	457,221.80	834,943.14	N 32°15'12.27"	W 103°23'0.89"	54.15	59.14
	3,044.00	3.08	69.51	3,043.00	-27.54	29.53	51.16	-430.50	0.14	457,223.56	834,947.82	N 32°15'12.29"	W 103°23'0.83"	59.07	60.00
	3,139.00	2.42	76.60	3,137.89	-28.73	30.89	55.50	-335.61	0.78	457,224.92	834,952.16	N 32°15'12.30"	W 103°23'0.78"	63.52	60.90
	3,234.00	1.45	85.62	3,232.84	-29.16	31.45	58.65	-240.66	1.07	457,225.48	834,955.31	N 32°15'12.30"	W 103°23'0.74"	66.55	61.80
	3,329.00	0.85	99.02	3,327.82	-29.07	31.43	60.54	-145.68	0.69	457,225.46	834,957.20	N 32°15'12.30"	W 103°23'0.72"	68.21	62.56
	3,424.00	0.92	106.88	3,422.81	-28.68	31.10	61.97	-50.69	0.15	457,225.13	834,958.63	N 32°15'12.30"	W 103°23'0.70"	69.33	63.35
	3,519.00	1.04	132.67	3,517.79	-27.82	30.29	63.33	44.29	0.48	457,224.32	834,959.99	N 32°15'12.29"	W 103°23'0.69"	70.20	64.44
	3,614.00	0.94	132.07	3,612.78	-26.67	29.19	64.54	139.28	0.11	457,223.22	834,961.20	N 32°15'12.28"	W 103°23'0.67"	70.84	65.67
	3,710.00	0.89	125.49	3,708.77	-25.67	28.23	65.74	235.27	0.12	457,222.26	834,962.40	N 32°15'12.27"	W 103°23'0.66"	71.54	66.76
	3,805.00	0.35	131.80	3,803.76	-25.01	27.60	66.55	330.26	0.57	457,221.63	834,963.21	N 32°15'12.27"	W 103°23'0.65"	72.05	67.47
	3,900.00	0.03	23.53	3,898.76	-24.83	27.43	66.78	425.26	0.38	457,221.46	834,963.44	N 32°15'12.26"	W 103°23'0.65"	72.19	67.67
	3,995.00	0.03	28.86	3,993.76	-24.88	27.48	66.80	520.26	0.00	457,221.51	834,963.46	N 32°15'12.26"	W 103°23'0.65"	72.23	67.64
	4,090.00	0.02	137.85	4,088.76	-24.89	27.49	66.82	615.26	0.04	457,221.52	834,963.48	N 32°15'12.26"	W 103°23'0.65"	72.26	67.64
	4,185.00	0.05	228.48	4,183.76	-24.85	27.45	66.80	710.26	0.06	457,221.48	834,963.46	N 32°15'12.26"	W 103°23'0.65"	72.22	67.66
	4,280.00	0.03	11.18	4,278.76	-24.84	27.44	66.78	805.26	0.08	457,221.47	834,963.44	N 32°15'12.26"	W 103°23'0.65"	72.20	67.66
	4,375.00	0.05	357.07	4,373.76	-24.91	27.51	66.78	900.26	0.02	457,221.54	834,963.44	N 32°15'12.26"	W 103°23'0.65"	72.22	67.61
	4,471.00	0.07	343.82	4,469.76	-25.01	27.61	66.76	996.26	0.03	457,221.64	834,963.42	N 32°15'12.27"	W 103°23'0.65"	72.25	67.53
	4,566.00	0.07	336.95	4,564.76	-25.12	27.72	66.72	1,091.26	0.01	457,221.75	834,963.38	N 32°15'12.27"	W 103°23'0.65"	72.25	67.44
	4,661.00	0.07	61.40	4,659.76	-25.20	27.80	66.75	1,186.26	0.10	457,221.83	834,963.41	N 32°15'12.27"	W 103°23'0.65"	72.31	67.39
	4,756.00	0.05	342.72	4,754.76	-25.27	27.87	66.79	1,281.26	0.08	457,221.90	834,963.45	N 32°15'12.27"	W 103°23'0.65"	72.37	67.35
	4,851.00	0.00	139.99	4,849.76	-25.31	27.91	66.78	1,376.26	0.05	457,221.94	834,963.44	N 32°15'12.27"	W 103°23'0.65"	72.37	67.32
	4,946.00	0.03	139.11	4,944.76	-25.29	27.89	66.79	1,471.26	0.03	457,221.92	834,963.45	N 32°			

	8,658.00	7.43	72.85	8,646.91	-76.16	85.17	231.54	5,173.41	0.07	457,279.20	835,128.20	N 32°15'12.82" W 103°22'58.72"	246.71	69.80
	8,752.00	7.67	71.20	8,740.10	-79.52	88.98	243.29	5,266.60	0.34	457,283.01	835,139.95	N 32°15'12.86" W 103°22'58.59"	259.05	69.91
	8,848.00	7.46	68.71	8,835.26	-83.39	93.31	255.16	5,361.76	0.41	457,287.34	835,151.82	N 32°15'12.90" W 103°22'58.45"	271.68	69.91
	8,943.00	6.47	64.13	8,929.56	-87.55	97.89	265.72	5,456.06	1.19	457,291.92	835,162.38	N 32°15'12.94" W 103°22'58.33"	283.18	69.78
	9,038.00	5.81	59.77	9,024.02	-91.96	102.64	274.69	5,550.52	0.85	457,296.67	835,171.35	N 32°15'12.99" W 103°22'58.22"	293.24	69.51
	9,133.00	4.35	49.31	9,118.64	-96.46	107.41	281.58	5,645.14	1.81	457,301.44	835,178.24	N 32°15'13.04" W 103°22'58.14"	301.37	69.12
	9,213.00	2.25	44.98	9,198.51	-99.41	110.50	284.99	5,725.01	2.64	457,304.53	835,181.65	N 32°15'13.07" W 103°22'58.10"	305.66	68.81
	9,308.00	0.17	36.17	9,293.48	-100.79	111.94	286.39	5,819.98	2.19	457,305.97	835,183.05	N 32°15'13.08" W 103°22'58.08"	307.49	68.65
	9,403.00	0.10	63.29	9,388.48	-100.93	112.09	286.55	5,914.98	0.10	457,306.12	835,183.21	N 32°15'13.08" W 103°22'58.08"	307.69	68.64
	9,498.00	0.28	5.07	9,483.48	-101.20	112.35	286.64	6,009.98	0.26	457,306.39	835,183.30	N 32°15'13.08" W 103°22'58.08"	307.88	68.60
	9,593.00	0.36	17.61	9,578.48	-101.71	112.87	286.75	6,104.98	0.11	457,306.90	835,183.41	N 32°15'13.09" W 103°22'58.08"	308.17	68.51
	9,689.00	0.25	19.35	9,674.48	-102.19	113.36	286.91	6,200.98	0.11	457,307.39	835,183.57	N 32°15'13.09" W 103°22'58.08"	308.49	68.44
	9,783.00	0.16	271.44	9,768.48	-102.39	113.55	286.85	6,294.98	0.36	457,307.58	835,183.51	N 32°15'13.10" W 103°22'58.08"	308.51	68.40
	9,878.00	0.15	331.15	9,863.48	-102.51	113.66	286.66	6,389.98	0.16	457,307.70	835,183.32	N 32°15'13.10" W 103°22'58.08"	308.37	68.37
	9,973.00	0.27	273.01	9,958.48	-102.64	113.79	286.37	6,484.98	0.24	457,307.82	835,183.04	N 32°15'13.10" W 103°22'58.08"	308.15	68.33
	10,068.00	0.34	308.80	10,053.47	-102.84	113.97	285.93	6,579.97	0.21	457,308.00	835,182.59	N 32°15'13.10" W 103°22'58.09"	307.81	68.27
	10,162.00	0.25	282.58	10,147.47	-103.08	114.19	285.51	6,673.97	0.17	457,308.22	835,182.17	N 32°15'13.10" W 103°22'58.09"	307.50	68.20
	10,257.00	0.24	337.06	10,242.47	-103.32	114.42	285.23	6,768.97	0.24	457,308.45	835,181.89	N 32°15'13.10" W 103°22'58.10"	307.33	68.14
	10,352.00	0.28	353.45	10,337.47	-103.74	114.84	285.13	6,863.97	0.09	457,308.87	835,181.79	N 32°15'13.11" W 103°22'58.10"	307.39	68.06
	10,446.00	0.26	329.61	10,431.47	-104.15	115.25	285.00	6,957.97	0.12	457,309.28	835,181.66	N 32°15'13.11" W 103°22'58.10"	307.42	67.98
	10,541.00	0.41	331.92	10,526.47	-104.65	115.73	284.73	7,052.97	0.16	457,309.76	835,181.39	N 32°15'13.12" W 103°22'58.10"	307.35	67.88
	10,636.00	0.34	263.39	10,621.47	-104.93	116.00	284.29	7,147.97	0.45	457,310.03	835,180.95	N 32°15'13.12" W 103°22'58.11"	307.04	67.80
	10,731.00	0.25	275.82	10,716.47	-104.94	115.99	283.80	7,242.97	0.12	457,310.02	835,180.46	N 32°15'13.12" W 103°22'58.11"	306.59	67.77
	10,826.00	0.38	314.60	10,811.46	-105.20	116.23	283.37	7,337.96	0.26	457,310.26	835,180.03	N 32°15'13.12" W 103°22'58.12"	306.28	67.70
	10,920.00	0.33	315.56	10,905.46	-105.63	116.64	282.96	7,431.96	0.05	457,310.67	835,179.62	N 32°15'13.13" W 103°22'58.12"	306.06	67.60
	11,015.00	0.26	266.11	11,000.46	-105.82	116.82	282.55	7,526.96	0.27	457,310.86	835,179.21	N 32°15'13.13" W 103°22'58.13"	305.75	67.54
	11,084.00	0.29	257.97	11,069.46	-105.79	116.78	282.22	7,595.96	0.07	457,310.81	835,178.89	N 32°15'13.13" W 103°22'58.13"	305.43	67.52
	11,193.00	0.66	226.47	11,178.46	-105.33	116.29	281.50	7,704.96	0.40	457,310.32	835,178.16	N 32°15'13.12" W 103°22'58.14"	304.57	67.55
Actual KOP	11,256.00	3.97	183.24	11,241.40	-102.92	113.86	281.11	7,767.90	5.58	457,307.89	835,177.77	N 32°15'13.10" W 103°22'58.14"	303.30	67.95
	11,287.00	5.69	180.99	11,272.29	-100.31	111.25	281.03	7,798.79	5.58	457,305.28	835,177.69	N 32°15'13.07" W 103°22'58.15"	302.25	68.40
FTP / 100ft FNL Cross	11,382.00	19.72	177.65	11,364.73	-79.48	90.42	281.60	7,891.23	14.78	457,284.46	835,178.27	N 32°15'12.87" W 103°22'58.14"	295.77	72.20
	11,404.00	21.10	177.45	11,385.35	-71.81	82.76	281.93	7,911.85	6.28	457,276.79	835,178.59	N 32°15'12.79" W 103°22'58.14"	293.83	73.64
	11,477.00	25.68	176.95	11,452.33	-42.84	53.82	283.36	7,978.83	6.28	457,247.85	835,180.02	N 32°15'12.51" W 103°22'58.12"	288.43	79.25
	11,571.00	31.78	178.47	11,534.72	2.32	8.70	285.11	8,061.22	6.54	457,202.73	835,181.77	N 32°15'12.06" W 103°22'58.11"	285.24	88.25
	11,666.00	40.83	176.74	11,611.20	58.51	-47.43	287.54	8,137.70	9.59	457,146.60	835,184.21	N 32°15'11.50" W 103°22'58.09"	291.43	99.37
	11,761.00	49.76	175.26	11,677.97	125.92	-114.71	292.32	8,204.47	9.46	457,079.32	835,188.98	N 32°15'10.84" W 103°22'58.04"	314.02	111.43
	11,855.00	56.11	177.35	11,734.60	200.86	-189.52	297.09	8,261.10	6.98	457,004.51	835,193.75	N 32°15'10.10" W 103°22'57.99"	352.39	122.54
	11,950.00	63.53	177.53	11,782.32	282.92	-271.51	300.75	8,308.82	7.81	456,922.52	835,197.41	N 32°15'9.28" W 103°22'57.96"	405.18	132.07
	12,044.00	69.74	178.67	11,819.58	369.17	-357.71	303.59	8,346.08	6.70	456,836.32	835,200.25	N 32°15'8.43" W 103°22'57.93"	469.17	139.68
	12,056.90	70.23	178.81	11,824.00	381.29	-369.83	303.86	8,350.50	3.95	456,824.20	835,200.52	N 32°15'8.31" W 103°22'57.93"	478.64	140.59
Wolfcamp Intersection	12,139.00	73.36	179.70	11,849.65	459.24	-447.80	304.86	8,376.15	3.95	456,746.23	835,201.52	N 32°15'7.54" W 103°22'57.93"	541.73	145.75
	12,234.00	88.18	177.07	11,864.84	552.74	-541.26	307.54	8,391.34	15.84	456,652.77	835,204.21	N 32°15'6.62" W 103°22'57.90"	622.53	150.39
	12,329.00	88.79	176.21	11,867.36	647.68	-636.06								

	20,336.00	89.70	179.47	11,946.36	8,648.83	-8,640.92	371.73	8,472.86	1.36	448,553.06	835,268.39	N 32°13'46.47" W 103°22'57.99"	8,648.91	177.54
	20,430.00	88.13	179.16	11,948.14	8,742.77	-8,734.89	372.85	8,474.64	1.70	448,459.09	835,269.52	N 32°13'45.54" W 103°22'57.99"	8,742.84	177.56
	20,525.00	88.91	178.71	11,950.60	8,837.72	-8,829.84	374.62	8,477.10	0.95	448,364.14	835,271.28	N 32°13'44.60" W 103°22'57.98"	8,837.78	177.57
	20,714.00	87.49	179.24	11,956.53	9,026.58	-9,018.71	378.00	8,483.03	0.80	448,175.27	835,274.66	N 32°13'42.73" W 103°22'57.96"	9,026.63	177.60
	20,809.00	87.09	179.70	11,961.02	9,121.43	-9,113.60	378.88	8,487.52	0.64	448,080.38	835,275.54	N 32°13'41.79" W 103°22'57.96"	9,121.47	177.62
	20,903.00	87.25	180.47	11,965.66	9,215.24	-9,207.48	378.74	8,492.16	0.84	447,986.49	835,275.40	N 32°13'40.86" W 103°22'57.97"	9,215.27	177.64
	20,998.00	87.34	179.15	11,970.15	9,310.08	-9,302.38	379.05	8,496.65	1.39	447,891.60	835,275.71	N 32°13'39.92" W 103°22'57.97"	9,310.10	177.67
	21,093.00	87.57	179.46	11,974.37	9,404.95	-9,397.28	380.20	8,500.87	0.41	447,796.70	835,276.87	N 32°13'38.98" W 103°22'57.97"	9,404.96	177.68
	21,188.00	87.50	178.53	11,978.45	9,499.84	-9,492.17	381.87	8,504.95	0.98	447,701.80	835,278.53	N 32°13'38.04" W 103°22'57.96"	9,499.85	177.70
	21,282.00	87.54	178.14	11,982.52	9,593.75	-9,586.04	384.60	8,509.02	0.42	447,607.93	835,281.26	N 32°13'37.11" W 103°22'57.94"	9,593.76	177.70
	21,377.00	87.64	179.40	11,986.52	9,688.65	-9,680.94	386.63	8,513.02	1.33	447,513.04	835,283.30	N 32°13'36.17" W 103°22'57.93"	9,688.65	177.71
	21,471.00	87.50	179.32	11,990.50	9,782.53	-9,774.85	387.68	8,517.00	0.17	447,419.13	835,284.35	N 32°13'35.24" W 103°22'57.92"	9,782.53	177.73
	21,565.00	87.34	179.21	11,994.73	9,876.40	-9,868.74	388.89	8,521.23	0.21	447,325.23	835,285.55	N 32°13'34.32" W 103°22'57.92"	9,876.40	177.74
	21,660.00	87.38	178.68	11,999.11	9,971.28	-9,963.63	390.64	8,525.61	0.56	447,230.35	835,287.30	N 32°13'33.38" W 103°22'57.91"	9,971.28	177.75
	21,755.00	87.47	179.23	12,003.38	10,066.16	-10,058.51	392.37	8,529.88	0.59	447,135.46	835,289.03	N 32°13'32.44" W 103°22'57.90"	10,066.16	177.77
	21,849.00	87.67	179.02	12,007.36	10,160.05	-10,152.42	393.80	8,533.86	0.31	447,041.55	835,290.46	N 32°13'31.51" W 103°22'57.89"	10,160.05	177.78
	21,944.00	85.95	178.15	12,012.65	10,254.89	-10,247.24	396.14	8,539.15	2.03	446,946.73	835,292.80	N 32°13'30.57" W 103°22'57.87"	10,254.89	177.79
LTP / 100 ft FSL Cross	21,979.00	87.17	177.90	12,014.75	10,289.83	-10,282.15	397.35	8,541.25	3.56	446,911.82	835,294.01	N 32°13'30.22" W 103°22'57.86"	10,289.83	177.79
Final Survey	22,012.00	88.32	177.66	12,016.05	10,322.80	-10,315.10	398.62	8,542.55	3.56	446,878.87	835,295.29	N 32°13'29.90" W 103°22'57.85"	10,322.80	177.79
Projection to Total Depth	22,056.00	88.32	177.66	12,017.34	10,366.78	-10,359.05	400.42	8,543.84	0.00	446,834.92	835,297.08	N 32°13'29.46" V 103°22'57.83"	10,366.78	177.79

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Borehole / Survey
	1	0.000	1,252.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Maltese 5-8 Fed Com 38H / Oxy Maltese 5-8 Fed Com 38H IFR1 Surveys to 22056ft
	1	1,252.000	1,528.000	Act Stns		A009Mb_MWD+IFR1+SAG	Maltese 5-8 Fed Com 38H / Oxy Maltese 5-8 Fed Com 38H IFR1 Surveys to 22056ft
	1	1,528.000	22,056.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Maltese 5-8 Fed Com 38H / Oxy Maltese 5-8 Fed Com 38H IFR1 Surveys to 22056ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
22,056.000	26.400	26.400	

Intent ☐ As Drilled ☒

API # 30-025-48981		
Operator Name: OXY USA INC.	Property Name: Maltese 5 8 Federal Com	Well Number 38H

Kick Off Point (KOP)

UL 1	Section 5	Township 24S	Range 35E	Lot	Feet 74	From N/S North	Feet 543	From E/W East	County Lea
Latitude 32.253624					Longitude -103.382818				NAD Nad83

First Take Point (FTP)

UL 3	Section 5	Township 24S	Range 35E	Lot	Feet 497	From N/S North	Feet 527	From E/W East	County Lea
Latitude 32.252461					Longitude -103.382762				NAD Nad83

Last Take Point (LTP)

UL P	Section 8	Township 24S	Range 35E	Lot	Feet 219	From N/S South	Feet 543	From E/W East	County Lea
Latitude 32.225389					Longitude -103.382747				NAD Nad83

Is this well the defining well for the Horizontal Spacing Unit? ☐ NoIs this well an infill well? ☐ Yes

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-48976		
Operator Name: OXY USA INC.	Property Name: Maltese 5 8 Fed Com	Well Number 33H

KZ 06/29/2018

Well Name: MALTESE 5_8 FEDERAL COM	Well Location: T24S / R35E / SEC 5 / LOT 1 / 32.253332 / -103.38373	County or Parish/State: LEA / NM
Well Number: 38H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM019628	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548981	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2767981

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 01/03/2024

Time Sundry Submitted: 01:11

Date Operation Actually Began: 10/18/2023

Actual Procedure: RUPU 10/18/2023, RIH & Clean out to PBTD 22013'. Test production casing to 6000 psi for 30 min, good test. RIH and Perf from 11997'-21860', total 2298 holes, 0.42". Frac in 40 stages with 21,387,984 #'s sand and 329,550 bbls produced water. RD Frac and well ready to produce on 11/21/2023.

Received by OCD: 1/19/2024 11:52:48 AM

Page 8 of 13

Well Name: MALTESE 5_8 FEDERAL COM	Well Location: T24S / R35E / SEC 5 / LOT 1 / 32.253332 / -103.38373	County or Parish/State: LEA / NM
Well Number: 38H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM019628	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548981	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH MCKINNEY	Signed on: JAN 03, 2024 01:11 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Analyst Sr	
Street Address: 5 GREENWAY PLAZA SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 215-7295	
Email address: SARAH_MCKINNEY@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/10/2024
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						1. WELL API NO. 30-025-48981 2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN 3. State Oil & Gas Lease No.				
5. Lease Name or Unit Agreement Name Maltese 5 8 Fed COM 6. Well Number: 38H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator PO Box 50250, MIDLAND, TX 79710						11. Pool name or Wildcat Antelope Ridge; Wolfcamp				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	1	5	24S	35E		180	North	825	East	Lea
BH:	P	8	24S	35E		24	South	539	East	Lea
13. Date Spudded 06/27/2023	14. Date T.D. Reached 08/31/2023		15. Date Rig Released 09/03/2023		16. Date Completed (Ready to Produce) 11/21/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3447.5' GR		
18. Total Measured Depth of Well 22056' MD; 12017' TVD			19. Plug Back Measured Depth 22013' MD; 12016' TVD		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL/GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11997-21860, Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5# J-55		1321'		17 1/2"		1395 sx Class C - TOC 0'		
7 5/8"		26.4# HCL80		11105'		12 1/4"		5499sx Class H - TOC 0'		
5 1/2"		20# P110		22036'		6 3/4"		745sx Class H - TOC 10947'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 11997-21860, 0.42", 2298 Holes					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 11997-21860 329,550 bbls produced water; 21,387,984 #s Sand.					
28. PRODUCTION										
Date First Production 11/30/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 12/09/2023	Hours Tested 24 Hours	Choke Size 0	Prod'n For Test Period	Oil - Bbl 1312	Gas - MCF 742	Water - Bbl. 1361	Gas - Oil Ratio 565.5			
Flow Tubing Press.	Casing Pressure 573	Calculated 24-Hour Rate	Oil - Bbl. 1312	Gas - MCF 742	Water - Bbl. 1361	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C104c, C102, WBD, Directional Survey, CBL										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Sarah McKinney			Title Regulatory Analyst Sr.			Date 01/16/2024		
E-mail Address sarah_mckinney@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 1001'	T. Bell Canyon	T. Ojo Alamo	T. Penn A"
T. Salado 1358'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3951'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4817'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 6146'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 7593'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8887'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9952'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10387'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11601'	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp 11949'	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Maltese 5 8 Fed Com 38H
API No. 30-025-48981



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 305597

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 305597
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 305597

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 305597
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	4/24/2024