

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/15/22
⁴ API Number 30-015-47323	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code 325417	⁸ Property Name Todd 36-25 State Fed Com	⁹ Well Number 628H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23S	31E		180	South	915	East	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	25	23S	31E		103	North	413	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/15/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 10/29/21	²² Ready Date 4/15/22	²³ TD 22119	²⁴ PBDT 22,103 MD/11,893 TVD	²⁵ Perforations 12130 - 22092	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	884	690 sx CLC; Circ 301 sx		
9-7/8"	8-5/8"	11112	915 sx CLC; Circ 0		
6-3/4"	5-1/2"	22107	2680 sx CLH; Circ 271 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/22/22	³² Gas Delivery Date 4/22/22	³³ Test Date 4/22/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure 3527 psi
³⁷ Choke Size	³⁸ Oil 2491 bbl	³⁹ Water 6084 bbl	⁴⁰ Gas 6952 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvni.com			Approval Date: 4/26/2024		
Date: 5/4/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
611 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-47323	Pool Code 98236	Pool Name WC-015 G-08 S233135D;WOLFCAMP
Property Code 325417	Property Name TODD 36-25 STATE FED COM	Well Number 628H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3518.2'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23-S	31-E		180	SOUTH	915	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	25	23-S	31-E		103	NORTH	413	EAST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
640			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

TODD 36-25 STATE FED COM 628H
EL: 3518.2'
LAT: 32.254162
LON: 103.725939
N: 456728.69
E: 729102.65

KICK OFF POINT
78' FSL 416' FEL SEC. 36
LAT: 32.253882
LON: 103.724325
N: 456629.65
E: 729602.36

FIRST TAKE POINT
478' FSL 430' FEL SEC. 36
LAT: 32.254980
LON: 103.724369
N: 457028.84
E: 729586.49

LAST TAKE POINT
129' FNL 409' FEL SEC. 25
LAT: 32.282329
LON: 103.724292
N: 466978.44
E: 729553.86

BOTTOM OF HOLE
LAT: 32.282403
LON: 103.724304
N: 467005.13
E: 729549.77

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION


I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature 5/3/2022
Shayda Omoumi
Printed Name
shayda.omoumi@dvn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey
Signature & Seal of Professional Surveyor



04/25/2022

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 628H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Well:	Todd 36-25 State Fed Com 628H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Todd 36-25 State Fed Com			
Site Position:		Northing:	456,728.53 usft	Latitude:	32.254162
From:	Map	Easting:	729,072.65 usft	Longitude:	-103.726037
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.32 °

Well	Todd 36-25 State Fed Com 628H					
Well Position	+N/-S	0.00 usft	Northing:	456,728.69 usft	Latitude:	32.254162
	+E/-W	0.00 usft	Easting:	729,102.65 usft	Longitude:	-103.725940
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,518.20 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/21/2021	6.59	59.90	47,467.09657185

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	2.49	

Survey Program	Date	12/29/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
178.00	22,119.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	456,728.69	729,102.65	32.254162	-103.725940
178.00	0.50	176.16	178.00	-0.77	0.05	456,727.92	729,102.70	32.254160	-103.725940
271.00	0.50	184.51	270.99	-1.58	0.05	456,727.11	729,102.69	32.254158	-103.725940
364.00	0.80	196.64	363.99	-2.61	-0.17	456,726.08	729,102.48	32.254155	-103.725940
457.00	1.00	197.26	456.98	-4.01	-0.60	456,724.68	729,102.05	32.254151	-103.725942
551.00	1.00	193.57	550.96	-5.59	-1.03	456,723.10	729,101.61	32.254147	-103.725943
644.00	1.00	206.75	643.95	-7.10	-1.59	456,721.59	729,101.06	32.254143	-103.725945
737.00	0.90	203.94	736.94	-8.49	-2.25	456,720.20	729,100.40	32.254139	-103.725947
822.00	0.90	201.21	821.93	-9.73	-2.76	456,718.96	729,099.88	32.254136	-103.725949
985.00	0.70	204.80	984.91	-11.82	-3.64	456,716.87	729,099.00	32.254130	-103.725952
1,078.00	0.80	213.20	1,077.90	-12.88	-4.24	456,715.81	729,098.41	32.254127	-103.725954
1,172.00	0.90	208.30	1,171.89	-14.08	-4.95	456,714.61	729,097.70	32.254124	-103.725956

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 628H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Well:	Todd 36-25 State Fed Com 628H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,265.00	0.70	205.30	1,264.88	-15.24	-5.54	456,713.45	729,097.11	32.254121	-103.725958
1,358.00	0.50	217.20	1,357.88	-16.08	-6.02	456,712.61	729,096.62	32.254118	-103.725959
1,451.00	2.50	133.70	1,450.85	-17.80	-4.80	456,710.89	729,097.84	32.254114	-103.725956
1,546.00	5.50	117.40	1,545.61	-21.33	0.74	456,707.36	729,103.38	32.254104	-103.725938
1,641.00	6.70	116.60	1,640.07	-25.90	9.74	456,702.79	729,112.38	32.254091	-103.725909
1,736.00	8.00	104.90	1,734.29	-30.09	21.08	456,698.60	729,123.73	32.254079	-103.725872
1,830.00	8.70	97.90	1,827.29	-32.75	34.44	456,695.94	729,137.09	32.254072	-103.725829
1,925.00	8.30	97.30	1,921.25	-34.60	48.36	456,694.09	729,151.01	32.254067	-103.725784
2,020.00	8.20	96.60	2,015.27	-36.25	61.89	456,692.44	729,164.54	32.254062	-103.725740
2,115.00	8.20	96.30	2,109.30	-37.78	75.36	456,690.91	729,178.00	32.254057	-103.725697
2,210.00	6.70	96.40	2,203.49	-39.14	87.60	456,689.55	729,190.25	32.254053	-103.725657
2,305.00	6.60	95.70	2,297.85	-40.30	98.54	456,688.39	729,201.19	32.254050	-103.725622
2,401.00	6.50	94.00	2,393.23	-41.22	109.45	456,687.47	729,212.10	32.254047	-103.725586
2,495.00	6.90	96.90	2,486.58	-42.27	120.36	456,686.42	729,223.01	32.254044	-103.725551
2,590.00	7.10	97.30	2,580.88	-43.71	131.85	456,684.98	729,234.50	32.254040	-103.725514
2,685.00	7.00	95.70	2,675.16	-45.03	143.44	456,683.66	729,246.08	32.254036	-103.725477
2,781.00	7.60	103.80	2,770.38	-47.12	155.42	456,681.57	729,258.07	32.254030	-103.725438
2,876.00	7.80	106.10	2,864.53	-50.41	167.72	456,678.28	729,270.36	32.254021	-103.725398
2,971.00	7.60	103.90	2,958.67	-53.71	180.01	456,674.98	729,282.65	32.254012	-103.725358
3,066.00	7.30	101.90	3,052.87	-56.46	192.01	456,672.23	729,294.66	32.254004	-103.725320
3,161.00	6.70	99.80	3,147.16	-58.65	203.38	456,670.04	729,306.03	32.253998	-103.725283
3,256.00	7.70	99.20	3,241.41	-60.61	215.12	456,668.08	729,317.77	32.253992	-103.725245
3,351.00	7.80	100.00	3,335.54	-62.74	227.75	456,665.95	729,330.40	32.253986	-103.725204
3,447.00	7.30	99.70	3,430.71	-64.90	240.18	456,663.79	729,342.83	32.253980	-103.725164
3,542.00	6.20	97.10	3,525.05	-66.55	251.22	456,662.14	729,353.87	32.253976	-103.725128
3,637.00	7.20	96.00	3,619.40	-67.81	262.23	456,660.88	729,364.88	32.253972	-103.725093
3,732.00	6.50	95.90	3,713.72	-68.99	273.50	456,659.70	729,376.15	32.253969	-103.725056
3,827.00	7.90	106.60	3,807.97	-71.40	285.11	456,657.29	729,387.76	32.253962	-103.725019
3,922.00	8.60	110.70	3,901.99	-75.78	298.01	456,652.91	729,400.66	32.253949	-103.724977
4,017.00	7.60	112.20	3,996.04	-80.66	310.47	456,648.03	729,413.12	32.253936	-103.724937
4,113.00	7.40	114.10	4,091.22	-85.59	321.99	456,643.10	729,424.64	32.253922	-103.724900
4,208.00	7.60	118.20	4,185.41	-91.05	333.11	456,637.64	729,435.76	32.253907	-103.724864
4,303.00	8.50	110.70	4,279.47	-96.51	345.22	456,632.19	729,447.86	32.253892	-103.724825
4,398.00	7.80	106.80	4,373.51	-100.85	357.96	456,627.84	729,460.60	32.253880	-103.724784
4,494.00	6.50	106.40	4,468.76	-104.27	369.41	456,624.42	729,472.05	32.253870	-103.724747
4,589.00	5.20	104.50	4,563.27	-106.86	378.73	456,621.83	729,481.38	32.253863	-103.724717
4,684.00	6.00	96.60	4,657.82	-108.51	387.83	456,620.18	729,490.48	32.253858	-103.724687
4,779.00	7.30	95.00	4,752.17	-109.61	398.78	456,619.08	729,501.43	32.253855	-103.724652
4,874.00	7.10	92.60	4,846.43	-110.40	410.66	456,618.29	729,513.30	32.253853	-103.724613
4,969.00	6.90	92.60	4,940.72	-110.93	422.22	456,617.76	729,524.87	32.253851	-103.724576
5,065.00	6.70	91.80	5,036.04	-111.36	433.58	456,617.33	729,536.23	32.253850	-103.724539
5,160.00	6.40	89.20	5,130.42	-111.46	444.41	456,617.23	729,547.06	32.253849	-103.724504
5,255.00	5.70	91.50	5,224.89	-111.51	454.43	456,617.18	729,557.07	32.253849	-103.724472
5,350.00	5.00	91.70	5,319.48	-111.76	463.28	456,616.93	729,565.93	32.253848	-103.724443
5,445.00	4.40	88.60	5,414.16	-111.79	471.06	456,616.90	729,573.71	32.253848	-103.724418
5,540.00	4.00	87.80	5,508.90	-111.58	478.01	456,617.11	729,580.66	32.253848	-103.724395
5,636.00	3.70	85.80	5,604.69	-111.22	484.45	456,617.47	729,587.10	32.253849	-103.724375
5,731.00	3.40	83.90	5,699.50	-110.70	490.31	456,617.99	729,592.95	32.253851	-103.724356
5,826.00	3.30	81.80	5,794.34	-110.01	495.82	456,618.68	729,598.46	32.253852	-103.724338
5,921.00	1.70	69.90	5,889.25	-109.13	499.85	456,619.56	729,602.49	32.253855	-103.724325
6,016.00	1.20	58.20	5,984.22	-108.13	502.01	456,620.56	729,604.66	32.253857	-103.724318
6,112.00	1.10	60.50	6,080.20	-107.14	503.67	456,621.55	729,606.32	32.253860	-103.724312
6,207.00	0.90	75.50	6,175.18	-106.51	505.19	456,622.18	729,607.83	32.253862	-103.724308
6,302.00	0.90	68.20	6,270.17	-106.04	506.60	456,622.65	729,609.25	32.253863	-103.724303
6,397.00	1.30	62.10	6,365.16	-105.26	508.25	456,623.43	729,610.89	32.253865	-103.724298

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 628H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Well:	Todd 36-25 State Fed Com 628H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,492.00	1.40	59.90	6,460.13	-104.18	510.20	456,624.51	729,612.85	32.253868	-103.724291
6,587.00	1.30	62.20	6,555.10	-103.09	512.16	456,625.60	729,614.81	32.253871	-103.724285
6,682.00	1.10	63.30	6,650.08	-102.18	513.93	456,626.51	729,616.57	32.253874	-103.724279
6,777.00	0.70	58.20	6,745.07	-101.46	515.24	456,627.23	729,617.88	32.253876	-103.724275
6,872.00	0.70	69.30	6,840.06	-100.95	516.27	456,627.74	729,618.92	32.253877	-103.724272
6,967.00	1.10	45.80	6,935.05	-100.11	517.47	456,628.58	729,620.12	32.253879	-103.724268
7,062.00	0.90	28.90	7,030.04	-98.82	518.48	456,629.87	729,621.13	32.253883	-103.724264
7,158.00	0.90	22.80	7,126.02	-97.47	519.14	456,631.22	729,621.79	32.253886	-103.724262
7,253.00	1.20	22.10	7,221.01	-95.86	519.80	456,632.83	729,622.45	32.253891	-103.724260
7,348.00	1.00	6.40	7,315.99	-94.11	520.27	456,634.58	729,622.92	32.253896	-103.724258
7,443.00	0.80	358.10	7,410.98	-92.63	520.34	456,636.06	729,622.99	32.253900	-103.724258
7,538.00	0.50	298.80	7,505.97	-91.76	519.95	456,636.93	729,622.60	32.253902	-103.724259
7,633.00	0.60	352.10	7,600.97	-91.07	519.52	456,637.62	729,622.17	32.253904	-103.724261
7,729.00	0.70	352.60	7,696.96	-89.99	519.38	456,638.70	729,622.02	32.253907	-103.724261
7,824.00	1.50	12.90	7,791.95	-88.20	519.58	456,640.49	729,622.23	32.253912	-103.724261
7,919.00	2.30	17.80	7,886.89	-85.18	520.44	456,643.51	729,623.09	32.253920	-103.724258
8,014.00	0.60	286.60	7,981.87	-83.22	520.55	456,645.47	729,623.19	32.253926	-103.724257
8,109.00	1.00	251.60	8,076.86	-83.34	519.28	456,645.35	729,621.93	32.253925	-103.724261
8,204.00	1.10	257.50	8,171.84	-83.80	517.61	456,644.89	729,620.25	32.253924	-103.724267
8,300.00	1.10	256.10	8,267.82	-84.22	515.81	456,644.47	729,618.46	32.253923	-103.724273
8,395.00	1.00	252.60	8,362.81	-84.69	514.14	456,644.00	729,616.78	32.253922	-103.724278
8,490.00	1.20	258.00	8,457.79	-85.14	512.37	456,643.55	729,615.02	32.253920	-103.724284
8,585.00	1.40	271.90	8,552.77	-85.31	510.24	456,643.38	729,612.89	32.253920	-103.724291
8,680.00	1.60	276.20	8,647.73	-85.13	507.76	456,643.56	729,610.41	32.253921	-103.724299
8,775.00	1.60	271.00	8,742.70	-84.96	505.12	456,643.73	729,607.76	32.253921	-103.724307
8,870.00	1.30	271.70	8,837.67	-84.91	502.71	456,643.78	729,605.36	32.253921	-103.724315
8,965.00	1.50	287.80	8,932.64	-84.49	500.45	456,644.20	729,603.10	32.253922	-103.724322
9,060.00	2.30	294.10	9,027.59	-83.33	497.53	456,645.36	729,600.18	32.253926	-103.724332
9,156.00	3.00	293.30	9,123.48	-81.55	493.46	456,647.14	729,596.11	32.253931	-103.724345
9,251.00	3.50	289.70	9,218.33	-79.59	488.45	456,649.10	729,591.10	32.253936	-103.724361
9,346.00	4.10	294.60	9,313.12	-77.20	482.63	456,651.49	729,585.28	32.253943	-103.724380
9,441.00	4.40	296.70	9,407.86	-74.15	476.29	456,654.54	729,578.93	32.253951	-103.724400
9,536.00	2.50	267.70	9,502.69	-72.60	470.96	456,656.09	729,573.61	32.253956	-103.724418
9,631.00	1.30	222.80	9,597.64	-73.47	468.16	456,655.22	729,570.81	32.253953	-103.724427
9,726.00	1.50	140.60	9,692.62	-75.22	468.22	456,653.47	729,570.86	32.253948	-103.724427
9,821.00	1.40	137.30	9,787.59	-77.04	469.79	456,651.65	729,572.44	32.253943	-103.724421
9,916.00	1.20	110.10	9,882.56	-78.23	471.51	456,650.46	729,574.16	32.253940	-103.724416
10,012.00	1.40	70.00	9,978.54	-78.18	473.56	456,650.52	729,576.21	32.253940	-103.724409
10,107.00	1.60	103.20	10,073.51	-78.08	475.94	456,650.61	729,578.59	32.253940	-103.724402
10,202.00	1.80	120.50	10,168.47	-79.14	478.52	456,649.55	729,581.16	32.253937	-103.724393
10,297.00	1.90	118.40	10,263.42	-80.65	481.19	456,648.04	729,583.84	32.253933	-103.724385
10,392.00	1.90	117.50	10,358.37	-82.12	483.97	456,646.57	729,586.62	32.253929	-103.724376
10,487.00	2.30	105.60	10,453.30	-83.36	487.20	456,645.33	729,589.85	32.253926	-103.724365
10,582.00	2.20	115.00	10,548.23	-84.65	490.69	456,644.04	729,593.34	32.253922	-103.724354
10,678.00	2.00	126.00	10,644.17	-86.41	493.72	456,642.28	729,596.36	32.253917	-103.724344
10,773.00	2.50	143.90	10,739.10	-89.06	496.28	456,639.63	729,598.93	32.253910	-103.724336
10,868.00	2.20	156.10	10,834.02	-92.40	498.24	456,636.29	729,600.89	32.253901	-103.724330
10,963.00	2.00	165.70	10,928.95	-95.67	499.39	456,633.02	729,602.03	32.253892	-103.724326
11,059.00	1.00	175.80	11,024.92	-98.13	499.86	456,630.56	729,602.51	32.253885	-103.724325
11,073.00	0.80	174.10	11,038.92	-98.35	499.88	456,630.34	729,602.53	32.253884	-103.724325
11,204.00	0.80	214.40	11,169.90	-100.02	499.46	456,628.67	729,602.11	32.253880	-103.724326
11,299.00	1.10	224.10	11,264.89	-101.22	498.45	456,627.47	729,601.10	32.253876	-103.724329
11,394.00	1.30	221.30	11,359.87	-102.68	497.10	456,626.01	729,599.75	32.253872	-103.724334
KOP @ 11394' MD, 77' FSL, 418' FEL									
11,489.00	5.10	348.40	11,454.76	-99.35	495.54	456,629.34	729,598.19	32.253882	-103.724339

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 628H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Well:	Todd 36-25 State Fed Com 628H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,584.00	17.10	2.60	11,547.82	-81.19	495.33	456,647.50	729,597.97	32.253932	-103.724339
11,588.01	17.56	2.60	11,551.65	-80.00	495.38	456,648.69	729,598.03	32.253935	-103.724339
X FTP @ 11588' MD, 100' FSL, 420' FEL									
11,679.00	28.00	2.60	11,635.43	-44.86	496.98	456,683.83	729,599.62	32.254031	-103.724333
11,774.00	36.00	356.90	11,715.94	5.39	496.48	456,734.08	729,599.12	32.254170	-103.724334
11,868.00	47.60	354.50	11,785.90	67.74	491.64	456,796.43	729,594.29	32.254341	-103.724348
11,964.00	58.40	358.80	11,843.61	144.15	487.37	456,872.84	729,590.02	32.254551	-103.724361
12,059.00	69.00	358.70	11,885.64	229.17	485.51	456,957.86	729,588.16	32.254785	-103.724365
12,154.00	78.20	358.60	11,912.43	320.19	483.37	457,048.88	729,586.01	32.255035	-103.724370
12,249.00	86.90	359.50	11,924.74	414.28	481.81	457,142.97	729,584.46	32.255294	-103.724374
12,344.00	90.30	359.90	11,927.06	509.24	481.32	457,237.93	729,583.96	32.255555	-103.724373
12,440.00	89.80	359.50	11,926.98	605.23	480.81	457,333.92	729,583.46	32.255819	-103.724373
12,535.00	91.00	359.10	11,926.31	700.22	479.65	457,428.91	729,582.30	32.256080	-103.724375
12,630.00	88.70	359.50	11,926.56	795.21	478.49	457,523.90	729,581.14	32.256341	-103.724377
12,725.00	88.60	358.30	11,928.80	890.16	476.67	457,618.85	729,579.32	32.256602	-103.724381
12,820.00	90.10	2.70	11,929.88	985.13	477.50	457,713.82	729,580.15	32.256863	-103.724377
12,915.00	90.60	2.30	11,929.30	1,080.03	481.64	457,808.72	729,584.29	32.257124	-103.724362
13,011.00	91.60	2.10	11,927.46	1,175.94	485.33	457,904.63	729,587.97	32.257387	-103.724348
13,106.00	90.60	2.70	11,925.63	1,270.84	489.31	457,999.53	729,591.95	32.257648	-103.724334
13,201.00	89.60	3.30	11,925.47	1,365.71	494.28	458,094.40	729,596.92	32.257909	-103.724316
13,296.00	89.30	3.10	11,926.38	1,460.56	499.58	458,189.25	729,602.23	32.258169	-103.724297
13,391.00	88.80	2.50	11,927.95	1,555.43	504.22	458,284.12	729,606.87	32.258430	-103.724280
13,486.00	88.70	2.70	11,930.03	1,650.31	508.53	458,379.00	729,611.17	32.258691	-103.724264
13,582.00	88.90	2.30	11,932.04	1,746.20	512.72	458,474.89	729,615.36	32.258954	-103.724249
13,676.00	89.50	2.00	11,933.35	1,840.12	516.24	458,568.81	729,618.89	32.259212	-103.724236
13,771.00	91.00	3.70	11,932.94	1,935.00	520.96	458,663.69	729,623.61	32.259473	-103.724219
13,866.00	91.60	1.30	11,930.78	2,029.87	525.11	458,758.56	729,627.75	32.259734	-103.724204
13,961.00	91.50	1.20	11,928.21	2,124.82	527.18	458,853.51	729,629.82	32.259995	-103.724195
14,056.00	89.20	359.40	11,927.63	2,219.80	527.68	458,948.49	729,630.32	32.260256	-103.724192
14,151.00	90.80	0.80	11,927.63	2,314.80	527.84	459,043.49	729,630.49	32.260517	-103.724190
14,247.00	91.40	1.00	11,925.79	2,410.77	529.35	459,139.46	729,632.00	32.260781	-103.724183
14,342.00	90.30	0.50	11,924.38	2,505.75	530.59	459,234.44	729,633.24	32.261042	-103.724177
14,436.00	88.60	357.70	11,925.28	2,599.72	529.12	459,328.41	729,631.76	32.261300	-103.724180
14,530.00	89.00	357.70	11,927.25	2,693.62	525.34	459,422.31	729,627.99	32.261558	-103.724191
14,625.00	89.20	357.70	11,928.74	2,788.53	521.53	459,517.22	729,624.18	32.261819	-103.724201
14,720.00	88.90	357.70	11,930.32	2,883.44	517.72	459,612.13	729,620.37	32.262080	-103.724212
14,816.00	88.80	358.20	11,932.24	2,979.36	514.29	459,708.05	729,616.93	32.262344	-103.724221
14,911.00	89.60	358.90	11,933.57	3,074.32	511.88	459,803.01	729,614.53	32.262605	-103.724227
15,006.00	89.20	359.00	11,934.56	3,169.30	510.14	459,897.99	729,612.79	32.262866	-103.724231
15,101.00	92.70	359.00	11,932.99	3,264.26	508.49	459,992.95	729,611.13	32.263127	-103.724235
15,196.00	92.60	358.70	11,928.60	3,359.14	506.58	460,087.83	729,609.23	32.263388	-103.724239
15,291.00	92.80	359.30	11,924.12	3,454.02	504.92	460,182.71	729,607.57	32.263649	-103.724243
15,387.00	91.70	358.90	11,920.35	3,549.93	503.42	460,278.62	729,606.06	32.263912	-103.724246
15,482.00	90.80	358.10	11,918.28	3,644.87	500.93	460,373.56	729,603.58	32.264173	-103.724252
15,577.00	90.80	357.80	11,916.95	3,739.80	497.53	460,468.49	729,600.18	32.264434	-103.724262
15,672.00	91.00	357.70	11,915.46	3,834.72	493.80	460,563.41	729,596.45	32.264695	-103.724272
15,767.00	90.50	359.50	11,914.22	3,929.68	491.48	460,658.37	729,594.13	32.264956	-103.724278
15,863.00	89.80	359.20	11,913.97	4,025.67	490.39	460,754.36	729,593.04	32.265220	-103.724280
15,958.00	89.90	359.30	11,914.21	4,120.66	489.15	460,849.35	729,591.80	32.265481	-103.724282
16,053.00	90.10	0.00	11,914.21	4,215.66	488.57	460,944.35	729,591.22	32.265743	-103.724282
16,148.00	89.60	359.40	11,914.46	4,310.66	488.07	461,039.35	729,590.72	32.266004	-103.724282
16,244.00	90.00	359.70	11,914.80	4,406.65	487.32	461,135.34	729,589.97	32.266268	-103.724282
16,338.00	89.10	0.30	11,915.54	4,500.65	487.32	461,229.34	729,589.97	32.266526	-103.724281
16,433.00	88.90	0.50	11,917.20	4,595.63	487.98	461,324.32	729,590.63	32.266787	-103.724277
16,529.00	89.00	359.70	11,918.95	4,691.61	488.15	461,420.30	729,590.80	32.267051	-103.724275

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 628H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Well:	Todd 36-25 State Fed Com 628H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,624.00	89.10	359.00	11,920.53	4,786.59	487.07	461,515.29	729,589.72	32.267312	-103.724276
16,719.00	89.10	359.20	11,922.02	4,881.57	485.58	461,610.26	729,588.23	32.267573	-103.724279
16,814.00	88.50	359.40	11,924.01	4,976.54	484.42	461,705.23	729,587.07	32.267834	-103.724281
16,909.00	89.80	359.90	11,925.42	5,071.53	483.84	461,800.22	729,586.49	32.268095	-103.724282
16,936.03	89.74	359.90	11,925.53	5,098.56	483.79	461,827.25	729,586.44	32.268169	-103.724281
X SEC @ 16936' MD, 0' FSL, 431' FEL									
17,005.00	89.60	359.90	11,925.92	5,167.53	483.67	461,896.22	729,586.32	32.268359	-103.724280
17,100.00	90.00	359.60	11,926.25	5,262.53	483.26	461,991.22	729,585.90	32.268620	-103.724280
17,195.00	90.10	359.80	11,926.17	5,357.52	482.76	462,086.21	729,585.41	32.268881	-103.724280
17,290.00	90.70	359.90	11,925.51	5,452.52	482.51	462,181.21	729,585.16	32.269142	-103.724279
17,386.00	90.00	359.40	11,924.92	5,548.52	481.93	462,277.21	729,584.57	32.269406	-103.724279
17,481.00	90.40	359.30	11,924.59	5,643.51	480.85	462,372.20	729,583.49	32.269667	-103.724281
17,577.00	88.90	359.50	11,925.18	5,739.50	479.84	462,468.19	729,582.49	32.269931	-103.724282
17,672.00	88.60	359.30	11,927.25	5,834.47	478.85	462,563.16	729,581.49	32.270192	-103.724284
17,767.00	88.70	359.70	11,929.49	5,929.44	478.02	462,658.13	729,580.67	32.270453	-103.724285
17,862.00	88.10	359.20	11,932.14	6,024.40	477.11	462,753.09	729,579.75	32.270714	-103.724286
17,958.00	88.30	359.30	11,935.16	6,120.34	475.85	462,849.03	729,578.50	32.270978	-103.724288
18,053.00	91.70	0.10	11,935.16	6,215.33	475.35	462,944.02	729,578.00	32.271239	-103.724288
18,148.00	91.40	359.50	11,932.59	6,310.29	475.02	463,038.98	729,577.67	32.271500	-103.724287
18,243.00	90.10	358.80	11,931.34	6,405.27	473.61	463,133.96	729,576.26	32.271761	-103.724290
18,338.00	91.50	359.20	11,930.02	6,500.24	471.96	463,228.93	729,574.60	32.272023	-103.724294
18,434.00	90.60	358.70	11,928.26	6,596.21	470.20	463,324.90	729,572.84	32.272286	-103.724298
18,529.00	90.20	359.30	11,927.59	6,691.19	468.54	463,419.88	729,571.19	32.272547	-103.724301
18,624.00	91.00	0.70	11,926.60	6,786.18	468.54	463,514.88	729,571.19	32.272809	-103.724300
18,719.00	89.70	359.80	11,926.02	6,881.18	468.95	463,609.87	729,571.60	32.273070	-103.724296
18,814.00	90.70	0.60	11,925.69	6,976.18	469.28	463,704.87	729,571.93	32.273331	-103.724294
18,909.00	90.70	0.50	11,924.53	7,071.16	470.20	463,799.85	729,572.84	32.273592	-103.724289
19,004.00	88.20	359.20	11,925.44	7,166.15	469.95	463,894.84	729,572.59	32.273853	-103.724288
19,099.00	89.30	0.20	11,927.51	7,261.12	469.45	463,989.81	729,572.10	32.274114	-103.724288
19,194.00	90.40	0.80	11,927.76	7,356.12	470.28	464,084.81	729,572.93	32.274375	-103.724283
19,289.00	91.20	1.00	11,926.43	7,451.10	471.77	464,179.79	729,574.42	32.274636	-103.724277
19,385.00	91.90	0.90	11,923.84	7,547.05	473.36	464,275.74	729,576.01	32.274900	-103.724270
19,480.00	91.60	0.60	11,920.93	7,641.99	474.61	464,370.68	729,577.25	32.275161	-103.724264
19,575.00	91.50	0.60	11,918.37	7,736.95	475.60	464,465.64	729,578.25	32.275422	-103.724259
19,670.00	90.60	0.80	11,916.62	7,831.93	476.76	464,560.62	729,579.41	32.275683	-103.724254
19,765.00	88.90	1.00	11,917.04	7,926.91	478.25	464,655.60	729,580.90	32.275944	-103.724247
19,861.00	88.90	0.70	11,918.88	8,022.89	479.68	464,751.58	729,582.32	32.276208	-103.724241
19,956.00	88.60	1.20	11,920.95	8,117.85	481.25	464,846.54	729,583.90	32.276469	-103.724234
20,051.00	88.30	0.60	11,923.52	8,212.80	482.74	464,941.49	729,585.39	32.276730	-103.724227
20,146.00	87.90	0.40	11,926.67	8,307.75	483.57	465,036.44	729,586.22	32.276991	-103.724223
20,241.00	86.10	1.50	11,931.65	8,402.60	485.14	465,131.29	729,587.79	32.277251	-103.724216
20,342.00	91.10	1.80	11,934.11	8,503.49	488.05	465,232.18	729,590.70	32.277529	-103.724205
20,438.00	92.50	0.20	11,931.10	8,599.43	489.73	465,328.12	729,592.37	32.277792	-103.724198
20,533.00	92.50	0.10	11,926.95	8,694.34	489.97	465,423.03	729,592.62	32.278053	-103.724195
20,628.00	92.60	359.80	11,922.73	8,789.24	489.89	465,517.93	729,592.54	32.278314	-103.724194
20,724.00	92.30	359.90	11,918.62	8,885.15	489.64	465,613.84	729,592.29	32.278578	-103.724193
20,819.00	92.30	0.60	11,914.81	8,980.08	490.05	465,708.77	729,592.70	32.278839	-103.724190
20,914.00	92.70	1.70	11,910.67	9,074.96	491.96	465,803.65	729,594.61	32.279099	-103.724182
21,009.00	92.80	1.60	11,906.11	9,169.82	494.69	465,898.51	729,597.34	32.279360	-103.724171
21,104.00	92.70	1.30	11,901.55	9,264.68	497.09	465,993.37	729,599.74	32.279621	-103.724162
21,199.00	92.50	2.00	11,897.24	9,359.54	499.83	466,088.23	729,602.47	32.279882	-103.724151
21,294.00	91.90	1.50	11,893.59	9,454.42	502.72	466,183.11	729,605.37	32.280142	-103.724140
21,389.00	90.90	359.30	11,891.27	9,549.38	503.39	466,278.08	729,606.03	32.280403	-103.724136
21,483.00	90.50	359.20	11,890.12	9,643.37	502.16	466,372.06	729,604.80	32.280662	-103.724138
21,578.00	88.80	357.70	11,890.70	9,738.33	499.59	466,467.02	729,602.23	32.280923	-103.724145

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 628H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3518.2' + KB 22.5' @ 3540.70usft
Well:	Todd 36-25 State Fed Com 628H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
21,673.00	89.50	356.50	11,892.11	9,833.19	494.78	466,561.88	729,597.43	32.281184	-103.724159
21,768.00	90.00	355.30	11,892.53	9,927.95	487.99	466,656.64	729,590.64	32.281444	-103.724179
21,863.00	90.90	354.50	11,891.78	10,022.57	479.54	466,751.26	729,582.19	32.281704	-103.724204
21,958.00	90.10	353.40	11,890.95	10,117.03	469.53	466,845.72	729,572.18	32.281964	-103.724235
22,065.00	89.00	351.30	11,891.79	10,223.07	455.29	466,951.76	729,557.94	32.282256	-103.724279
22,119.00	89.00	351.30	11,892.74	10,276.44	447.12	467,005.13	729,549.77	32.282403	-103.724305
PBHL & LTP @ 22119' MD; 103' FNL, 413' FEL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
11,394.00	11,359.87	-102.68	497.10	KOP @ 11394' MD, 77' FSL, 418' FEL	
11,588.01	11,551.65	-80.00	495.38	X FTP @ 11588' MD, 100' FSL, 420' FEL	
16,936.03	11,925.53	5,098.56	483.79	X SEC @ 16936' MD, 0' FSL, 431' FEL	
22,119.00	11,892.74	10,276.44	447.12	PBHL & LTP @ 22119' MD; 103' FNL, 413' FEL	

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-47323
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Todd 36-25 State Fed Com
4. Well Location Unit Letter <u>P</u> : <u>180</u> feet from the <u>South</u> line and <u>915</u> feet from the <u>East</u> line Section <u>36</u> Township <u>23S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number 628H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3518.2'		9. OGRID Number 6137
		10. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/2/22-4/15/22: MIRU WL & PT. Production cmt verified to surf. No logs ran. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12130'-22092', total 1495 holes. Frac totals 25,266,233# proppant, 42 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 22,103' MD/11,893' TVD. CHC, FWB, ND BOP. Tubing will be run at later date. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 5/4/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmr.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-47323						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Todd 36-25 State Fed Com 6. Well Number: 628H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						WC-015 G-08 S233135D; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	36	23S	31E		180	South	915	East	Eddy
BH:	A	25	23S	31E		103	North	413	East	Eddy
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3518.2' GL	
10/29/21	12/24/21		12/21/21		4/15/22					
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
22119 MD, 11893 TVD			22,103 MD/11,893 TVD			Yes		CMT to SURF, no logs ran		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
12130-22092, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		884		17-1/2"		690 sx CIC; circ 301 sx		
8-5/8"		32		11112		9-7/8"		915 sx CIC; circ 0		
5-1/2"		20		22107		6-3/4"		2680 sx CH; circ 271 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12130 - 22092, total 1495 holes						DEPT. INTERVAL				
						12130-22092				
						Acidize and frac in 51 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
4/15/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
4/22/22	24			2491	6952	6084	2790.847049			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
psi	3527 psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Shayda Omoumi		Title		Regulatory Compliance Associate		Date
										5/4/2022
E-mail Address		shayda.omoumi@dvn.com								

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 104495

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 104495
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 104495

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 104495
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	4/26/2024