

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address		² OGRID Number	
		³ Reason for Filing Code/ Effective Date	
⁴ API Number	⁵ Pool Name		⁶ Pool Code
⁷ Property Code	⁸ Property Name		⁹ Well Number

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature:  Printed name: Title: E-mail Address: Date: Phone:		OIL CONSERVATION DIVISION	
		Approved by: <i>PATRICIA MARTINEZ</i>	
		Title: <i>PETROLEUM SPECIALIST</i>	
		Approval Date: <i>5/8/2024</i>	

Intent ☐ As Drilled ☒

API # 30-025-50862		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, LP.	Property Name: ARENA ROJA FED UNIT	Well Number 803H

Kick Off Point (KOP)

UL B	Section 28	Township 26-S	Range 35-E	Lot	Feet 87	From N/S NORTH	Feet 2253	From E/W EAST	County LEA
Latitude 32.021256					Longitude 103.371132			NAD 83	

First Take Point (FTP)

UL B	Section 28	Township 26-S	Range 35-E	Lot	Feet 489	From N/S NORTH	Feet 2294	From E/W EAST	County LEA
Latitude 32.020149					Longitude 103.371263			NAD 83	

Last Take Point (LTP)

UL	Section 33	Township 26-S	Range 35-E	Lot 2	Feet 115	From N/S SOUTH	Feet 2330	From E/W EAST	County LEA
Latitude 32.000618					Longitude 103.371371			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ NIs this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018





Arena Roja Fed Unit 803H



WELL DETAILS: Arena Roja Fed Unit 803H Wellbore #1						
GL Elev (ft).: 3156.00						
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	
0.00	0.00	372634.41	839298.80	32.0208081	-103.3719336	

ANNOTATIONS							
MD	Inc	Azi	TVD	+N/-S	+E/-W	VSect	Departure
12468.00	11.97	190.61	12449.33	152.06	242.70	-144.00	485.78
17866.00	91.83	182.71	12909.89	-5034.76	221.94	5039.33	5674.48
20194.00	84.34	177.12	12949.01	-7358.02	240.38	7361.94	7998.53
20266.00	84.22	177.02	12956.25	-7429.56	244.10	7433.56	8070.17
Annotation							
X FTP @ 12468.00' MD, 100' FNL, 2257' FEL							
X SEC @ 17866.00' MD, 0' FNL, 2327' FEL							
X LTP @ 20194.00' MD, 100' FSL, 2329' FEL							
BHL @ 20266.00' MD, 29' FSL, 2326' FEL							



Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Arena Roja Fed Unit 803H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3156' + KB 25' @ 3181.00usft
Site:	Arena Roja 28-33 Fed Com	MD Reference:	GE 3156' + KB 25' @ 3181.00usft
Well:	Arena Roja Fed Unit 803H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Arena Roja 28-33 Fed Com						
Site Position:		Northing:	372,615.41	usft	Latitude:	32.0208159		
From:	Map	Easting:	836,834.73	usft	Longitude:	-103.3798837		
Position Uncertainty:	0.00	usft	Slot Radius:	13-3/16	"	Grid Convergence:	0.51	°

Well	Arena Roja Fed Unit 803H					
Well Position	+N/-S	0.00 usft	Northing:	372,634.41 usft	Latitude:	32.0208081
	+E/-W	0.00 usft	Easting:	839,298.80 usft	Longitude:	-103.3719336
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,156.00 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	12/31/2022	6.23	59.57	47,267.00000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	178.12	

Survey Program	Date	3/14/2023			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
197.00	20,266.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	372,634.41	839,298.80	32.0208081	-103.3719336
197.00	0.35	165.50	197.00	-0.58	0.15	372,633.83	839,298.95	32.0208065	-103.3719331
292.00	0.31	195.91	292.00	-1.11	0.15	372,633.30	839,298.95	32.0208050	-103.3719331
386.00	0.57	184.67	385.99	-1.82	0.05	372,632.59	839,298.84	32.0208031	-103.3719335
481.00	0.48	220.96	480.99	-2.59	-0.25	372,631.82	839,298.54	32.0208010	-103.3719344
575.00	0.53	167.00	574.99	-3.31	-0.41	372,631.09	839,298.38	32.0207990	-103.3719350
670.00	0.40	187.04	669.98	-4.07	-0.36	372,630.34	839,298.44	32.0207969	-103.3719348
765.00	0.53	171.83	764.98	-4.83	-0.33	372,629.57	839,298.46	32.0207948	-103.3719348
860.00	0.40	152.85	859.98	-5.56	-0.12	372,628.84	839,298.68	32.0207928	-103.3719341
954.00	0.31	147.31	953.98	-6.07	0.17	372,628.34	839,298.97	32.0207914	-103.3719332
1,069.00	0.35	168.41	1,068.97	-6.68	0.40	372,627.73	839,299.20	32.0207897	-103.3719324
1,177.00	0.31	140.37	1,176.97	-7.22	0.66	372,627.18	839,299.46	32.0207882	-103.3719316

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Arena Roja Fed Unit 803H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3156' + KB 25' @ 3181.00usft
Site:	Arena Roja 28-33 Fed Com	MD Reference:	GE 3156' + KB 25' @ 3181.00usft
Well:	Arena Roja Fed Unit 803H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,272.00	0.92	124.64	1,271.97	-7.86	1.45	372,626.55	839,300.25	32.0207865	-103.3719291
1,367.00	0.97	123.32	1,366.95	-8.73	2.75	372,625.68	839,301.55	32.0207840	-103.3719249
1,462.00	1.58	57.05	1,461.93	-8.46	4.52	372,625.95	839,303.32	32.0207847	-103.3719192
1,557.00	2.42	47.91	1,556.88	-6.40	7.11	372,628.00	839,305.91	32.0207903	-103.3719108
1,652.00	3.74	49.31	1,651.74	-3.04	10.94	372,631.37	839,309.74	32.0207995	-103.3718983
1,747.00	4.97	52.83	1,746.46	1.47	16.57	372,635.88	839,315.37	32.0208117	-103.3718800
1,842.00	4.62	50.98	1,841.13	6.36	22.83	372,640.77	839,321.62	32.0208250	-103.3718597
1,937.00	5.80	47.29	1,935.73	12.03	29.32	372,646.44	839,328.12	32.0208404	-103.3718386
2,032.00	6.42	48.26	2,030.19	18.82	36.82	372,653.23	839,335.61	32.0208589	-103.3718142
2,128.00	6.46	49.14	2,125.59	25.93	44.90	372,660.33	839,343.70	32.0208782	-103.3717879
2,223.00	6.68	49.67	2,219.96	33.00	53.16	372,667.41	839,351.96	32.0208975	-103.3717611
2,318.00	6.95	49.58	2,314.29	40.30	61.75	372,674.71	839,360.55	32.0209173	-103.3717332
2,413.00	7.12	51.07	2,408.58	47.73	70.70	372,682.13	839,369.50	32.0209375	-103.3717041
2,509.00	7.25	51.34	2,503.82	55.25	80.06	372,689.66	839,378.86	32.0209580	-103.3716737
2,604.00	6.59	43.51	2,598.13	62.95	88.49	372,697.36	839,387.29	32.0209789	-103.3716462
2,699.00	6.73	43.07	2,692.49	70.97	96.05	372,705.38	839,394.85	32.0210008	-103.3716216
2,794.00	6.90	46.33	2,786.82	78.97	103.98	372,713.38	839,402.78	32.0210226	-103.3715958
2,889.00	7.03	48.79	2,881.12	86.74	112.48	372,721.15	839,411.28	32.0210438	-103.3715682
2,984.00	6.24	42.81	2,975.49	94.36	120.36	372,728.77	839,419.16	32.0210645	-103.3715425
3,079.00	5.80	41.14	3,069.96	101.77	127.03	372,736.17	839,425.83	32.0210847	-103.3715208
3,175.00	5.80	43.86	3,165.47	108.92	133.58	372,743.32	839,432.38	32.0211042	-103.3714995
3,270.00	5.93	47.73	3,259.97	115.68	140.54	372,750.09	839,439.34	32.0211226	-103.3714768
3,366.00	6.24	50.63	3,355.43	122.32	148.24	372,756.73	839,447.04	32.0211407	-103.3714518
3,461.00	6.77	57.58	3,449.82	128.60	156.96	372,763.01	839,455.76	32.0211577	-103.3714235
3,556.00	7.38	59.51	3,544.10	134.70	166.94	372,769.11	839,465.74	32.0211742	-103.3713911
3,652.00	6.55	50.72	3,639.39	141.29	176.50	372,775.70	839,475.29	32.0211921	-103.3713601
3,747.00	6.33	45.97	3,733.79	148.36	184.46	372,782.77	839,483.25	32.0212114	-103.3713342
3,842.00	5.80	48.08	3,828.26	155.21	191.79	372,789.62	839,490.59	32.0212300	-103.3713103
3,937.00	5.32	47.03	3,922.81	161.42	198.59	372,795.83	839,497.39	32.0212469	-103.3712882
4,032.00	4.75	43.86	4,017.45	167.26	204.53	372,801.67	839,503.33	32.0212628	-103.3712689
4,126.00	4.31	45.01	4,111.15	172.56	209.73	372,806.97	839,508.53	32.0212773	-103.3712520
4,222.00	3.78	49.40	4,206.91	177.17	214.68	372,811.58	839,513.48	32.0212898	-103.3712359
4,318.00	3.43	55.29	4,302.72	180.87	219.45	372,815.27	839,518.25	32.0212998	-103.3712204
4,412.00	3.21	64.69	4,396.57	183.59	224.14	372,818.00	839,522.94	32.0213072	-103.3712052
4,507.00	3.21	71.46	4,491.42	185.57	229.06	372,819.98	839,527.86	32.0213126	-103.3711892
4,602.00	4.00	80.95	4,586.23	186.94	234.86	372,821.35	839,533.66	32.0213162	-103.3711705
4,697.00	2.81	62.50	4,681.06	188.54	240.20	372,822.95	839,538.99	32.0213204	-103.3711532
4,792.00	2.77	53.80	4,775.95	190.97	244.11	372,825.38	839,542.91	32.0213270	-103.3711405
4,887.00	3.38	72.69	4,870.82	193.16	248.64	372,827.57	839,547.44	32.0213329	-103.3711258
4,982.00	2.95	83.42	4,965.67	194.27	253.74	372,828.68	839,552.54	32.0213359	-103.3711093
5,077.00	1.27	44.30	5,060.61	195.31	256.91	372,829.71	839,555.71	32.0213386	-103.3710991
5,173.00	1.10	36.13	5,156.59	196.81	258.19	372,831.22	839,556.99	32.0213427	-103.3710949
5,268.00	0.79	28.48	5,251.57	198.12	259.04	372,832.53	839,557.84	32.0213463	-103.3710921
5,362.00	0.62	18.29	5,345.57	199.18	259.51	372,833.58	839,558.31	32.0213492	-103.3710906
5,457.00	0.66	20.75	5,440.56	200.18	259.87	372,834.58	839,558.67	32.0213519	-103.3710894
5,552.00	0.70	23.30	5,535.56	201.22	260.29	372,835.63	839,559.09	32.0213548	-103.3710880
5,648.00	0.75	20.40	5,631.55	202.35	260.74	372,836.76	839,559.54	32.0213579	-103.3710865
5,743.00	0.75	23.65	5,726.54	203.50	261.21	372,837.91	839,560.01	32.0213610	-103.3710850
5,838.00	0.88	16.09	5,821.53	204.77	261.66	372,839.18	839,560.46	32.0213645	-103.3710835
5,933.00	0.97	13.98	5,916.52	206.25	262.06	372,840.66	839,560.85	32.0213686	-103.3710822
6,028.00	0.97	8.71	6,011.50	207.83	262.37	372,842.23	839,561.17	32.0213729	-103.3710811
6,124.00	1.05	4.14	6,107.49	209.51	262.56	372,843.92	839,561.36	32.0213775	-103.3710805
6,218.00	1.01	358.69	6,201.47	211.19	262.60	372,845.60	839,561.40	32.0213822	-103.3710803
6,313.00	1.01	354.65	6,296.46	212.86	262.50	372,847.27	839,561.30	32.0213867	-103.3710805
6,408.00	0.92	354.65	6,391.45	214.46	262.35	372,848.87	839,561.15	32.0213911	-103.3710810

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Arena Roja Fed Unit 803H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3156' + KB 25' @ 3181.00usft
Site:	Arena Roja 28-33 Fed Com	MD Reference:	GE 3156' + KB 25' @ 3181.00usft
Well:	Arena Roja Fed Unit 803H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,504.00	0.88	0.45	6,487.43	215.96	262.29	372,850.37	839,561.09	32.0213953	-103.3710812
6,599.00	0.84	5.81	6,582.42	217.38	262.36	372,851.79	839,561.16	32.0213992	-103.3710809
6,694.00	0.92	2.20	6,677.41	218.84	262.46	372,853.25	839,561.26	32.0214032	-103.3710805
6,789.00	0.84	6.69	6,772.40	220.29	262.57	372,854.70	839,561.37	32.0214072	-103.3710801
6,884.00	0.44	228.70	6,867.40	220.74	262.38	372,855.15	839,561.18	32.0214084	-103.3710807
6,979.00	0.84	220.26	6,962.39	219.97	261.66	372,854.38	839,560.46	32.0214063	-103.3710831
7,074.00	0.75	221.14	7,057.38	218.97	260.80	372,853.38	839,559.60	32.0214036	-103.3710859
7,169.00	0.79	217.36	7,152.37	217.98	259.99	372,852.39	839,558.79	32.0214009	-103.3710885
7,265.00	0.70	214.99	7,248.37	216.98	259.25	372,851.39	839,558.05	32.0213981	-103.3710909
7,360.00	0.53	210.24	7,343.36	216.12	258.70	372,850.53	839,557.50	32.0213958	-103.3710927
7,455.00	0.48	191.61	7,438.36	215.35	258.40	372,849.76	839,557.20	32.0213937	-103.3710937
7,550.00	0.53	194.68	7,533.35	214.54	258.21	372,848.95	839,557.01	32.0213915	-103.3710944
7,645.00	0.57	199.61	7,628.35	213.67	257.94	372,848.08	839,556.74	32.0213891	-103.3710953
7,741.00	0.70	207.78	7,724.34	212.70	257.50	372,847.11	839,556.30	32.0213864	-103.3710967
7,836.00	0.79	222.72	7,819.33	211.70	256.79	372,846.11	839,555.59	32.0213837	-103.3710990
7,931.00	0.88	216.75	7,914.32	210.64	255.91	372,845.05	839,554.71	32.0213808	-103.3711019
8,026.00	1.01	221.84	8,009.31	209.43	254.91	372,843.84	839,553.71	32.0213775	-103.3711051
8,121.00	1.05	215.16	8,104.30	208.10	253.85	372,842.50	839,552.65	32.0213739	-103.3711086
8,216.00	1.01	214.46	8,199.28	206.69	252.88	372,841.10	839,551.68	32.0213700	-103.3711118
8,311.00	0.75	217.27	8,294.27	205.51	252.03	372,839.92	839,550.83	32.0213668	-103.3711146
8,406.00	0.84	214.20	8,389.26	204.44	251.26	372,838.85	839,550.06	32.0213639	-103.3711171
8,501.00	0.70	208.75	8,484.25	203.35	250.59	372,837.76	839,549.39	32.0213609	-103.3711193
8,596.00	0.53	186.07	8,579.25	202.41	250.26	372,836.82	839,549.06	32.0213583	-103.3711203
8,691.00	0.62	182.91	8,674.24	201.46	250.19	372,835.87	839,548.99	32.0213557	-103.3711206
8,786.00	0.62	168.93	8,769.24	200.44	250.26	372,834.85	839,549.06	32.0213529	-103.3711204
8,881.00	0.70	162.17	8,864.23	199.38	250.54	372,833.79	839,549.34	32.0213500	-103.3711195
8,976.00	0.62	155.13	8,959.22	198.36	250.93	372,832.77	839,549.73	32.0213472	-103.3711183
9,072.00	0.79	137.47	9,055.22	197.40	251.60	372,831.81	839,550.40	32.0213445	-103.3711162
9,166.00	1.01	126.83	9,149.20	196.43	252.70	372,830.84	839,551.50	32.0213418	-103.3711126
9,262.00	1.19	122.35	9,245.19	195.39	254.22	372,829.80	839,553.02	32.0213389	-103.3711078
9,357.00	1.54	111.45	9,340.16	194.39	256.24	372,828.80	839,555.04	32.0213361	-103.3711013
9,452.00	1.98	106.44	9,435.12	193.46	259.00	372,827.87	839,557.80	32.0213335	-103.3710924
9,547.00	2.07	105.48	9,530.06	192.54	262.23	372,826.95	839,561.03	32.0213309	-103.3710820
9,642.00	0.18	23.74	9,625.03	192.22	263.95	372,826.63	839,562.74	32.0213300	-103.3710765
9,737.00	0.26	61.44	9,720.03	192.46	264.20	372,826.87	839,562.99	32.0213306	-103.3710757
9,832.00	0.79	109.69	9,815.03	192.34	265.00	372,826.75	839,563.80	32.0213303	-103.3710731
9,927.00	0.57	119.54	9,910.02	191.89	266.03	372,826.30	839,564.83	32.0213290	-103.3710698
10,022.00	0.44	119.19	10,005.02	191.48	266.76	372,825.89	839,565.56	32.0213279	-103.3710674
10,117.00	0.53	155.57	10,100.02	190.90	267.26	372,825.31	839,566.06	32.0213263	-103.3710658
10,213.00	0.75	179.74	10,196.01	189.87	267.45	372,824.28	839,566.24	32.0213234	-103.3710653
10,308.00	0.88	180.01	10,291.00	188.52	267.45	372,822.92	839,566.25	32.0213197	-103.3710653
10,403.00	0.92	185.02	10,385.99	187.03	267.38	372,821.43	839,566.18	32.0213156	-103.3710656
10,498.00	0.48	182.03	10,480.98	185.87	267.30	372,820.28	839,566.10	32.0213124	-103.3710658
10,593.00	0.62	238.63	10,575.98	185.20	266.85	372,819.61	839,565.65	32.0213106	-103.3710673
10,688.00	0.75	241.97	10,670.97	184.64	265.86	372,819.05	839,564.66	32.0213091	-103.3710705
10,783.00	1.05	252.60	10,765.96	184.09	264.48	372,818.50	839,563.28	32.0213076	-103.3710750
10,878.00	0.26	243.38	10,860.95	183.73	263.46	372,818.14	839,562.26	32.0213067	-103.3710783
10,973.00	0.44	123.76	10,955.95	183.44	263.57	372,817.84	839,562.37	32.0213058	-103.3710780
11,068.00	0.84	107.67	11,050.95	183.02	264.53	372,817.43	839,563.33	32.0213047	-103.3710749
11,163.00	1.45	322.92	11,145.94	183.77	264.47	372,818.18	839,563.27	32.0213067	-103.3710750
11,258.00	1.98	341.73	11,240.89	186.29	263.23	372,820.69	839,562.03	32.0213137	-103.3710790
11,353.00	1.58	52.30	11,335.86	188.65	263.76	372,823.05	839,562.55	32.0213201	-103.3710772
11,448.00	2.46	119.45	11,430.81	188.44	266.57	372,822.85	839,565.37	32.0213195	-103.3710681
11,543.00	1.54	183.70	11,525.76	186.17	268.26	372,820.58	839,567.06	32.0213132	-103.3710627
11,638.00	2.64	233.88	11,620.70	183.60	266.41	372,818.01	839,565.21	32.0213062	-103.3710688

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Arena Roja Fed Unit 803H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3156' + KB 25' @ 3181.00usft
Site:	Arena Roja 28-33 Fed Com	MD Reference:	GE 3156' + KB 25' @ 3181.00usft
Well:	Arena Roja Fed Unit 803H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,733.00	2.24	237.49	11,715.62	181.32	263.08	372,815.72	839,561.88	32.0213000	-103.3710796
11,828.00	2.02	228.43	11,810.55	179.21	260.26	372,813.62	839,559.06	32.0212943	-103.3710888
11,923.00	2.11	221.67	11,905.49	176.79	257.84	372,811.20	839,556.64	32.0212877	-103.3710966
12,018.00	2.33	216.66	12,000.42	173.93	255.53	372,808.34	839,554.33	32.0212799	-103.3711042
12,113.00	2.37	225.80	12,095.34	171.02	252.97	372,805.42	839,551.77	32.0212720	-103.3711125
12,208.00	2.11	227.64	12,190.27	168.47	250.27	372,802.88	839,549.07	32.0212650	-103.3711213
12,266.00	2.11	225.53	12,248.23	167.00	248.72	372,801.41	839,547.51	32.0212610	-103.3711263
12,337.00	2.29	219.38	12,319.18	164.99	246.88	372,799.40	839,545.68	32.0212555	-103.3711323
12,432.00	7.12	196.35	12,413.83	157.87	244.02	372,792.28	839,542.82	32.0212360	-103.3711418
12,468.00	11.97	190.61	12,449.33	152.06	242.70	372,786.46	839,541.50	32.0212201	-103.3711462
X FTP @ 12468.00' MD, 100' FNL, 2257' FEL									
12,527.00	20.00	187.21	12,506.00	136.01	240.31	372,770.42	839,539.11	32.0211760	-103.3711544
12,622.00	29.93	185.90	12,592.02	96.22	235.82	372,730.62	839,534.62	32.0210668	-103.3711700
12,717.00	37.10	188.62	12,671.17	44.24	229.08	372,678.65	839,527.88	32.0209241	-103.3711932
12,811.00	49.27	186.16	12,739.59	-19.44	220.98	372,614.96	839,519.78	32.0207492	-103.3712212
12,906.00	60.18	183.43	12,794.38	-96.61	214.63	372,537.80	839,513.43	32.0205373	-103.3712439
13,001.00	67.65	181.41	12,836.12	-181.79	211.08	372,452.61	839,509.88	32.0203032	-103.3712578
13,096.00	74.68	181.06	12,866.77	-271.63	209.15	372,362.78	839,507.95	32.0200564	-103.3712666
13,191.00	80.48	180.27	12,887.20	-364.36	208.08	372,270.05	839,506.88	32.0198015	-103.3712727
13,286.00	87.34	181.76	12,897.27	-458.75	206.40	372,175.66	839,505.20	32.0195421	-103.3712808
13,382.00	90.33	183.17	12,899.22	-554.63	202.27	372,079.78	839,501.07	32.0192787	-103.3712969
13,477.00	93.85	185.10	12,895.76	-649.30	195.43	371,985.11	839,494.23	32.0190186	-103.3713217
13,572.00	88.31	179.74	12,893.97	-744.13	191.43	371,890.28	839,490.22	32.0187581	-103.3713374
13,667.00	87.25	179.83	12,897.65	-839.05	191.78	371,795.36	839,490.58	32.0184972	-103.3713389
13,762.00	87.60	180.45	12,901.92	-933.95	191.55	371,700.45	839,490.35	32.0182363	-103.3713424
13,858.00	87.69	180.89	12,905.86	-1,029.87	190.43	371,604.54	839,489.23	32.0179727	-103.3713488
13,953.00	87.03	180.10	12,910.24	-1,124.76	189.61	371,509.65	839,488.41	32.0177119	-103.3713541
14,048.00	89.54	179.13	12,913.08	-1,219.71	190.25	371,414.70	839,489.05	32.0174509	-103.3713548
14,143.00	89.19	179.30	12,914.13	-1,314.69	191.55	371,319.72	839,490.35	32.0171898	-103.3713533
14,238.00	91.12	178.51	12,913.87	-1,409.67	193.36	371,224.74	839,492.16	32.0169287	-103.3713502
14,333.00	87.43	176.49	12,915.08	-1,504.55	197.51	371,129.86	839,496.30	32.0166678	-103.3713396
14,428.00	89.27	177.11	12,917.81	-1,599.36	202.81	371,035.05	839,501.60	32.0164071	-103.3713252
14,523.00	89.36	178.25	12,918.95	-1,694.27	206.65	370,940.14	839,505.45	32.0161461	-103.3713155
14,618.00	89.54	178.16	12,919.86	-1,789.22	209.63	370,845.19	839,508.43	32.0158851	-103.3713086
14,713.00	92.04	178.07	12,918.55	-1,884.15	212.75	370,750.25	839,511.55	32.0156241	-103.3713013
14,808.00	92.44	177.63	12,914.84	-1,979.01	216.31	370,655.39	839,515.11	32.0153633	-103.3712925
14,903.00	90.73	177.46	12,912.21	-2,073.89	220.38	370,560.52	839,519.18	32.0151024	-103.3712821
14,998.00	89.80	177.63	12,911.77	-2,168.80	224.45	370,465.61	839,523.25	32.0148414	-103.3712717
15,096.00	90.20	178.43	12,911.77	-2,266.74	227.82	370,367.67	839,526.62	32.0145721	-103.3712637
15,191.00	90.81	178.51	12,910.93	-2,361.70	230.35	370,272.71	839,529.15	32.0143111	-103.3712582
15,286.00	90.55	178.07	12,909.81	-2,456.65	233.19	370,177.76	839,531.99	32.0140500	-103.3712518
15,381.00	90.68	178.86	12,908.79	-2,551.61	235.73	370,082.80	839,534.53	32.0137889	-103.3712463
15,476.00	89.89	179.92	12,908.31	-2,646.60	236.74	369,987.81	839,535.54	32.0135278	-103.3712458
15,572.00	91.21	179.83	12,907.39	-2,742.60	236.95	369,891.81	839,535.75	32.0132640	-103.3712479
15,667.00	89.41	178.51	12,906.88	-2,837.58	238.33	369,796.83	839,537.13	32.0130029	-103.3712462
15,762.00	89.27	177.72	12,907.97	-2,932.52	241.45	369,701.89	839,540.25	32.0127418	-103.3712388
15,857.00	88.04	175.96	12,910.20	-3,027.34	246.69	369,607.06	839,545.49	32.0124811	-103.3712246
15,952.00	87.25	176.58	12,914.11	-3,122.06	252.86	369,512.35	839,551.66	32.0122206	-103.3712074
16,048.00	88.84	179.48	12,917.38	-3,217.93	256.16	369,416.47	839,554.96	32.0119570	-103.3711996
16,143.00	90.24	182.03	12,918.14	-3,312.91	254.91	369,321.49	839,553.71	32.0116960	-103.3712063
16,238.00	91.12	182.03	12,917.02	-3,407.85	251.54	369,226.56	839,550.34	32.0114351	-103.3712199
16,333.00	91.65	182.38	12,914.72	-3,502.75	247.89	369,131.66	839,546.69	32.0111743	-103.3712344
16,429.00	91.87	182.20	12,911.77	-3,598.63	244.06	369,035.78	839,542.86	32.0109109	-103.3712495
16,523.00	91.43	181.06	12,909.07	-3,692.55	241.38	368,941.86	839,540.18	32.0106528	-103.3712609
16,619.00	88.09	177.90	12,909.47	-3,788.52	242.25	368,845.89	839,541.05	32.0103890	-103.3712608

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Arena Roja Fed Unit 803H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3156' + KB 25' @ 3181.00usft
Site:	Arena Roja 28-33 Fed Com	MD Reference:	GE 3156' + KB 25' @ 3181.00usft
Well:	Arena Roja Fed Unit 803H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,714.00	90.02	180.01	12,911.03	-3,883.48	243.99	368,750.93	839,542.78	32.0101280	-103.3712579
16,809.00	91.03	180.89	12,910.16	-3,978.47	243.24	368,655.94	839,542.04	32.0098669	-103.3712631
16,904.00	90.81	179.83	12,908.64	-4,073.45	242.64	368,560.96	839,541.44	32.0096058	-103.3712677
16,999.00	91.38	179.57	12,906.82	-4,168.43	243.14	368,465.97	839,541.94	32.0093447	-103.3712689
17,095.00	91.91	179.83	12,904.07	-4,264.39	243.64	368,370.02	839,542.44	32.0090810	-103.3712700
17,190.00	91.69	180.97	12,901.08	-4,359.34	242.98	368,275.07	839,541.78	32.0088200	-103.3712749
17,285.00	89.41	181.06	12,900.17	-4,454.32	241.30	368,180.09	839,540.10	32.0085590	-103.3712830
17,380.00	89.49	181.68	12,901.08	-4,549.28	239.03	368,085.12	839,537.83	32.0082980	-103.3712931
17,476.00	86.95	181.06	12,904.06	-4,645.20	236.73	367,989.21	839,535.53	32.0080345	-103.3713032
17,571.00	87.82	181.94	12,908.40	-4,740.07	234.25	367,894.34	839,533.05	32.0077738	-103.3713140
17,666.00	89.54	182.91	12,910.59	-4,834.95	230.23	367,799.45	839,529.03	32.0075131	-103.3713296
17,761.00	89.58	181.85	12,911.32	-4,929.87	226.28	367,704.54	839,525.08	32.0072523	-103.3713451
17,857.00	91.78	182.82	12,910.18	-5,025.77	222.37	367,608.63	839,521.17	32.0069888	-103.3713605
17,866.00	91.83	182.71	12,909.89	-5,034.76	221.94	367,599.65	839,520.74	32.0069641	-103.3713621
X SEC @ 17866.00' MD, 0' FNL, 2327' FEL									
17,952.00	92.35	181.68	12,906.75	-5,120.64	218.65	367,513.77	839,517.44	32.0067281	-103.3713752
18,047.00	90.37	180.18	12,904.50	-5,215.59	217.11	367,418.82	839,515.90	32.0064672	-103.3713829
18,143.00	89.01	179.74	12,905.02	-5,311.59	217.17	367,322.82	839,515.97	32.0062033	-103.3713854
18,238.00	86.86	178.25	12,908.44	-5,406.50	218.84	367,227.91	839,517.64	32.0059424	-103.3713828
18,333.00	86.20	178.07	12,914.19	-5,501.28	221.88	367,133.13	839,520.68	32.0056818	-103.3713757
18,428.00	83.56	177.37	12,922.67	-5,595.82	225.64	367,038.59	839,524.44	32.0054219	-103.3713663
18,523.00	83.03	176.58	12,933.76	-5,690.03	230.62	366,944.37	839,529.42	32.0051628	-103.3713529
18,618.00	91.65	180.80	12,938.17	-5,784.80	232.78	366,849.61	839,531.58	32.0049022	-103.3713487
18,713.00	93.89	181.85	12,933.58	-5,879.65	230.58	366,754.76	839,529.38	32.0046416	-103.3713585
18,809.00	94.07	181.94	12,926.91	-5,975.37	227.42	366,659.04	839,526.22	32.0043786	-103.3713715
18,904.00	93.01	180.36	12,921.05	-6,070.16	225.52	366,564.24	839,524.31	32.0041181	-103.3713803
18,999.00	94.73	181.33	12,914.64	-6,164.93	224.12	366,469.48	839,522.92	32.0038576	-103.3713875
19,095.00	92.00	179.83	12,909.00	-6,260.75	223.15	366,373.66	839,521.95	32.0035943	-103.3713934
19,190.00	91.21	179.83	12,906.34	-6,355.71	223.43	366,278.70	839,522.23	32.0033333	-103.3713952
19,285.00	88.88	180.01	12,906.27	-6,450.70	223.56	366,183.70	839,522.36	32.0030721	-103.3713975
19,380.00	90.15	180.53	12,907.07	-6,545.70	223.12	366,088.71	839,521.92	32.0028111	-103.3714017
19,476.00	88.13	179.39	12,908.51	-6,641.68	223.18	365,992.73	839,521.98	32.0025472	-103.3714042
19,571.00	85.54	179.13	12,913.76	-6,736.52	224.41	365,897.89	839,523.21	32.0022865	-103.3714030
19,666.00	86.77	179.04	12,920.13	-6,831.29	225.92	365,803.12	839,524.72	32.0020260	-103.3714008
19,761.00	88.70	179.74	12,923.88	-6,926.21	226.93	365,708.20	839,525.73	32.0017651	-103.3714003
19,857.00	89.45	179.13	12,925.43	-7,022.19	227.88	365,612.22	839,526.68	32.0015013	-103.3714000
19,952.00	86.42	178.07	12,928.85	-7,117.09	230.20	365,517.32	839,529.00	32.0012404	-103.3713953
20,047.00	85.23	177.55	12,935.77	-7,211.76	233.82	365,422.65	839,532.62	32.0009800	-103.3713863
20,142.00	84.75	177.46	12,944.07	-7,306.31	237.94	365,328.10	839,536.74	32.0007201	-103.3713757
20,194.00	84.34	177.12	12,949.01	-7,358.02	240.38	365,276.39	839,539.18	32.0005779	-103.3713693
X LTP @ 20194.00' MD, 100' FSL, 2329' FEL									
20,209.00	84.22	177.02	12,950.50	-7,372.92	241.15	365,261.49	839,539.95	32.0005369	-103.3713673
20,266.00	84.22	177.02	12,956.25	-7,429.56	244.10	365,204.85	839,542.90	32.0003812	-103.3713594
BHL @ 20266.00' MD, 29' FSL, 2326' FEL									

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Arena Roja Fed Unit 803H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3156' + KB 25' @ 3181.00usft
Site:	Arena Roja 28-33 Fed Com	MD Reference:	GE 3156' + KB 25' @ 3181.00usft
Well:	Arena Roja Fed Unit 803H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Design Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
Arena Roja Fed Unit 803H	0.00	0.00	12,956.25	-7,429.56	244.10	365,204.85	839,542.90	32.0003812	-103.3713594
- actual wellpath hits target center									
- Point									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
12,468.00	12,449.33	152.06	242.70	X FTP @ 12468.00' MD, 100' FNL, 2257' FEL	
17,866.00	12,909.89	-5,034.76	221.94	X SEC @ 17866.00' MD, 0' FNL, 2327' FEL	
20,194.00	12,949.01	-7,358.02	240.38	X LTP @ 20194.00' MD, 100' FSL, 2329' FEL	
20,266.00	12,956.25	-7,429.56	244.10	BHL @ 20266.00' MD, 29' FSL, 2326' FEL	

Checked By: _____

Approved By: _____

Date: _____

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO.
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator		6. State Oil & Gas Lease No.
3. Address of Operator		7. Lease Name or Unit Agreement Name
4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____		8. Well Number
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
		10. Pool name or Wildcat

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO.										
2. Type of Lease ☐ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name				
						6. Well Number:				
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator						9. OGRID				
10. Address of Operator						11. Pool name or Wildcat				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released			16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)		
18. Total Measured Depth of Well		19. Plug Back Measured Depth			20. Was Directional Survey Made?			21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD										25. TUBING RECORD
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Rebecca Deal</u>			Printed Name			Title		Date		
E-mail Address										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 282482

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 282482
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 282482

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 282482
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report and 3160-5 Completion Sundry within 10 days of BLM approval.	5/8/2024