

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District II

1000 Rio Brazos Rd., Aztec, NM 87410

District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 12/11/2023
⁴ API Number 30 – 015-54048	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 323066	⁸ Property Name: TIME CC 6-7 FEDERAL COM	⁹ Well Number: 71H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
3	6	24S	29E		450	NORTH	2270	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 1014' FNL 558' FWL LTP- 189' FSL 392' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
13	7	24S	29E		52	SOUTH	385	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P	¹⁴ Gas Connection Date: 12/16/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 08/11/23	²² Ready Date 12/11/2023	²³ TD 19010'M 8847'V	²⁴ PBTD 18965'M 8846'V	²⁵ Perforations 9396-18873'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	432'	645		
9-7/8"	7-5/8"	8927'	1906		
6-3/4"	5-1/2"	18990'	798		
	2-3/8" tbg	8500'	na		

V. Well Test Data

³¹ Date New Oil 12/16/23	³² Gas Delivery Date 12/16/23	³³ Test Date 12/19/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1129
³⁷ Choke Size 58	³⁸ Oil 4337	³⁹ Water 1466	⁴⁰ Gas 7552		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

02/15/2024

Phone:

432-685-5036

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 5/23/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACERAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-54048	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 323066	⁵ Property Name TIME CC 6_7 FEDERAL COM	⁶ Well Number 71H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2960'


¹⁰ Surface Location

UL or lot no. L 3	Section 6	Township 24S	Range 29E	Lot Idn	Feet from the 450	North/South line NORTH	Feet from the 2270	East/West line WEST	County EDDY
----------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. L 13	Section 7	Township 24S	Range 29E	Lot Idn	Feet from the 52	North/South line SOUTH	Feet from the 385	East/West line WEST	County EDDY
¹² Dedicated Acres 637.33	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:			Well:			Field:			Structure:						
Time CC 6-7 Fed Com 71H			Time CC 6-7 Fed Com 71H			NM Eddy County (NAD 83)			Oxy Time CC 6-7 Fed Com Pad Section 6 Lot 3						
Gravity & Magnetic Parameters						Surface Location			NAD83 New Mexico State Plane, Eastern Zone, US Feet			Miscellaneous			
Model: IFR1		Dip: 59.908°		Date: 10-Sep-2023		Lat: N 32 15 10.88		Northing: 456919.88RUS		Grid Conv: 0.1645°		Slot: Time CC 6-7 Fed Com 71H		TVD Ref: RKB (2983.600 ft above MSL)	
MagDec: 6.73°		FS: 47428.9nT		Gravity FS: 998.471mgn (9.80665 Based)		Lon: W 104 1 30.01		Easting: 636653.25RUS		Scale Fact: 0.9999195		Plan: Oxy Time CC 6-7 Fed Com 71H Rev3 kFc 05Sept23			

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2,983.60
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-2,959.60
First Gyro Survey	63.69	0.28	145.19	63.69	0.07	-0.08	0.06	-2,919.91
Last Gyro Survey	410.19	0.55	190.24	410.18	1.78	-1.76	-0.27	-2,573.42
First SLB Survey	493.00	0.38	81.41	492.99	2.09	-2.11	-0.07	-2,490.61
Actual KOP	8,427.00	10.28	230.61	8,197.46	226.72	44.55	-1,521.68	5,213.86
3rd BS Line Intersection	8,873.51	31.21	200.33	8,585.00	426.28	-139.46	-1,625.63	5,601.40
Enter Lateral Window	10,000.00	89.59	193.73	8,854.68	1,450.53	-1,142.67	-1,833.89	5,871.08
Section 6-7 Line Cross	13,733.00	90.93	177.01	8,853.91	5,119.15	-4,867.68	-1,850.55	5,870.31
LTP / 100 ft FSL Cross	18,962.00	88.84	183.19	8,845.61	10,258.67	-10,094.20	-1,829.62	5,862.01
Final Survey	18,979.00	88.84	183.46	8,845.95	10,275.54	-10,111.17	-1,830.61	5,862.35
Projection to Total Depth	19,010.00	88.84	183.46	8,846.58	10,306.32	-10,142.10	-1,832.48	5,862.98





Oxy Time CC 6-7 Fed Com 71H Gyro+IFR1 to 19010ft Survey Geodetic

Report
Definitive Survey

Report Date: September 22, 2023 - 04:02 PM (UTC 0)
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Time CC 6-7 Fed Com Pad Section 6 Lot 3 / Time CC 6-7 Fed Com 71H
Well: Time CC 6-7 Fed Com 71H
Borehole: Time CC 6-7 Fed Com 71H
UBH/ API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Time CC 6-7 Fed Com 71H Gyro+IFR1 to 19010ft / 3
Survey Date: September 21, 2023
Tort / AHD / DDI / ERD Ratio: 341.832' +/- 11789.775 ft / 6.936' / 1.328
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°15'10.88235" S, W 104°13'0.00808"
Location Grid N/E Y/X: N 455919.880 RUS, E 636653.250 RUS
Grid Scale Factor: 0.165'
99999195
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 190.242 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2983.600 ft above MSL
Seabed / Ground Elevation: 2959.600 ft above MSL
Magnetic Declination: 6.730°
Total Gravity Field Strength: 998.4715mgn (8.90665 Bases)
Gravity Model: GARM
Total Magnetic Field Strength: 47428.9 nT
Magnetic Dip Angle: 59.908°
Declination Date: September 10, 2023
Magnetic Declination Model: IFR1
North Reference: 6.565°
Total Corr Mag
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.983.60		455,919.88	636,653.25	N 32°15'10.88"	W 104°13'00.01"		
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-2.959.60	0.00	455,919.88	636,653.25	N 32°15'10.88"	W 104°13'00.01"	0.00	0.00
First Gyro Survey	63.69	0.28	145.19	63.69	0.07	-0.08	-0.06	-2.919.91	0.71	455,919.80	636,653.31	N 32°15'10.88"	W 104°13'00.01"	0.10	145.19
	153.94	0.14	196.32	153.94	0.33	-0.37	0.15	-2.829.66	0.24	455,919.51	636,653.40	N 32°15'10.88"	W 104°13'00.01"	0.40	157.71
	238.99	0.29	204.75	238.99	0.65	-0.66	0.03	-2.744.61	0.18	455,919.22	636,653.28	N 32°15'10.88"	W 104°13'00.01"	0.66	177.32
	326.47	0.35	195.16	326.47	1.13	-1.12	-0.13	-2.657.13	0.09	455,918.76	636,653.12	N 32°15'10.87"	W 104°13'00.01"	1.13	186.70
Last Gyro Survey	410.19	0.55	190.24	410.18	1.78	-1.76	-0.27	-2.573.42	0.24	455,918.12	636,652.98	N 32°15'10.86"	W 104°13'00.01"	1.78	188.70
First SLB Survey	493.00	0.38	81.43	492.99	2.09	-2.11	-0.07	-2.490.61	0.92	455,917.77	636,653.18	N 32°15'10.86"	W 104°13'00.01"	2.11	181.87
	587.00	0.09	325.30	586.99	1.94	-2.01	-0.20	-2.396.61	0.45	455,917.87	636,653.45	N 32°15'10.86"	W 104°13'00.01"	2.02	174.29
	682.00	0.12	86.07	681.99	1.86	-1.94	0.25	-2.301.61	0.19	455,917.94	636,653.50	N 32°15'10.86"	W 104°13'00.01"	1.95	172.53
	776.00	0.13	153.07	775.99	1.92	-2.03	0.40	-2.207.61	0.15	455,917.85	636,653.65	N 32°15'10.86"	W 104°13'00.00"	2.07	168.82
	871.00	0.13	131.83	870.99	2.06	-2.19	0.53	-2.112.61	0.05	455,917.69	636,653.78	N 32°15'10.86"	W 104°13'00.00"	2.26	166.43
	965.00	0.09	42.96	964.99	2.06	-2.21	0.66	-2.018.61	0.17	455,917.67	636,653.91	N 32°15'10.86"	W 104°13'00.00"	2.31	163.40
	1,060.00	0.10	221.49	1,059.99	2.07	-2.22	0.66	-1.923.61	0.20	455,917.66	636,653.91	N 32°15'10.86"	W 104°13'00.00"	2.31	163.54
	1,153.00	0.11	298.21	1,152.99	2.11	-2.24	0.52	-1,183.61	0.14	455,917.64	636,653.77	N 32°15'10.86"	W 104°13'00.00"	2.30	166.85
	1,246.00	0.10	149.09	1,245.99	2.14	-2.26	0.49	-1,737.61	0.22	455,917.62	636,653.74	N 32°15'10.86"	W 104°13'00.00"	2.32	167.89
	1,340.00	0.11	341.24	1,339.99	2.12	-2.25	0.50	-1,643.61	0.22	455,917.63	636,653.75	N 32°15'10.86"	W 104°13'00.00"	2.30	167.49
	1,433.00	0.34	9.94	1,432.99	1.77	-1.89	0.52	-1,550.61	0.27	455,917.99	636,653.77	N 32°15'10.86"	W 104°13'00.00"	1.96	164.70
	1,527.00	0.14	17.33	1,526.99	1.38	-1.51	0.60	-1,456.61	0.21	455,918.37	636,653.85	N 32°15'10.87"	W 104°13'00.00"	1.62	158.31
	1,622.00	0.12	48.47	1,621.99	1.18	-1.33	0.71	-1,361.61	0.08	455,918.55	636,653.96	N 32°15'10.87"	W 104°13'00.00"	1.51	151.97
	1,716.00	0.10	53.74	1,715.99	1.05	-1.22	0.85	-1,267.61	0.02	455,918.66	636,654.10	N 32°15'10.87"	W 104°13'00.00"	1.48	145.12
	1,811.00	0.15	281.90	1,810.99	0.98	-1.14	0.79	-1,172.61	0.24	455,918.74	636,654.04	N 32°15'10.87"	W 104°13'00.00"	1.39	145.22
	1,906.00	0.13	230.21	1,905.99	1.06	-1.19	0.59	-1,077.61	0.13	455,918.69	636,653.84	N 32°15'10.87"	W 104°13'00.00"	1.33	153.58
	2,001.00	0.36	240.17	2,000.99	1.34	-1.40	0.25	-982.61	0.25	455,918.48	636,653.50	N 32°15'10.87"	W 104°13'00.00"	1.43	169.98
	2,095.00	0.48	216.13	2,094.99	1.88	-1.87	-0.24	-888.61	0.22	455,918.01	636,653.01	N 32°15'10.86"	W 104°13'00.01"	1.88	187.33
	2,190.00	0.47	229.54	2,189.98	2.54	-2.44	-0.77	-793.62	0.12	455,917.44	636,652.48	N 32°15'10.86"	W 104°13'00.02"	2.56	197.52
	2,285.00	0.10	177.34	2,284.98	2.92	-2.78	-1.06	-698.62	0.44	455,917.10	636,652.19	N 32°15'10.85"	W 104°13'00.02"	2.98	200.95
	2,379.00	0.18	84.08	2,378.98	2.96	-2.84	-0.91	-604.62	0.22	455,917.03	636,652.34	N 32°15'10.85"	W 104°13'00.02"	2.99	197.79
	2,474.00	0.20	115.31	2,473.98	2.96	-2.90	-0.61	-509.62	0.11	455,916.98	636,652.64	N 32°15'10.85"	W 104°13'00.02"	2.97	191.97
	2,569.00	0.38	190.76	2,568.98	3.32	-3.28	-0.52	-414.62	0.40	455,916.60	636,652.73	N 32°15'10.85"	W 104°13'00.01"	3.32	189.07
	2,663.00	0.08	8.76	2,662.98	3.57	-3.52	-0.57	-320.62	0.49	455,916.36	636,652.68	N 32°15'10.85"	W 104°13'00.01"	3.57	189.22
	2,758.00	0.36	234.46	2,757.98	3.72	-3.63	-0.80	-225.62	0.44	455,916.25	636,652.45	N 32°15'10.85"	W 104°13'00.02"	3.72	192.50
	2,853.00	1.35	252.07	2,852.97	4.46	-4.15	-2.11	-130.63	1.07	455,915.73	636,651.14	N 32°15'10.84"	W 104°13'00.03"	4.66	206.98
	2,948.00	2.88	273.59	2,947.90	5.26	-4.34	-5.56	-35.70	1.79	455,915.67	636,647.69	N 32°15'10.84"	W 104°13'00.07"	7.06	232.00
	3,042.00	5.39	288.86	3,041.65	4.58	-2.77	-12.10	58.05	2.89	455,917.11	636,641.16	N 32°15'10.86"	W 104°13'00.15"	12.41	257.11
	3,137.00	7.28	291.62	3,136.07	3.02	0.89	-21.91	152.47	2.01	455,920.77	636,631.34	N 32°15'10.89"	W 104°13'00.26"	21.93	272.33
	3,232.00	8.51	290.82	3,230.16	0.54	5.61	-34.08	246.56	1.30	455,925.49	636,619.17	N 32°15'10.94"	W 104°13'00.40"	34.54	279.34
	3,326.00	9.24	287.27	3,323.04	-1.66	10.32	-47.79	339.44	0.97	455,930.20	636,605.47	N 32°15'10.99"	W 104°13'00.56"	48.89	282.19
	3,421.00	9.56	286.01	3,416.62	-3.47	14.99	-63.44	433.02	1.41	455,934.86	636,589.82	N 32°15'11.03"	W 104°13'00.75"	65.19	283.29
	3,515.00	11.60	281.79	3,508.87	-4.59	19.29	-50.97	525.27	1.46	455,938.17	636,572.29	N 32°15'11.08"	W 104°13'00.85"	83.24	283.40
	3,610.00	12.62	278.52	3,601.77	-4.72	22.85	-100.46	618.17	1.09	455,942.83	636,558.78	N 32°15'11.11"	W 104°13'01.18"	103.06	282.96
	3,705.00	12.92	278.86	3,694.44	-4.33	26.29	-121.13	710.84	0.45	455,946.16	636,532.13	N 32°15'11.15"	W 104°13'01.42"	123.95	282.24
	3,800.00	14.17	274.88	3,786.80	-2.99	28.91	-143.21	803.20	1.64	455,948.79	636,510.25	N 32°15'11.17"	W 104°13'01.67"	146.10	281.41
	3,894.00	14.80	272.70	3,877.81	-0.34	30.46	-166.66	894.21	0.89	455,950.33	636,486.60	N 32°15'11.19"	W 104°13'01.95"	169.42	280.36
	3,989.00	15.91	271.17	3,969.42	3.31	31.29	-191.80	985.82	1.24	455,951.17	636,461.46	N 32°15'11.20"	W 104°13'02.24"	194.34	279.27
	4,083.00	16.83	268.31	4,059.61	8.15	31.16	-218.29	1,076.01	1.30	455,951.03	636,434.98	N 32°15'11.20"	W 104°13'02.55"	220.50	278.12
	4,178.00	18.04	267.33	4,150.24	14.28	30.06	-246.73	1,166.64	1.31	455,949.94	636,408.54	N 32°15'11.19"	W 104°13'02.88"	248.55	276.95
	4,272.00	18.51	265.82	4,230.50	21.25	28.30	-276.15	1,255.90	0.71	455,948.18	636,377.12	N 32°15'11.17"	W 104°13'03.22"	277.60	275.85
	4,367.00	18.85	265.42	4,329.50	28.93	25.97	-306.49	1,345.90	0.38	455,945.85	636,346.79	N 32°15'11.15"	W 104°13'03.58"	307.59	274.84
	4,557.00	18.60	264.17	4,509.44	45.17	20.45	-367.23	1,525.84	0.25	455,940.32	636,286.05	N 32°15'11.10"	W 104°13'04.28"	367.80	273.19
	4,652.00	19.27	263.54	4,599.30	53.87	17.14	-397.88	1,615.70	0.74	455,937.02	636,255.41	N 32°15'11.06"	W 104°13'04.64"	398.25	272.47
	4,746.00	19.27	262.67	4,698.01	63.04	13.41	-428.75	1,704.41	0.32	455,933.29	636,224.53	N 32°15'11.03"	W 104°13'05.00"	428.96	271.79
	4,841.00	19.46	261.54	4,777.61	72.87	9.07	-460.03	1,794.01	0.41	455,928.95	636,193.26	N 32°15'11.00"	W 104°13'05.36"	459.12	271.13
	4,936.00	18.79	261.07	4,867.36	82.97	4.37	-490.80	1,883.76	0.72	455,924.25	636,162.49	N 32°15'10.94"	W 104°13'05.72"	490.82	270.51
	5,030.00	19.44	262.95	4,956.18	92.59	0.10	-521.28	1,972.58	0.95	455,919.98	636,132.02	N 32°15'10.90"	W 104°13'06.08"	521.28	270.01
	5,125.00	19.39	264.75	5,045.78	101.50	-3.29	-552.67	2,062.18	0.63	455,916.59	636,100.63	N 32°15'10.87"	W 104°13'06.44"	552.68	269.66
	5,220.00	19.56	266.99	5,135.34	109.36	-5.56	-584.25	2,151.74	0.81	455,914.32	636,069.04	N 32°15'10.84"	W 104°13'06.81"	584.28	269.45
	5,314.00	18.71	269.38	5,224.15	115.80	-6.55									

Enter Lateral Window	9,424.00	89.70	192.25	8,858.16	874.98	-579.22	-1,715.33	5,874.56	14.72	455,340.71	634,938.06	N 32°1'55.20"	W 104°1'50.00"	1,810.48	251.34
	9,472.00	92.32	191.42	8,857.32	922.94	-626.18	-1,725.17	5,873.72	5.73	455,293.75	634,928.22	N 32°1'54.73"	W 104°1'50.12"	1,835.30	250.05
Final Survey	9,570.00	92.19	190.22	8,853.46	1,020.86	-722.37	-1,743.56	5,869.86	1.23	455,197.57	634,909.84	N 32°1'53.78"	W 104°1'50.33"	1,887.27	247.50
	9,585.00	91.65	191.25	8,851.94	1,115.84	-815.69	-1,751.25	5,868.34	2.89	455,104.27	634,892.15	N 32°1'52.86"	W 104°1'50.54"	1,940.96	245.15
LTP / 100 ft FSL Cross	9,759.00	89.39	191.83	8,852.72	1,209.81	-907.76	-1,780.13	5,869.12	0.77	455,012.19	634,873.26	N 32°1'51.95"	W 104°1'50.77"	1,998.23	242.98
	9,948.00	89.64	193.46	8,854.32	1,398.62	-1,092.13	-1,821.66	5,870.72	0.82	454,827.84	634,831.74	N 32°1'50.13"	W 104°1'51.26"	2,123.96	239.06
Section 6-7 Line Cross	10,000.00	89.59	193.73	8,854.68	1,450.53	-1,142.67	-1,833.89	5,871.08	0.53	454,777.30	634,819.51	N 32°1'49.63"	W 104°1'51.40"	2,160.75	238.07
	10,043.00	89.54	193.95	8,855.00	1,493.45	-1,184.42	-1,844.17	5,871.40	0.53	454,735.56	634,809.23	N 32°1'49.21"	W 104°1'51.52"	2,191.76	237.29
EOU Geometry:	10,138.00	89.52	192.90	8,855.78	1,588.29	-1,276.82	-1,866.23	5,872.18	1.11	454,643.16	634,787.18	N 32°1'48.30"	W 104°1'51.78"	2,261.21	235.62
	10,232.00	89.47	193.35	8,855.79	1,682.27	-1,369.18	-1,883.55	5,872.19	4.94	454,550.81	634,769.85	N 32°1'47.39"	W 104°1'51.98"	2,338.61	233.89
Survey Error Model:	10,327.00	91.20	182.52	8,854.41	1,776.88	-1,463.71	-1,892.55	5,870.81	6.18	454,456.30	634,760.86	N 32°1'45.45"	W 104°1'52.09"	2,392.52	232.28
	10,422.00	90.77	177.86	8,852.77	1,870.38	-1,558.66	-1,892.86	5,869.17	4.93	454,361.34	634,760.54	N 32°1'45.51"	W 104°1'52.10"	2,452.01	230.53
Survey Program:	10,516.00	88.76	179.46	8,853.16	1,962.46	-1,652.63	-1,890.66	5,869.56	2.73	454,267.39	634,762.74	N 32°1'44.58"	W 104°1'52.08"	2,511.13	228.84
	10,611.00	89.10	182.75	8,854.98	2,056.22	-1,747.58	-1,892.50	5,871.38	3.48	454,172.44	634,760.91	N 32°1'43.64"	W 104°1'52.10"	2,575.96	227.28
EOU Geometry:	10,706.00	89.23	180.96	8,856.42	2,150.19	-1,842.52	-1,895.57	5,872.82	1.89	454,077.51	634,757.84	N 32°1'43.70"	W 104°1'52.14"	2,643.49	225.81
	10,800.00	89.11	180.40	8,857.78	2,242.88	-1,936.50	-1,896.69	5,874.18	0.61	453,983.54	634,756.72	N 32°1'43.17"	W 104°1'52.15"	2,710.62	224.40
End MD (ft)	10,895.00	89.11	178.27	8,859.25	2,336.15	-2,031.48	-1,895.58	5,875.65	2.24	453,888.57	634,757.82	N 32°1'43.50"	W 104°1'52.15"	2,778.51	223.02
	10,989.00	89.25	178.79	8,860.60	2,428.18	-2,125.44	-1,893.17	5,877.00	0.57	453,794.62	634,760.23	N 32°1'44.90"	W 104°1'52.12"	2,846.33	221.69
Hole Size (in)	11,083.00	89.18	177.71	8,861.89	2,520.12	-2,219.38	-1,890.30	5,878.29	1.15	453,700.68	634,763.10	N 32°1'44.97"	W 104°1'52.09"	2,915.29	220.42
	11,178.00	89.05	178.48	8,863.35	2,612.98	-2,314.32	-1,887.14	5,879.75	0.82	453,605.75	634,766.26	N 32°1'44.04"	W 104°1'52.06"	2,986.20	219.19
Casing Size (in)	11,272.00	89.13	177.57	8,864.85	2,704.84	-2,408.25	-1,883.91	5,881.25	0.97	453,511.83	634,769.50	N 32°1'44.71"	W 104°1'52.02"	3,057.57	218.04
	11,367.00	89.18	176.94	8,866.25	2,797.40	-2,503.13	-1,879.36	5,882.65	0.67	453,416.96	634,774.05	N 32°1'44.61"	W 104°1'51.97"	3,130.12	216.90
Name	11,461.00	89.47	176.32	8,867.35	2,888.75	-2,596.96	-1,873.83	5,883.75	0.73	453,323.13	634,779.57	N 32°1'44.54"	W 104°1'51.91"	3,202.41	215.81
	11,554.00	89.36	180.02	8,868.30	2,979.67	-2,689.89	-1,870.86	5,884.70	3.98	453,230.21	634,782.54	N 32°1'44.32"	W 104°1'51.88"	3,276.53	214.82
Survey Tool Code	11,649.00	89.38	176.81	8,869.35	3,072.64	-2,784.84	-1,868.23	5,885.75	3.38	453,135.27	634,785.17	N 32°1'44.38"	W 104°1'51.85"	3,353.45	213.86
	11,744.00	89.19	177.22	8,870.53	3,165.11	-2,879.70	-1,863.29	5,886.93	0.48	453,040.42	634,790.12	N 32°1'44.24"	W 104°1'51.80"	3,429.94	212.90
Vendor / Tool	11,934.00	89.55	180.58	8,872.62	3,351.36	-3,069.63	-1,859.64	5,889.02	1.78	452,850.51	634,793.76	N 32°1'44.06"	W 104°1'51.76"	3,588.99	211.21
	12,028.00	89.35	178.76	8,873.53	3,443.76	-3,163.62	-1,859.10	5,889.53	1.95	452,756.52	634,794.30	N 32°1'43.83"	W 104°1'51.78"	3,668.43	210.44
Borehole / Survey	12,123.00	89.31	178.27	8,874.54	3,536.77	-3,259.59	-1,856.64	5,891.04	0.52	452,661.57	634,796.78	N 32°1'43.68"	W 104°1'51.73"	3,750.99	209.57
	12,313.00	90.68	177.93	8,874.65	3,722.51	-3,448.47	-1,850.34	5,891.05	0.74	452,471.70	634,803.06	N 32°1'43.81"	W 104°1'51.67"	3,913.53	208.22
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	12,408.00	90.05	176.60	8,874.05	3,815.08	-3,543.36	-1,845.81	5,890.45	1.55	452,376.82	634,807.60	N 32°1'43.57"	W 104°1'51.62"	3,995.29	207.52
	12,503.00	89.54	178.02	8,874.39	3,907.67	-3,638.25	-1,841.35	5,890.79	1.59	452,281.93	634,812.05	N 32°1'43.93"	W 104°1'51.57"	4,077.67	206.84
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	12,692.00	91.18	181.17	8,873.93	4,093.39	-3,827.21	-1,840.01	5,890.33	1.78	452,092.98	634,813.39	N 32°1'43.06"	W 104°1'51.56"	4,246.55	205.68
	12,787.00	90.98	182.44	8,872.50	4,187.35	-3,922.15	-1,843.00	5,888.90	1.36	451,998.05	634,810.40	N 32°1'43.12"	W 104°1'51.60"	4,333.59	205.17
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	12,881.00	91.31	182.22	8,870.62	4,280.44	-4,016.06	-1,846.62	5,887.02	0.42	451,904.15	634,806.58	N 32°1'43.20"	W 104°1'51.64"	4,420.35	204.70
	12,976.00	91.21	179.98	8,868.53	4,374.20	-4,111.01	-1,848.65	5,884.93	2.36	451,809.21	634,804.75	N 32°1'43.06"	W 104°1'51.67"	4,507.54	204.21
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	13,071.00	91.24	183.05	8,866.50	4,468.07	-4,205.95	-1,851.16	5,882.90	3.23	451,714.28	634,802.24	N 32°1'42.92"	W 104°1'51.70"	4,595.30	203.76
	13,165.00	91.36	179.87	8,864.37	4,560.93	-4,299.88	-1,853.55	5,880.77	3.38	451,620.36	634,799.85	N 32°1'42.83"	W 104°1'51.73"	4,682.37	203.32
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	13,355.00	90.68	178.87	8,860.99	4,747.49	-4,489.83	-1,851.46	5,877.39	0.64	451,430.42	634,801.94	N 32°1'42.51"	W 104°1'51.71"	4,856.60	202.41
	13,450.00	91.26	178.90	8,859.38	4,840.61	-4,584.80	-1,849.62	5,875.78	0.61	451,335.46	634,803.79	N 32°1'42.57"	W 104°1'51.70"	4,943.83	201.97
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	13,542.00	91.17	181.46	8,857.43	4,931.17	-4,676.77	-1,849.90	5,873.23	2.78	451,243.49	634,803.50	N 32°1'42.66"	W 104°1'51.70"	5,029.35	201.58
	13,637.00	91.06	181.21	8,855.58	5,025.01	-4,771.73	-1,852.12	5,871.98	0.29	451,148.54	634,801.29	N 32°1'42.72"	W 104°1'51.73"	5,118.57	201.21
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	13,732.00	90.93	176.96	8,853.93	5,118.18	-4,866.68	-1,850.60	5,870.33	4.48	451,053.60	634,802.80	N 32°1'42.78"	W 104°1'51.72"	5,206.66	200.82
	13,733.00	90.93	177.01	8,853.91	5,119.15	-4,867.68	-1,850.55	5,870.31	4.60	451,052.60	634,802.85	N 32°1'42.77"	W 104°1'51.72"	5,207.57	200.82
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	13,826.00	91.30	181.27	8,852.10	5,210.37	-4,960.63	-1,849.15	5,868.50	4.60	450,959.66	634,804.25	N 32°1'42.85"	W 104°1'51.70"	5,294.07	200.44
	13,921.00	90.15	180.57	8,850.90	5,304.11	-5,055.61	-1,850.67	5,867.30	1.42	450,864.69	634,802.73	N 32°1'42.91"	W 104°1'51.72"	5,383.69	200.11
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	14,016.00	91.17	181.46	8,850.74	5,397.64	-5,150.61	-1,851.93	5,867.28	0.92	450,769.70	634,802.47	N 32°1'41.97"	W 104°1'51.73"	5,473.09	199.77
	14,111.00	89.77	178.47	8,851.18	5,490.84	-5,245.59	-1,849.45	5,867.58	1.34	450,674.72	634,803.96	N 32°1'41.83"	W 104°1'51.72"	5,562.08	199.42
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	14,206.00	90.29	180.41	8,851.13	5,584.16	-5,340.58	-1,848.52	5,867.53	2.11	450,579.74	634,804.88	N 32°1'41.80"	W 104°1'51.71"	5,651.45	199.09
	14,301.00	90.01	181.31	8,850.88	5,677.88	-5,435.57	-1,849.94	5,867.28	0.99	450,484.76	634,803.46	N 32°1'41.71.5"	W 104°1'51.73"	5,741.75	198.80
Time CC 6-7 Fed Com 71H Gyro-IFR1 to 19010R	14,396.00	90.04	179.56	8,850.84	5,771.49	-5,530.56	-1,850.67	5,867.24	1.84	450,389.77	634,802.74	N 32°1'4			

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: TIME CC 6-7 FEDERAL COM	Well Location: T24S / R29E / SEC 6 / NENW / 32.2530229 / -104.0250022	County or Parish/State: EDDY / NM
Well Number: 71H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13996	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554048	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2773444

Type of Submission: Subsequent Report

Date Sundry Submitted: 02/05/2024

Date Operation Actually Began: 11/08/2023

Type of Action: Workover Operations

Time Sundry Submitted: 01:31

Actual Procedure: RUPU 11/08/23, RIH & clean out to PBTD @ 18965', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 9396-18873' Total 1149 holes. Frac in 38 stages w/ 481776BBL Produced Water + 3674BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 28484879# sand, RD Liberty 12/04/23. Well ready to produce 12/11/23. 01/31/24 RIH with 2-3/8" L80 tbg & gas lift set @ 8500', RD 01/31/24.

Well Name: TIME CC 6-7 FEDERAL COM	Well Location: T24S / R29E / SEC 6 / NENW / 32.2530229 / -104.0250022	County or Parish/State: EDDY / NM
Well Number: 71H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13996	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554048	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: FEB 05, 2024 01:30 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 02/07/2024
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name TIME CC 6-7 FEDERAL COM		6. Well Number: 71H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	6	24S	29E	3	450	NORTH	2270	WEST	EDDY
BH:	M	7	24S	29E	13	52	SOUTH	385	WEST	EDDY
13. Date Spudded 08/11/23		14. Date T.D. Reached 09/19/2023		15. Date Rig Released 09/21/2023		16. Date Completed (Ready to Produce) 12/11/2023		17. Elevations (DF and RKB, RT, GR, etc.) 2960' GL		
18. Total Measured Depth of Well 19010'M 8847'V				19. Plug Back Measured Depth 18965'M 8846'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9396-18873' 2 ND BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		432'		14.75"		645sx-surf circ		
7.625" HCL80		26.4		8927'		9.875"		1906sx-surf		
5.5" P110 ICY		20		18990'		6.75"		798sx-TOC@8222'		
24. LINER RECORD										
SIZE	TOP		BOTTOM		SACKS CEMENT		SCREEN			
26. Perforation record (interval, size, and number) 9396-18873' Total 1149 holes, Hole Size=0.42							27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
							DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED	
							9396-18873'		481776BBL Produced Water + 3674BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 28484879# sand	
28. PRODUCTION										
Date First Production 12/16/2023			Production Method (Flowing, gas lift, pumping - Size and type pump) GAS LIFT				Well Status (Prod. or Shut-in) Prod.			
Date of Test 12/19/2023	Hours Tested 24 hrs.	Choke Size 58	Prod'n For Test Period	Oil - Bbl 4337	Gas - MCF 7552	Water - Bbl. 1466	Gas - Oil Ratio 1741			
Flow Tubing Press.	Casing Pressure 1129	Calculated 24- Hour Rate	Oil - Bbl. 4337	Gas - MCF 7552	Water - Bbl. 1466	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD, C-104, As-Drilled C-102, Kickoff Points Form, Final Directional Survey, Completion Sundry C-103										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <i>Jana Mendiola</i>		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>02/15/2024</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 273'	T. Bell Canyon 2810'	T. Ojo Alamo	T. Penn A"
T. Salado 763'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1253'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2755'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3758'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5165'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6677'	T. Todilto	
T. Abo	T. 1st Bone Spring 7667'	T. Entrada	
T. Wolfcamp	T. 2nd Bone Spring 8436'	T. Wingate	
T. Penn	T. 3 rd Bone Spring	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
TIME CC 6-7 FEDERAL COM 71H
API No. 30-015-54048



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 314977

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 314977
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 314977

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 314977
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	5/23/2024