

Submit a Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-37584                                                                        |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No.<br>335388                                                              |
| 7. Lease Name or Unit Agreement Name<br>Knowles Garret Unit                                         |
| 8. Well Number 003                                                                                  |
| 9. OGRID Number<br>332347                                                                           |
| 10. Pool name or Wildcat                                                                            |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL:3740                                          |

|                                                                                                                                                                                                        |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) |  |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                         |  |
| 2. Name of Operator<br>Harvest Petroleum Partners, LLC                                                                                                                                                 |  |
| 3. Address of Operator<br>3300 N A St Bldg 7 Ste 150 Midland, Tx 79705                                                                                                                                 |  |
| 4. Well Location<br>Unit Letter _____ : 1677 feet from the North line and 984 feet from the East line<br>Section _____ Township _____ Range _____ NMPM _____ County _____                              |  |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL:3740                                                                                                                                             |  |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                                   |                                           | SUBSEQUENT REPORT OF:                            |                                          |
|-----------------------------------------------------------|-------------------------------------------|--------------------------------------------------|------------------------------------------|
| PERFORM REMEDIAL WORK <input checked="" type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>           | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/>              | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/> | P AND A <input type="checkbox"/>         |
| PULL OR ALTER CASING <input type="checkbox"/>             | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>       |                                          |
| DOWNHOLE COMMINGLE <input type="checkbox"/>               |                                           |                                                  |                                          |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>               |                                           |                                                  |                                          |
| OTHER: <input type="checkbox"/>                           |                                           | OTHER: <input type="checkbox"/>                  |                                          |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well is down with a bad pump. Plan to move in a pulling unit and replace the pump.

Spud Date:

3/1/2006

Rig Release Date:

3/19/2006

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M.J.P. TITLE Regulatory DATE 04/24/2023  
 Type or print name Matthew Pemelton E-mail address: mpemelton@boazenergy.com PHONE: 432-253-7074  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 Conditions of Approval (if any): \_\_\_\_\_



# NMOCD Production Diagram


Well Name: **KNOWLES GARRETT UNIT 3 (STOVALL # 1)**

|                                        |              |                                                   |         |                                   |                                |                          |                             |                               |                 |  |  |
|----------------------------------------|--------------|---------------------------------------------------|---------|-----------------------------------|--------------------------------|--------------------------|-----------------------------|-------------------------------|-----------------|--|--|
| Main Hole, 5/13/2024 8:15:11 AM        |              | Well Header Setup                                 |         |                                   |                                |                          |                             |                               |                 |  |  |
| <div>Vertical schematic (actual)</div> | MD<br>(ftKB) | Well Name<br>KNOWLES GARRETT UNIT 3 (STOVALL # 1) |         |                                   |                                |                          | API/UWI<br>30-025-37584     |                               |                 |  |  |
|                                        |              | Original KB Elevation (ft)<br>3,751.00            |         | Ground Elevation (ft)<br>3,740.00 |                                | Spud Date<br>3/1/2006    |                             | Rig Release Date<br>3/20/2006 |                 |  |  |
|                                        |              | Surface Legal Location<br>SEC 30 16S-38E          |         |                                   |                                |                          |                             |                               |                 |  |  |
|                                        |              | Casing Data                                       |         |                                   |                                |                          |                             |                               |                 |  |  |
|                                        |              | Surface                                           |         |                                   |                                |                          |                             |                               |                 |  |  |
|                                        |              | Csg Des                                           | OD (in) | Wt (lb/ft)                        | Grade                          | Jts                      | Len (ft)                    | Set Depth (ftKB)              | Run Date        |  |  |
|                                        |              | Surface                                           | 8 5/8   |                                   |                                |                          | 11.00                       | 2,148.3                       | 3/4/2006 00:00  |  |  |
|                                        |              | Surface                                           | 8 5/8   | 24.00                             | J55                            | 1                        | 30.06                       | 2,148.3                       | 3/4/2006 00:00  |  |  |
|                                        |              | Surface                                           | 8 5/8   | 24.00                             | J55                            | 46                       | 2,060.75                    | 2,148.3                       | 3/4/2006 00:00  |  |  |
|                                        |              | Surface                                           | 8 5/8   |                                   |                                |                          | 1.15                        | 2,148.3                       | 3/4/2006 00:00  |  |  |
|                                        |              | Surface                                           | 8 5/8   | 24.00                             | J55                            | 1                        | 44.48                       | 2,148.3                       | 3/4/2006 00:00  |  |  |
|                                        |              | Surface                                           | 8 5/8   |                                   |                                |                          | 0.84                        | 2,148.3                       | 3/4/2006 00:00  |  |  |
|                                        |              | Production                                        |         |                                   |                                |                          |                             |                               |                 |  |  |
|                                        |              | Csg Des                                           | OD (in) | Wt (lb/ft)                        | Grade                          | Jts                      | Len (ft)                    | Set Depth (ftKB)              | Run Date        |  |  |
|                                        |              | Production                                        | 5 1/2   |                                   |                                |                          | 11.00                       | 8,494.7                       | 3/20/2006 00:00 |  |  |
|                                        |              | Production                                        | 5 1/2   | 17.00                             | N80                            |                          | 9.30                        | 8,494.7                       | 3/20/2006 00:00 |  |  |
|                                        |              | Production                                        | 5 1/2   | 17.00                             | N80                            | 159                      | 7,205.75                    | 8,494.7                       | 3/20/2006 00:00 |  |  |
|                                        |              | Production                                        | 5 1/2   | 17.00                             | N80                            | 1                        | 35.40                       | 8,494.7                       | 3/20/2006 00:00 |  |  |
|                                        |              | Production                                        | 5 1/2   | 17.00                             | N80                            | 13                       | 594.31                      | 8,494.7                       | 3/20/2006 00:00 |  |  |
|                                        |              | Production                                        | 5 1/2   |                                   |                                |                          | 1.04                        | 8,494.7                       | 3/20/2006 00:00 |  |  |
| Production                             | 5 1/2        | 17.00                                             | N80     | 13                                | 590.22                         | 8,494.7                  | 3/20/2006 00:00             |                               |                 |  |  |
| Production                             | 5 1/2        |                                                   |         |                                   | 1.12                           | 8,494.7                  | 3/20/2006 00:00             |                               |                 |  |  |
| Production                             | 5 1/2        | 17.00                                             | N80     | 1                                 | 45.28                          | 8,494.7                  | 3/20/2006 00:00             |                               |                 |  |  |
| Production                             | 5 1/2        |                                                   |         |                                   | 1.28                           | 8,494.7                  | 3/20/2006 00:00             |                               |                 |  |  |
| Cement Data                            |              |                                                   |         |                                   |                                |                          |                             |                               |                 |  |  |
| Surface, 2,148.3ftKB                   |              |                                                   |         |                                   |                                |                          |                             |                               |                 |  |  |
| Top Depth (ftKB)<br>0.0                |              |                                                   |         |                                   | Bottom Depth (ftKB)<br>2,148.3 |                          |                             |                               |                 |  |  |
| Production, 8,494.7ftKB                |              |                                                   |         |                                   |                                |                          |                             |                               |                 |  |  |
| Top Depth (ftKB)<br>1,800.0            |              |                                                   |         |                                   | Bottom Depth (ftKB)<br>8,494.7 |                          |                             |                               |                 |  |  |
| Perforation Data                       |              |                                                   |         |                                   |                                |                          |                             |                               |                 |  |  |
| Top Depth (ftKB)<br>8,114.0            |              | Bottom Depth (ftKB)<br>8,218.0                    |         | Date<br>3/30/2006                 |                                | Entered Shot Total<br>18 |                             |                               |                 |  |  |
| Top Depth (ftKB)<br>8,268.0            |              | Bottom Depth (ftKB)<br>8,336.0                    |         | Date<br>3/27/2006                 |                                | Entered Shot Total<br>34 |                             |                               |                 |  |  |
| Tubing Data                            |              |                                                   |         |                                   |                                |                          |                             |                               |                 |  |  |
| Tubing Description<br>TUBING STRING    |              |                                                   |         |                                   |                                |                          | Set Depth (ftKB)<br>8,349.2 |                               |                 |  |  |
| Item Des                               |              |                                                   |         | OD (in)                           |                                | Len (ft)                 |                             |                               |                 |  |  |
| KB                                     |              |                                                   |         | 2 7/8                             |                                | 8.00                     |                             |                               |                 |  |  |
| Tubing subs                            |              |                                                   |         | 2 7/8                             |                                | 6.00                     |                             |                               |                 |  |  |
| TUBING                                 |              |                                                   |         | 2 7/8                             |                                | 7,973.17                 |                             |                               |                 |  |  |
| TAC                                    |              |                                                   |         | 2 7/8                             |                                | 2.80                     |                             |                               |                 |  |  |
| TUBING                                 |              |                                                   |         | 2 7/8                             |                                | 310.51                   |                             |                               |                 |  |  |
| TK99 IPC Tubing                        |              |                                                   |         | 2 7/8                             |                                | 31.75                    |                             |                               |                 |  |  |
| SEATING NIPPLE                         |              |                                                   |         | 2 7/8                             |                                | 1.10                     |                             |                               |                 |  |  |
| OPMA                                   |              |                                                   |         | 2 7/8                             |                                | 15.90                    |                             |                               |                 |  |  |



## NMOCD Production Diagram

Well Name: KNOWLES GARRETT UNIT 3 (STOVALL # 1)



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 336856

CONDITIONS

|                                                                                            |                                               |
|--------------------------------------------------------------------------------------------|-----------------------------------------------|
| Operator:<br>Harvest Petroleum Partners, LLC<br>3300 North "A" Street<br>Midland, TX 79705 | OGRID:<br>332347                              |
|                                                                                            | Action Number:<br>336856                      |
|                                                                                            | Action Type:<br>[C-103] NOI Workover (C-103G) |

CONDITIONS

|            |           |                |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| jagarcia   | None      | 5/23/2024      |