

Submit a Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-045-34454
5. Indicate Type of Lease
STATE [ ] FEE [ ]
6. State Oil & Gas Lease No.
FEDERAL - NMNM12759
7. Lease Name or Unit Agreement Name
CANYON SWD
8. Well Number
1
9. OGRID Number
372171
10. Pool name or Wildcat
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
6329

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)
1. Type of Well: Oil Well [ ] Gas Well [ ] Other - SWD
2. Name of Operator
HILCORP ENERGY COMPANY
3. Address of Operator
382 Road 3100, Aztec, NM 87410
4. Well Location
Unit Letter N : 845 feet from the FSL line and 1945 feet from the FWL line
Section 35 Township 26N Range 11W NMPM San Juan County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
6329

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ]
TEMPORARILY ABANDON [ ] CHANGE PLANS [ ]
PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ]
DOWNHOLE COMMINGLE [ ]
CLOSED-LOOP SYSTEM [ ]
OTHER: [X] MIT
SUBSEQUENT REPORT OF:
REMEDIAL WORK [ ] ALTERING CASING [ ]
COMMENCE DRILLING OPNS. [ ] P AND A [ ]
CASING/CEMENT JOB [ ]
OTHER: [ ]

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

FEDERAL WELL Hilcorp Energy Company requests to conduct a Mechanical Integrity Test on the subject well per the attached procedure. Per 43 CFR 3162.3 - 2. MIT are not referenced as a required item for Form 3160-5 approval.

Spud Date: [ ]

Rig Release Date: [ ]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tammy Jones TITLE Operations/Regulatory Technician - Sr. DATE 5/15/2024

Type or print name Tammy Jones E-mail address: tajones@hilcorp.com PHONE: (505)324-5185

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):



**Hilcorp Energy Company**

**Canyon SWD 1**

**MIT - Notice of Intent**

**API #:3004534454**

**PROCEDURE**

1. Hold a pre-job safety meeting prior to beginning all operations or during a change in operational scope or initiation of SIMOPs.  
Properly document all operations via the JSA process. Ensure that all personnel on sight abide by HEC safety protocol, including PPE, housekeeping, and procedures. Comply with all NMOCD, BLM, and HEC safety and environmental regulations. Verify there is no H2S present prior to beginning operations. If H2S is present, take the necessary actions to ensure that the operation is safe prior to beginning operations. Observe and record pressures across all strings prior to beginning operations. **Notify NMOCD and BLM 24 hours in advance of beginning operations.**
2. Perform bradenhead test to verify bradenhead isolation from the production casing and the tubing.
3. Record current wellhead pressures, ND existing piping on casing valve.
4. RU pump truck, pressure test surface equipment.
5. Load well tubing-casing annulus and pressure test to 500 psi or to pressure as directed by regulatory agency, hold for 30 minutes and chart. Monitor tbg and surface csg pressures during the test.
6. Bleed off pressure, break out surface piping and RD pump truck. NU existing piping.




### Current Schematic - Version 3

Well Name: CANYON SWD #1

API / UWI 3004534454	Surface Legal Location T26N-R11W-S35	Field Name Blanco Mesaverde	Route 0609	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 6,329.00	Original KB/RT Elevation (ft) 6,341.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft) 14.00	KB-Tubing Hanger Distance (ft)

#### Original Hole [Vertical]



**From:** Rennick, Kenneth G <krennick@blm.gov>  
**Sent:** Tuesday, January 4, 2022 10:27 AM  
**To:** Mandi Walker  
**Cc:** Kandis Roland  
**Subject:** Re: [EXTERNAL] MIT NOI's

Hello Mandi,

Refer to 43 CFR 3162.3 - 2. MIT are not referenced as a required item for Form 3160-5 approval. MITs are only required for TA approval as cited in DOI BLM IM 2020-006. But this IM does not require prior approval of MITs, only that one has to be done before TA approval.

Let me know if you need additional clarifications.

Kenny Rennick

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management  
Farmington Field Office  
6251 College Blvd  
Farmington, NM 87402

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 344750

**CONDITIONS**

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 344750
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

**CONDITIONS**

Created By	Condition	Condition Date
mkuehling	Kill check required	5/24/2024