

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-34348
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-5979
7. Lease Name or Unit Agreement Name Oxy Bypass 16 State
8. Well Number #1
9. OGRID Number 14744
10. Pool name or Wildcat Malaga Morrow; West

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator Mewbourne Oil Company	
3. Address of Operator P.O. Box 5270, Hobbs, NM 88241	
4. Well Location Unit Letter M : 990 feet from the S line and 990 feet from the W line Section 16 Township 24S Range 28E NMPM County Eddy	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3035' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

03/07/24 MIRU plugging equipment. Dug out cellar, ND tree, NU Spool & BOP. 03/08/24 RU Brannco wireline, cut tbg @ 12,500'. RD wireline. POH w/ 146 stands & 20' of 2 3/8" tbg. 03/11/24 Tagged TOF @ 12,450'. Set 4 1/2" CIBP @ 12,410'. 03/12/24 Circulated hole w/ 400 bbls MLF & 100 sxs salt gel. Pressure tested csg, held 500 PSI. Spotted 40 sx class H cmt @ 12,410-11,924'. WOC & tagged @ 11,918'. 03/13/24 Spotted 70sx class H cmt @ 10,701-9980'. WOC & Tagged @ 9991'. 03/14/24 Ran 3rd party CBL in 7" csg, tagged 9996' to surface. Spotted 30 sx class H cmt @ 9430-9282'. 03/15/24 RIH & tag TOC @ 9273'. Spotted 25 sx class C cmt w/ 2% CACL @ 6300-6146'. WOC & tagged @ 6135'. Spotted 25 sx class C cmt @ 5065-4911'. WOC. 03/18/24 Tagged @ 4880'. Spotted 25 sx class C cmt @ 2786-2632'. WOC & tagged @ 2620'. Perf'd @ 2360'. Sqz'd 25 sx class C cmt @ 2360-2300'. WOC. 03/19/24 Tagged plug @ 2220'. Perf'd @ 700'. Established injection rate in 9 5/8 only. Pressured up on 13 3/8. ND BOP, & Spool. Sqz'd 260 sx class C cmt @ 700' & circulated to surface in only 9 5/8. 03/20/24 Tagged plug @ 20'. Spotted 5 sx class C cmt @ 20' to surface. Verified cmt at surface. Rigged down & moved off. Moved in backhoe and welder. Cut off well head & anchors. David Alvarado w/ OCD verified cmt @ surface via picture text message. Welded on "Underground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jackie Lathan TITLE Regulatory DATE 03/22/2024

Type or print name Jackie Lathan E-mail address: jlathan@mewbourne.com PHONE: 575-393-5905


For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Mewbourne Operating		PLUGGED	
Author:	Abby @ BCM	Well No.	#1
Well Name	Oxy Bypass 16 State	API #:	30-015-34348
Field	Undg. Malaga Morrow, W	Location	Sec 16, T24S, R28E
County	Eddy		900 FSL & 900 FWL
State	NM	GL	3035
Spud Date	2/15/2006		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		48#	650	17 1/2	700	0
Inter Csg	9 5/8		36#	2,726	12 1/4	830	0
Prod Csg	7		26#	10,635	8 3/4	1,350	2,350
Liner	4 1/2		11.6#	10055-12890	6 1/4	250	10055 CBL



9. Perf'd @ 700'. Established injection rate in 9 5/8 only. Pressured up on 13 3/8. ND BOP, & Spool. Sqz'd 260 sx class C cmt @ 700' & circulated to surface in only 9 5/8. Tagged plug @ 20'. Spotted 5 sx class C cmt @ 20' to surface.

13 3/8 csg set @ 650 with 700 cmt sx

8. Perf'd @ 2360'. Sqz'd 25 sx class C cmt @ 2360-2300'. WOC & Tagged plug @ 2220'.

9 5/8 csg set @ 2,726 with 830 cmt sx

7. Spotted 25 sx class C cmt @ 2786-2632'. WOC & Tagged @ 2620'.

6. Spotted 25 sx class C cmt @ 5065-4911'. WOC & Tagged @ 4880'.

5. Spotted 25 sx class C cmt w/ 2% CACL @ 6300-6146'. WOC & tagged @ 6135'.

4. Ran 3rd party CBL in 7" csg, tagged 9996' to surface. Spotted 30 sx class H cmt @ 9430-9282'.

7 csg set @ 10,635 with 1,350 cmt sx

3. Spotted 70sx class H cmt @ 10,701-9980'. WOC & Tagged @ 9991'.

2. Set 4 1/2 " CIBP @ 12,410'. Circulated hole w/ 400 bbls MLF & 100 sxs salt gel. Pressure tested csg, held 500 PSI. Spotted 40 sx class H cmt @ 12,410-11,924'. WOC & tagged @ 11,918'.

1. Cut tbq @ 12,500'. RD wireline. POH w/ 146 stands & 20' of 2 3/8" tbq. Tagged TOF @ 12,450'. Perfs @ 12,486-12,754

4 1/2 csg set @ 10055-12890 with 250 cmt sx

Formation Tops	
Wolfcamp	9374
Strawn	11412
Atoka	11667
Morrow	12388

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 339385

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 339385
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	well head cut off 3/20/24. CBL in Well File	5/31/2024