

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-37637
5. Indicate Type of Lease STATE X FEE
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Oxy Night Hawk State Com
8. Well Number 001
9. OGRID Number 256073
10. Pool name or Wildcat Anderson Ranch; Morrow, West (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well X Gas Well Other

2. Name of Operator
J R Oil Ltd. Co.

3. Address of Operator
PO Box 2975, Hobbs, NM 88241

4. Well Location
Unit Letter I : 1950 feet from the South line and 900 feet from the East line
Section 20 Township 16S Range 32E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK PLUG AND ABANDON

TEMPORARILY ABANDON CHANGE PLANS

PULL OR ALTER CASING MULTIPLE COMPL

DOWNHOLE COMMINGLE

SUBSEQUENT REPORT OF:

REMEDIAL WORK ALTERING CASING

COMMENCE DRILLING OPNS. P AND A XX

CASING/CEMENT JOB

OTHER: OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Maren Latimer TITLE Agent DATE 05/17/2024

Type or print name Maren Latimer E-mail address: mlatimer@ravenop.com PHONE: 575-691-6790
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Plugging Report
J R Oil Ltd. Co.
Oxy Night Hawk State Com #1
API 30-025-37637

1/23/2024 Moved in rigged up. Killed well and installed BOP. Released on/off tool and POOH with tubing. 385 joints 2 3/8" tubing.

1/24/2024 Set 5.5" CIBP at 12546'. RIH with tubing and tagged CIBP. Circulated MLF and tested casing to 500#. Casing good. Spot 25 sx Class H cement on top of CIBP. POOH and SION.

1/26/2024 Tagged cement at 12313'. Laid down 8 Joints, removed the BOP, and reassembled the wellhead. Left 373 joints in the hole. Rigged down and moved out.

4/30/2024 Set matting board and rigged up. Moved in equipment.


5/1/2024 Installed BOP. Laid down 52 joints. Spot 25 sx Class H at 10454'. POOH to 9152' and spot 25 sx Class H. POOH to 6500' and spot 25 sx Class H. POOH to 5862' and spot 25 sx Class C cement. POOH to 4568' and spot 25 sx cement. POOH and SION.

5/2/2024 Tagged cement at 4305'. Spot 25 sx cement at 3452'. POOH to 2182' and spot 25 sx cement. Perforated casing at 575'. Good communication with the intermediate head. RIH with tubing to 716'. Circulated cement to surface inside the 5.5" casing with 70 sx. Closed the valve on the 5.5" casing and opened the intermediate valve. Circulated cement to surface in the 5 1/2" x 9 5/8" annulus from the perforations at 575' with 120 sx. SION

5/3/2024 Dug out and removed the wellhead. Took 2 sacks to fill up the 5 1/2" casing. Remaining strings were full of cement. Installed marker and removed the anchors.

JR Oil Ltd.

Oxy Night Hawk State #1



WELL NAME: Oxy Night Hawk State #1					FORMATION: Morrow			KB:			
API NO: 30-025-37637					FIELD: Anderson Ranch West			PBTD: 12,858			
SPUD DATE: May 15, 2006					COUNTY: Lea			TD: 12,895			

	CASING					CEMENT & HOLE DATA						
	joints	OD	lb/ft	grade	ID (in)	drift (in)	top	bottom	bit size	depth	sacks	TOC
Surface	15	13 3/8	48.00	H-40	12.715	12.559	0'	642'	17 1/2	642'	600	surf.
Intermediate	101	9 5/8	36, 40	K-55, J-55	8.921	8.679	0'	4,500'	12 1/4	4,518'	1,400	surf.
Production	307	5 1/2	17.00	L-80, P-110	4.892	4.767	0'	12,894'	8 3/4	12,895'	12,840	600' (CBL)

History:

5/15/2006 Spud
 7/12/2006 Completion: drill out cement 12,814' - 58', circ. 6% KCL, clay stabilizer, and pkr fluid, **CBL TOC @ 600'**, perf Morrow, went on slight vac., then running over, built 60 psi in 1.5 hrs, flowed 20 BW in 15 min., SIP 330, SIOWE, SIP 1,150, WL set pkr @ 12,540', RIH production tbg, set bombs in profile, flow 2 days, SI 7 days, SITP 3,500, RTP, IP 476 BOPD, 3,906 MCFD, 0 BWPD, chk 17/64, FTP 2,557
 7/20/2006 Gas analysis: N2 1.0%, CO2 0.4, C1 73.0, C2 12.1, C3 7.8, C4i 1.1, C4n 2.4, C5i 0.6, C5n 0.6, C6+ 1.0, BTU wet 1,331, SG 0.795
 10/21/2022 POOH plunger & BHA, fluid level ~8,500', set F plug in no-go @ 12,557', perf tbg @ 12,510', sheared @ neck 900' from surface, dropped tools to 10,429', attempt fish, catching every collar, jarred to 9,150', wire broke at surface and dropped 9,150' of wire in tubing, RDMO
 3/30/2023 POOH tbg, attempt spool bradied line, had to cut, recovered all wire & tools, attempt to spear blanking plug, attempt to release packer, release OOT, POOH tbg, found pieces of slickline, RBH, attempt spear, stuck, recover spear, attempt to recover plug, stuck, attempt to release packer, RDMO 04/10/2023
 4/17/2023 Swab (3) days
 5/11/2023 Attempt to recover plug, stuck, cut wire, recovered all wire, set plunger, attempt to cycle, no surface
 1/23/2024 POOH tbg
 1/24/2024 CIBP @ 12,546', circ. MLF, test csg, held 500 psi, spot 25 sx class H on CIBP
 1/26/2024 Tag 12,313', RDMO
 5/1/2024 Spot 25sx class H @ 10,454', spot 25 sx class H @ 9,152', spot 25 sx class H @ 6,500', spot 25 sx class C @ 5,862', spot 25 sx @ 4,568'
 5/2/2024 Tag 4,305', spot 25 sx @ 3,452', spot 25 sx @ 2,182', perf 575', circ. 70 sx cement inside 5-1/2, circ. 120 sx up 9-5/8
 5/3/2024 Cut off well head, top off 2 sx inside 5-1/2, install marker, back fill, well P&A'd

PERFORATIONS					
top	bottom	zone	status	ttl shots	date
12,614'	12,676'	Morrow	plugged	48	07/15/06

TUBING (none)					
	OD (in)	ID (in)	joints	length (ft)	depth (ft)
Baker Hornet pkr	5 1/2			7.45	12,551
Pup jt				4.10	12,555
Profile nipple "F"		1.810		1.81	12,557
WLEG	2 3/8			0.41	12,557

RODS (NA)					
	OD (in)	grade	rods	length (ft)	depth (ft)

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 345784

COMMENTS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 345784
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	6/3/2024

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 345784

CONDITIONS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 345784
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	well head cut off 5/3/24 CBL in Well File	5/31/2024