

Released to Imaging: 6/6/2024 9:22:57 AM

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Mewbourne Oil Company PO Box 5270 Hobbs, NM 88241		² OGRID Number 14744
		³ Reason for Filing Code/ Effective Date NW/ 12/24/2021
⁴ API Number 30 – 025-49192	⁵ Pool Name Grama Ridge; Bone Spring, NE	⁶ Pool Code 28435
⁷ Property Code 331196	⁸ Property Name Inland 26/23 B2NK St Com	⁹ Well Number 1H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	26	21S	34E		280	SOUTH	1680 1660	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	23	21S	34E		2555	SOUTH	1900	WEST	LEA
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date 1/1/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Oryx 4000 N Big Spring Suite 400 Midland, TX 79705	O
	3 Bear Energy, LLC 1512 Larimer St #540 Denver, CO 80202	G

IV. Well Completion Data

²¹ Spud Date 9/25/2021	²² Ready Date 1/1/2022	²³ TD 17895	²⁴ PBTB 17854	²⁵ Perforations 10470' – 17,854'	²⁶ DHC, MC N/A
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 ½"	13 3/8" 54.5# J55	1805'	1075		
12 ¼"	9 5/8" 40# HCL80	5960'	700		
8 ¾"	7" 29# HCP110	10730'	850		
6 1/8"	4 ½" 13.5# HCP 110	9771'- 17895'	675		

V. Well Test Data

³¹ Date New Oil 1/1/2022	³² Gas Delivery Date 1/1/2022	³³ Test Date 1/6/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 850
³⁷ Choke Size 64/64"	³⁸ Oil 870	³⁹ Water 2993	⁴⁰ Gas 1222		⁴¹ Test Method Production

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Landon Stallings</i>	OIL CONSERVATION DIVISION Approved by: <i>PATRICIA MARTINEZ</i>
Printed name: Landon Stallings	Title: <i>PETROLEUM SPECIALIST</i>
Title: Petroleum Engineer	Approval Date: <i>6/6/2024</i>
E-mail Address: lstallings@mewbourne.com	
Date: 2/11/2022	Phone: 575-393-5905

Received by OCD: 2/24/2022 11:24:13 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-025-49192		2 Pool Code 28435		3 Pool Name GRAMA RIDGE: BONE SPRING, NE					
4 Property Code 331196		5 Property Name INLAND 26/23 B2NK STATE COM						6 Well Number 1H	
7 OGRID NO. 14744		8 Operator Name MEWBOURNE OIL COMPANY						9 Elevation 3681'	
10 Surface Location 1660									
UL or lot no. N	Section 26	Township 21S	Range 34E	Lot Idn	Feet from the 280	North/South line SOUTH	Feet From the 1680	East/West line WEST	County LEA
11 Bottom Hole Location If Different From Surface									
UL or lot no. K	Section 23	Township 21S	Range 34E	Lot Idn	Feet from the 2555	North/South line SOUTH	Feet from the 1900	East/West line WEST	County LEA
12 Dedicated Acres 240		13 Joint or Infill		14 Consolidation Code		15 Order No.			

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.



Job No.: LS21060584AD



Project: Lea County, NM (NAD83)
 Site: Sec 26-T21S-R34E
 Well: Inland 26-23 B2NK State Com #1H

Map System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone Name: New Mexico Eastern Zone

North
 True North: -0.46°
 Magnetic North: 8.09°
 Magnetic Field
 Strength: 47827.0nT
 Dip Angle: 60.22°
 Date: 7/13/2021
 Model: BGM2021

Wellbore: Wellbore #1
 Design: Surveys

WELL DETAILS

. @ 3709.0usft (597)

	0.0	0.0	Northing	Easting	Latitude	Longitude
			526207.80	815768.30	32° 26' 36.486 N	103° 26' 37.484 W


SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Annotation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
1800.0	0.00	0.00	1800.0	0.0	0.0	0.00	0.00	0.0	
1900.0	0.00	0.00	1900.0	0.0	0.0	0.00	0.00	0.0	Start Build 2.00
2029.9	2.60	140.20	2029.9	-2.3	1.9	2.00	140.20	-2.2	Start 7554.08 hold at 2029.94 MD
9584.0	2.60	140.20	9576.2	-265.4	221.1	0.00	0.00	-260.9	Start Drop -2.00
9714.0	0.00	0.00	9706.1	-267.7	223.0	2.00	180.00	-263.1	Start 100.00 hold at 9713.96 MD
9814.0	0.00	0.00	9806.1	-267.7	223.0	0.00	0.00	-263.1	Start DLS 10.00 TFO 359.50
10718.9	90.49	359.50	10379.0	310.1	217.9	10.00	359.50	314.5	Start 7236.10 hold at 10718.87 MD
17955.0	90.49	359.50	10317.0	7545.7	154.3	0.00	0.00	7547.3	TD at 17954.97

DESIGN TARGET DETAILS

Name	TVD	Northing	Easting	Latitude	Longitude
B2NK PBHL 2542 FSL & 1900 FWL	10317.0	533753.50	815922.60	32° 27' 51.134 N	103° 26' 34.949 W

- plan hits target center



Mewbourne Oil Company**Inland 26-33 B2NK St Com 1H****Patterson 597**

DEPTH	INCLINATION	AZIMUTH	TVD	N/S	E/W
0.00	0.00	0.00	0.00	0.00	0.00
172.00	0.80	233.49	171.99	-0.71	-0.97
356.00	0.60	183.49	355.98	-2.44	-2.06
539.00	0.50	185.49	538.97	-4.19	-2.19
733.00	0.50	172.49	732.97	-5.87	-2.16
1041.00	0.40	158.49	1040.96	-8.21	-1.59
1135.00	0.30	129.49	1134.96	-8.67	-1.28
1230.00	0.40	41.49	1229.95	-8.58	-0.87
1325.00	0.60	21.49	1324.95	-7.87	-0.47
1420.00	0.40	14.49	1419.95	-7.08	-0.20
1515.00	0.30	42.49	1514.95	-6.58	0.05
1610.00	0.40	40.49	1609.94	-6.14	0.43
1704.00	0.40	22.49	1703.94	-5.59	0.77
1767.00	0.80	57.49	1766.94	-5.15	1.23
1848.00	1.33	60.03	1847.92	-4.38	2.52
2037.00	3.32	69.04	2036.76	-1.32	9.53
2226.00	2.99	86.78	2225.48	0.91	19.56
2414.00	3.24	126.16	2413.22	-1.95	28.74
2601.00	3.68	144.27	2599.88	-9.94	36.52
2790.00	3.70	142.61	2788.49	-19.71	43.76
2978.00	4.40	133.97	2976.02	-29.53	52.63
3167.00	5.69	131.66	3164.29	-40.79	64.85
3356.00	4.07	144.10	3352.60	-52.45	75.78
3544.00	2.13	127.33	3540.32	-59.98	82.48
3733.00	1.51	120.88	3729.22	-63.40	87.42
3921.00	2.35	120.41	3917.12	-66.62	92.87
4110.00	2.66	117.51	4105.94	-70.61	100.10
4298.00	4.59	102.11	4293.55	-74.20	111.33
4487.00	3.44	108.33	4482.09	-77.57	124.11
4675.00	2.37	132.46	4669.85	-81.97	132.34
4864.00	2.30	138.80	4858.69	-87.47	137.72
5052.00	3.08	130.75	5046.49	-93.60	144.03
5241.00	3.17	138.70	5235.20	-100.85	151.33
5430.00	2.96	153.06	5423.94	-109.12	156.99
5618.00	3.66	157.04	5611.62	-118.96	161.53
5807.00	4.44	154.38	5800.15	-131.12	167.04
5922.00	5.07	154.81	5914.75	-139.73	171.13
6061.00	5.35	157.91	6053.18	-151.29	176.18
6251.00	4.02	169.91	6242.55	-166.05	180.68
6439.00	3.62	172.37	6430.13	-178.41	182.62

6628.00	3.35	128.62	6618.81	-187.77	187.73
6816.00	3.32	136.33	6806.49	-195.14	195.78
7005.00	3.83	155.23	6995.13	-204.83	202.20
7193.00	3.81	152.08	7182.71	-216.05	207.75
7382.00	3.51	174.18	7371.34	-227.34	211.28
7570.00	3.10	159.72	7559.03	-237.82	213.62
7758.00	2.90	155.30	7746.77	-246.91	217.37
7945.00	2.64	158.01	7933.55	-255.19	220.96
8133.00	0.62	196.14	8121.47	-260.18	222.29
8321.00	0.56	248.91	8309.46	-261.50	221.15
8510.00	0.68	264.44	8498.45	-261.93	219.19
8700.00	1.37	288.33	8688.42	-261.33	215.92
8891.00	1.76	328.61	8879.36	-258.10	212.22
9082.00	1.24	75.65	9070.32	-255.08	212.69
9270.00	1.10	35.18	9258.28	-253.10	215.70
9458.00	1.79	2.93	9446.22	-248.68	216.89
9646.00	2.64	348.89	9634.08	-241.49	216.21
9707.00	2.54	349.61	9695.02	-238.78	215.69
9816.00	8.62	1.62	9803.45	-228.23	215.49
9863.00	13.97	359.59	9849.53	-219.03	215.55
9910.00	18.29	1.33	9894.67	-205.97	215.68
9959.00	22.53	1.02	9940.58	-188.89	216.02
10006.00	26.36	1.31	9983.36	-169.45	216.42
10053.00	29.15	0.98	10024.95	-147.57	216.86
10100.00	31.47	2.37	10065.52	-123.86	217.56
10147.00	35.10	2.87	10104.80	-98.10	218.74
10194.00	39.49	0.08	10142.18	-69.64	219.44
10241.00	43.21	358.54	10177.46	-38.60	219.05
10288.00	47.89	358.59	10210.37	-5.07	218.21
10336.00	52.02	358.56	10241.24	31.66	217.30
10383.00	55.63	358.39	10268.98	69.58	216.29
10430.00	61.08	358.25	10293.63	109.56	215.11
10477.00	64.71	358.54	10315.04	151.37	213.94
10524.00	69.07	359.55	10333.48	194.58	213.23
10571.00	73.88	0.92	10348.41	239.13	213.42
10619.00	78.28	1.20	10359.95	285.70	214.28
10666.00	82.66	1.09	10367.73	332.04	215.21
10696.00	85.86	0.61	10370.73	361.88	215.65
10855.00	90.15	359.59	10376.26	520.74	215.93
10948.00	90.22	359.68	10375.96	613.74	215.34
11043.00	90.22	358.80	10375.59	708.73	214.08
11137.00	90.21	359.47	10375.24	802.72	212.66
11232.00	90.61	359.42	10374.56	897.71	211.74
11327.00	90.54	359.31	10373.61	992.70	210.69
11421.00	90.53	358.85	10372.73	1086.68	209.19
11515.00	90.48	359.90	10371.91	1180.67	208.16
11610.00	90.40	359.63	10371.18	1275.67	207.78

11705.00	90.49	359.69	10370.45	1370.66	207.21
11799.00	90.46	359.08	10369.67	1464.66	206.20
11894.00	91.00	359.60	10368.46	1559.64	205.11
11987.00	90.99	359.59	10366.84	1652.62	204.45
12081.00	90.56	359.31	10365.57	1746.61	203.56
12175.00	90.73	359.32	10364.50	1840.60	202.44
12270.00	91.54	359.36	10362.62	1935.57	201.35
12364.00	91.32	359.30	10360.28	2029.54	200.25
12459.00	91.44	359.78	10357.99	2124.51	199.48
12554.00	91.48	359.90	10355.57	2219.48	199.21
12648.00	91.42	359.51	10353.19	2313.44	198.73
12742.00	90.63	359.64	10351.51	2407.43	198.04
12836.00	90.86	359.83	10350.28	2501.42	197.60
12931.00	90.80	0.01	10348.90	2596.41	197.46
13026.00	90.56	360.00	10347.78	2691.40	197.46
13120.00	90.31	0.15	10347.06	2785.40	197.59
13214.00	90.36	359.38	10346.52	2879.39	197.20
13308.00	90.27	359.54	10346.00	2973.39	196.31
13403.00	90.23	359.38	10345.59	3068.38	195.41
13497.00	90.56	359.60	10344.94	3162.38	194.58
13592.00	90.57	359.77	10344.00	3257.37	194.06
13686.00	90.21	359.48	10343.36	3351.37	193.44
13781.00	91.02	359.57	10342.35	3446.36	192.66
13875.00	90.48	359.33	10341.12	3540.34	191.75
13970.00	90.39	359.53	10340.40	3635.34	190.81
14064.00	90.48	359.74	10339.69	3729.33	190.21
14158.00	90.44	359.39	10338.94	3823.33	189.50
14253.00	90.68	359.55	10338.01	3918.32	188.63
14347.00	90.88	359.55	10336.73	4012.31	187.89
14441.00	90.26	359.01	10335.80	4106.29	186.71
14536.00	90.22	359.07	10335.41	4201.28	185.13
14630.00	90.32	359.01	10334.97	4295.26	183.56
14724.00	90.55	359.35	10334.26	4389.25	182.21
14819.00	90.35	359.56	10333.52	4484.24	181.30
14913.00	90.45	359.12	10332.87	4578.24	180.22
15008.00	90.76	359.47	10331.87	4673.22	179.06
15102.00	90.21	359.69	10331.08	4767.22	178.37
15196.00	90.25	359.22	10330.70	4861.21	177.48
15291.00	90.25	359.42	10330.29	4956.20	176.35
15385.00	90.08	359.71	10330.02	5050.20	175.64
15479.00	89.72	359.26	10330.17	5144.20	174.79
15573.00	90.49	359.94	10330.00	5238.19	174.13
15668.00	90.95	359.17	10328.81	5333.18	173.39
15762.00	91.51	359.16	10326.80	5427.15	172.02
15857.00	91.22	358.80	10324.54	5522.11	170.33
15951.00	91.67	359.29	10322.17	5616.06	168.76
16046.00	91.40	359.88	10319.63	5711.03	168.08

16140.00	91.40	359.42	10317.33	5805.00	167.50
16234.00	91.08	359.81	10315.30	5898.97	166.87
16329.00	91.13	0.33	10313.46	5993.95	166.99
16424.00	90.83	359.67	10311.83	6088.94	166.99
16519.00	90.90	359.66	10310.39	6183.93	166.43
16613.00	91.13	359.62	10308.73	6277.91	165.85
16707.00	90.98	359.63	10307.00	6371.89	165.23
16801.00	91.34	359.73	10305.10	6465.87	164.70
16895.00	90.64	359.54	10303.47	6559.86	164.10
16990.00	90.69	359.55	10302.37	6654.85	163.34
17084.00	91.00	359.48	10300.98	6748.83	162.54
17179.00	91.13	359.42	10299.22	6843.81	161.63
17273.00	91.30	359.25	10297.23	6937.78	160.54
17368.00	90.71	359.20	10295.56	7032.76	159.26
17462.00	90.66	359.41	10294.44	7126.75	158.12
17556.00	91.28	359.38	10292.85	7220.73	157.13
17650.00	90.60	359.46	10291.30	7314.71	156.18
17744.00	90.65	359.26	10290.28	7408.70	155.13
17839.00	89.89	359.91	10289.83	7503.69	154.44
17878.00	89.75	359.95	10289.96	7542.69	154.39
17895.00	89.75	359.95	10290.03	7559.69	154.37

VERT SEC	DLS
0.00	0.00
-0.73	0.47
-2.48	0.34
-4.24	0.06
-5.92	0.06
-8.24	0.05
-8.69	0.21
-8.59	0.52
-7.87	0.28
-7.08	0.22
-6.58	0.21
-6.13	0.11
-5.57	0.13
-5.12	0.83
-4.32	0.66
-1.13	1.07
1.31	0.54
-1.36	1.12
-9.20	0.63
-18.81	0.06
-28.45	0.49
-39.46	0.69
-50.90	1.02
-58.29	1.13
-61.60	0.34
-64.71	0.44
-68.55	0.18
-71.91	1.14
-75.02	0.65
-79.25	0.85
-84.63	0.14
-90.64	0.46
-97.74	0.23
-105.89	0.42
-115.64	0.39
-127.68	0.43
-136.20	0.55
-147.66	0.29
-162.33	0.87
-174.65	0.23

-183.90	1.38
-191.10	0.24
-200.66	0.68
-211.76	0.11
-222.98	0.76
-233.41	0.49
-242.42	0.16
-250.63	0.16
-255.59	1.16
-256.93	0.28
-257.40	0.11
-256.87	0.42
-253.72	0.60
-250.69	1.27
-248.64	0.44
-244.20	0.55
-237.03	0.53
-234.33	0.18
-223.78	5.65
-214.58	11.41
-201.52	9.25
-184.44	8.65
-164.99	8.15
-143.11	5.96
-119.39	5.15
-93.61	7.75
-65.15	10.00
-34.12	8.20
-0.61	9.97
36.09	8.60
73.98	7.69
113.93	11.59
155.71	7.73
198.90	9.49
243.44	10.60
290.02	9.18
336.36	9.33
366.21	10.78
525.04	2.78
618.01	0.12
712.95	0.93
806.89	0.72
901.85	0.43
996.80	0.13
1090.73	0.49
1184.68	1.12
1279.65	0.30

1374.61	0.12
1468.56	0.65
1563.50	0.79
1656.45	0.02
1750.40	0.54
1844.35	0.18
1939.28	0.85
2033.20	0.24
2128.14	0.52
2223.08	0.14
2317.02	0.41
2410.97	0.85
2504.93	0.32
2599.90	0.20
2694.87	0.24
2788.85	0.32
2882.82	0.83
2976.78	0.19
3071.73	0.17
3165.69	0.42
3260.65	0.17
3354.62	0.49
3449.57	0.86
3543.52	0.63
3638.47	0.23
3732.44	0.24
3826.40	0.37
3921.35	0.30
4015.31	0.21
4109.25	0.88
4204.18	0.08
4298.12	0.13
4392.06	0.44
4487.01	0.30
4580.96	0.47
4675.91	0.49
4769.87	0.63
4863.82	0.49
4958.77	0.21
5052.73	0.35
5146.69	0.61
5240.66	1.09
5335.61	0.94
5429.53	0.59
5524.43	0.48
5618.34	0.70
5713.27	0.68

5807.21	0.49
5901.15	0.53
5996.11	0.55
6091.08	0.77
6186.04	0.08
6279.99	0.24
6373.94	0.15
6467.89	0.39
6561.84	0.77
6656.79	0.06
6750.74	0.33
6845.68	0.15
6939.62	0.26
7034.55	0.62
7128.49	0.22
7222.43	0.65
7316.37	0.72
7410.32	0.21
7505.28	1.04
7544.27	0.39
7561.27	0.04

LAST SVY
PROJ TO BIT / TD

Intent ☐ As Drilled ☒

API # 30-025-49192		
Operator Name: Mewbourne Oil Co.	Property Name: Inland 26/23 B2NK State Com	Well Number 1H

Kick Off Point (KOP)

UL N	Section 26	Township 21S	Range 34E	Lot	Feet 39	From N/S S	Feet 1893	From E/W W	County LEA
Latitude 32.4428077					Longitude -103.4430537				NAD 83

First Take Point (FTP)

UL N	Section 26	Township 21S	Range 34E	Lot	Feet 429	From N/S S	Feet 1895	From E/W W	County LEA
Latitude 32.4438629					Longitude -103.4430485				NAD 83

Last Take Point (LTP)

UL K	Section 23	Township 21S	Range 34E	Lot	Feet 2516	From N/S S	Feet 1900	From E/W W	County LEA
Latitude 32.4641303					Longitude -103.4430427				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐ YIs this well an infill well? ☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit 1 Copy To Appropriate District

Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505WELL API NO.
30-025-491925. Indicate Type of Lease
STATE ☒ FEE ☐6. State Oil & Gas Lease No.
B0015800277. Lease Name or Unit Agreement Name
Inland 26/23 B2NK St Com

8. Well Number 1H

9. OGRID Number 14744

10. Pool name or Wildcat
Grama Ridge; Bone Spring, NE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

MEWBOURNE OIL CO

3. Address of Operator

PO BOX 5270, Hobbs, NM 88241

4. Well Location

Unit Letter _____ N _____ : _____ 2800 _____ feet from the _____ S _____ line and _____ 1680 _____ feet from the _____ W _____ line

Section 26 Township 21S Range 34E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3681' KB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: Completion Sundry ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/7/2021 Frac horizontal Bone Springs w/14751450 gals brackish slickwater, carrying 13690538# local 100 mesh sand & 4745420# local 40/70 sand Perf. 10,470-17,854

12/29/2021 Drillout frac plugs to PBTD @ 17854'

01/01/2022 Put well on production

Spud Date:

9/26/2021 9/25/2021

Rig Release Date:

10/20/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Landon Stallings TITLE Petroleum Engineer DATE 2/11/2022Type or print name Landon Stallings E-mail address: lstallings@mewbourne.com PHONE: 575-393-5905**For State Use Only**

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
		1. WELL API NO. 30-025-49192			2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN					
		3. State Oil & Gas Lease No. B001580027								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					5. Lease Name or Unit Agreement Name Inland 26/23 B2NK St Com					
					6. Well Number: 1H					
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator MEWBOURNE OIL CO					9. OGRID 14744					
10. Address of Operator P.O. Box 5270, Hobbs, NM 88241					11. Pool name or Wildcat Grama Ridge; Bone Spring, NE					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	26	21S	34E		280	S	1680	W	LEA
BH:	K	23	21S	34E		2555	S	1900	W	LEA
13. Date Spudded 9/25/2021	14. Date T.D. Reached 10/17/2021	15. Date Rig Released 10/20/2021		16. Date Completed (Ready to Produce) 12/24/2021 1/1/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3681' GR				
18. Total Measured Depth of Well 17895'		19. Plug Back Measured Depth 17854'		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run				
22. Producing Interval(s), of this completion - Top, Bottom, Name 10470' - 17854' Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.50		1805		17 1/2"		1075		
9 5/8"		40		5960		12 3/4"		700		
7"		29		10730		8 3/4"		850		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
4 1/2"	9771	17895	675			SIZE		DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number) 10470-17854, 0.39", 1,332					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 10470-17854 AMOUNT AND KIND MATERIAL USED Frac horizontal Bone Springs w/14751450 gals brackish slickwater, carrying 13690538# local 100 mesh sand & 4745420# local 40/70 sand					
28. PRODUCTION										
Date First Production 1/1/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) Prod				
Date of Test 1/6/2022	Hours Tested 24	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 870	Gas - MCF 1222	Water - Bbl. 2993	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure 850	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD						30. Test Witnessed By Landon Stallings				
31. List Attachments Direction Survey, C-103, AS DRILLED C-102, C-104, Kick off points & Wellbore schematic										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date: 01/02/2021				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature	Landon Stallings		Printed Name Landon Stallings	Title Petroleum Engineer	Date 10/11/2021					
E-mail Address lstallings@mewbourne.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1740	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 2195	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3635	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 3880	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 5640	T. Morrison	
T. Drinkard	T. Bone Springs 8350	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

Mewbourne Oil Company

Well Name: Inland 26/23 B2NK St Com #1H

Updated by: Landon Stallings

Spud Date: 09/25/2021

Date Updated: 02/07/2022

Surface

17 1/2" x 13 1/4" 54.5# J55
Set @ 1805'
Cmt w/ 1075 sx
Circ, 273 sx to pit

Intermediate

12 1/4" x 9 1/4" 40# HCL80
Set @ 5960'
Cmt w/ 700 sx
Circ, 112 sx to pit

Production

8 3/4" x 7" 29# HCP110
Set @ 10730'
Cmt w/ 850 sx
Circ, 22 sx to pit

Liner

6 1/8" x 4 1/2" 13.5# HCP110
Set @ 9771' - 17895'
TOC @ 9771'

KOP @ 9707'
Dev @ KOP: 2.54°

TVD @ 10290'
TD 6 1/8" hole @ 17,895'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 83967

ACKNOWLEDGMENTS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 83967
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 83967

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 83967
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/6/2024