

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.	
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	
8. Well Number	
9. OGRID Number	
10. Pool name or Wildcat	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ 2. Name of Operator 3. Address of Operator 4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____ 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/2/24
 Conditions of Appro _____


Well Name: RED LAKE 28 N ST 2

Reference Datum: KB

API/Surface Loc 3001534002	Surface Legal Location 30015340020000	Field Name Artesia	State/Province New Mexico	Well Purpose Production
Spud Date 4/29/2005 00:00	Original KB Elevation (ft) 3,691.0	Ground Elevation (ft) 3,684.0	KB-Ground Distance (ft) 7.0	
PSTD (All) (ftKB) Original Hole - 3,688		Total Depth All (TVD) (ftKB)		

Production, RED LAKE 28 N STATE 2 - Original Hole, 7/1/2024 3:36:39 PM

Vertical schematic (proposed)



Wellbore Sections

Section Des	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date
Surface	12 1/4	7.0	551.0	4/29/2005
Prod 1	7 7/8	551.0	3,760.0	4/30/2005

Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Surface	8 5/8	24.00	J-55	551.00
Prod 1	5 1/2	15.50	J-55	3,744.00

Cement Stages

Des	String	Top (ftKB)	Btm (ftKB)	Start Date
Surface	Surface, 551.00ftKB, 8 5/8	7.00	551.00	4/29/2005
Production	Prod 1, 3,744.00ftKB, 5 1/2	7.00	3,744.00	5/7/2005

Tubing Strings

Tubing Description	Run Date		String Length (ft)	Set Depth (ft)(5)			
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Rod Strings

Rod Description	Run Date	String Length (ft)	Set Depth (ft)(B)				
Item Des	Jts	Make/Mfg	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Other In Hole

Des	Icon	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date
Bridge Plug - Temporary		4.95	3,382	3,384	

Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Current Status
5/12/2005	PERFORATED	3,432	3,438	1.0	
5/12/2005	PERFORATED	3,452	3,453	1.0	
5/12/2005	PERFORATED	3,474	3,475	1.0	
5/12/2005	PERFORATED	3,480	3,483	1.0	
5/12/2005	PERFORATED	3,490	3,490	1.0	
5/12/2005	PERFORATED	3,497	3,498	1.0	
5/12/2005	PERFORATED	3,507	3,507	1.0	
5/12/2005	PERFORATED	3,533	3,535	1.0	
5/12/2005	PERFORATED	3,538	3,542	1.0	
5/12/2005	PERFORATED	3,547	3,576	1.0	
5/12/2005	PERFORATED	3,588	3,592	1.0	
5/12/2005	PERFORATED	3,623	3,624	1.0	
5/12/2005	PERFORATED	3,635	3,639	1.0	
5/12/2005	PERFORATED	3,653	3,656	1.0	
5/12/2005	PERFORATED	3,661	3,661	1.0	

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
5/7/2005	Float	3,688	

Schematic Annotations

Start Date	Depth (ftKB)	Annotation

Well Name: RED LAKE 28 N ST 2

Reference Datum: KB

API/Surface Loc 3001534002	Surface Legal Location 30015340020000	Field Name Artesia	State/Province New Mexico	Well Purpose Production
Spud Date 4/29/2005 00:00	Original KB Elevation (ft) 3,691.0	Ground Elevation (ft) 3,684.0	KB-Ground Distance (ft) 7.0	

Production, RED LAKE 28 N STATE 2 - Original Hole, 7/1/2024
3:35:18 PM

Wellbore Sections

Section Des	Size (in)	Act Top (ftKB)	Act Blm (ftKB)	Act Blm (TVD) (ftKB)	Start Date
Surface	12 1/4	7.0	551.0		4/29/2005
Prod 1	7 7/8	551.0	3,760.0		4/30/2005

Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Surface	8 5/8	24.00	J-55	551.00
Prod 1	5 1/2	15.50	J-55	3,744.00

Cement Stages

Des	String	Top (ftKB)	Blm (ftKB)	Start Date
Surface	Surface, 551.00ftKB, 8 5/8	7.00	551.00	4/29/2005
Production	Prod 1, 3,744.00ftKB, 5 1/2	7.00	3,744.00	5/7/2005

Tubing Strings

Tubing Description	Run Date	String Length (ft)	Set Depth (ftKB)
Tubing	5/18/2005	3,651.82	3,656.8


Item Des	Jts	Maka/ Manuf acturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Tubing	104			2 7/8	21.00	J-55	3,295.75
Anchor/catcher	1			2 7/8			2.68
Tubing	10			2 7/8	21.00	J-55	315.97
Pump Seating Nipple	1			2 7/8			1.10
Perforated Joint	1			2 7/8			4.12
Tubing	1			2 7/8	21.00	J-55	31.82
Bull Plug	1			2 7/8			0.38

Perforations: Top & Bottom Perfs of Wellbore

Date	Top (ftKB)	Blm (ftKB)	Top (TVD) (ftKB)	Shot Dens (shots/ft)	Entered Shot Total
5/12/2005	3,432	3,438		1.0	6
Date	Top Depth (ftKB)	Bottom Depth (ftKB)	Blm (TVD) (ftKB)	Shot Dens (sh...)	Entered Shot...

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
5/7/2005	Float	3,688	



Perforations: Top & Bottom Perfs of Wellbore

Date	Top Depth (ftKB)	Blm (ftKB)	Top (TVD) (ftKB)	Shot Dens...
5/12/2005	3,432	3,438		1.0
Date	Top Depth (ftKB)	Blm (ftKB)	Blm (TVD) (ftKB)	Shot Dens...

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
5/7/2005	Float	3,688	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 360522

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 360522
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	7/2/2024