

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.	
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	
8. Well Number	
9. OGRID Number	
10. Pool name or Wildcat	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ 2. Name of Operator 3. Address of Operator 4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____ 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/2/24
 Conditions of Approv _____



WBD Proposed


Well Name: OUTLAW STATE #004

Reference Datum: KB

API/Surface Loc 3001542565	Surface Legal Location UL-P SEC 29 T17S R28E	Field Name Artesia	State/Province New Mexico	Well Purpose Production
Spud Date 7/26/2015 23:30	Original KB Elevation (ft) 3,707.0	Ground Elevation (ft) 3,696.0	KB-Ground Distance (ft) 11.0	
PBTD (All) (ftKB) Original Hole - 4,958		Total Depth All (TVD) (ftKB) Original Hole - 4,999.5		

Production, Outlaw State 4 - Original Hole,
7/1/2024 3:25:19 PM

Vertical schematic (proposed)



Wellbore Sections

Section Des	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date
Conductor	24	11.0	51.0	7/14/2015
Surface	11	51.0	432.0	7/26/2015
Production 1	7 7/8	432.0	5,000.0	7/27/2015

Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Conductor	20	94.00	J-55	51.00
Surface	8 5/8	24.00	J-55	432.00
Prod 1	5 1/2	17.00	L-80	5,000.00

Cement Stages

Des	String	Top (ftKB)	Btm (ftKB)	Start Date
Primary Cement	Surface, 432.00ftKB, 8 5/8	11.00	432.00	7/27/2015
Primary Cement	Prod 1, 5,000.00ftKB, 5 1/2	11.00	5,000.00	7/30/2015

Tubing Strings

Tubing Description		Run Date		String Length (ft)		Set Depth (ftKB)	
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Rod Strings

Rod Strings							
Rod Description	Run Date		String Length (ft)	Set Depth (ftKB)			
Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Other In Hole

Des	Icon	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date
Bridge Plug - Temporary		4.95	3,210	3,212	

Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Current Status
8/5/2015	Cased Hole	3,260	3,260	1.0	
8/5/2015	Cased Hole	3,270	3,270	1.0	
8/5/2015	Cased Hole	3,278	3,278	1.0	
8/5/2015	Cased Hole	3,307	3,307	1.0	
8/5/2015	Cased Hole	3,342	3,342	1.0	
8/5/2015	Cased Hole	3,356	3,356	1.0	
10/16/2015	Cased Hole	3,362	3,362	1.0	Proposed (3,362 - 3,768 ftKB)
10/16/2015	Cased Hole	3,366	3,366	1.0	
10/16/2015	Cased Hole	3,373	3,373	1.0	
8/5/2015	Cased Hole	3,380	3,380	1.0	
8/5/2015	Cased Hole	3,410	3,410	1.0	
8/5/2015	Cased Hole	3,440	3,440	1.0	
8/5/2015	Cased Hole	3,453	3,453	1.0	
8/5/2015	Cased Hole	3,460	3,460	1.0	
8/5/2015	Cased Hole	3,472	3,472	1.0	
8/5/2015	Cased Hole	3,478	3,478	1.0	
10/16/2015	Cased Hole	3,485	3,485	1.0	
8/5/2015	Cased Hole	3,492	3,492	1.0	
10/16/2015	Cased Hole	3,496	3,496	1.0	
10/16/2015	Cased Hole	3,503	3,503	1.0	
8/5/2015	Cased Hole	3,510	3,510	1.0	
10/16/2015	Cased Hole	3,515	3,515	1.0	




WBD Proposed

Well Name: OUTLAW STATE #004

Reference Datum: KB

API/Surface Loc 3001542565	Surface Legal Location UL-P SEC 29 T17S R28E	Field Name Artesia	State/Province New Mexico	Well Purpose Production
Spud Date 7/26/2015 23:30	Original KB Elevation (ft) 3,707.0	Ground Elevation (ft) 3,696.0	KB-Ground Distance (ft) 11.0	
PBTD (All) (ftKB) Original Hole - 4,958		Total Depth All (TVD) (ftKB) Original Hole - 4,999.5		

**Production, Outlaw State 4 - Original Hole,
7/1/2024 3:25:20 PM**
Vertical schematic (proposed)

Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Current Status
10/16/2015	Cased Hole	3,520	3,520	1.0	
8/5/2015	Cased Hole	3,526	3,526	1.0	
8/5/2015	Cased Hole	3,535	3,535	1.0	
10/16/2015	Cased Hole	3,550	3,550	1.0	
10/16/2015	Cased Hole	3,555	3,555	1.0	
10/16/2015	Cased Hole	3,560	3,560	1.0	
10/16/2015	Cased Hole	3,565	3,565	1.0	
10/16/2015	Cased Hole	3,570	3,570	1.0	
10/16/2015	Cased Hole	3,577	3,577	1.0	
8/5/2015	Cased Hole	3,580	3,580	1.0	
8/5/2015	Cased Hole	3,586	3,586	1.0	
10/16/2015	Cased Hole	3,592	3,592	1.0	
10/16/2015	Cased Hole	3,600	3,600	1.0	
8/5/2015	Cased Hole	3,605	3,605	1.0	
10/16/2015	Cased Hole	3,616	3,616	1.0	
10/16/2015	Cased Hole	3,624	3,624	1.0	
10/16/2015	Cased Hole	3,634	3,634	1.0	
8/5/2015	Cased Hole	3,638	3,638	1.0	
10/16/2015	Cased Hole	3,650	3,650	1.0	
8/5/2015	Cased Hole	3,660	3,660	1.0	
10/16/2015	Cased Hole	3,663	3,663	1.0	
10/16/2015	Cased Hole	3,670	3,670	1.0	
8/5/2015	Cased Hole	3,678	3,678	1.0	
10/16/2015	Cased Hole	3,684	3,684	1.0	
10/16/2015	Cased Hole	3,695	3,695	1.0	
10/16/2015	Cased Hole	3,705	3,705	1.0	
10/16/2015	Cased Hole	3,714	3,714	1.0	
10/16/2015	Cased Hole	3,747	3,747	1.0	
10/16/2015	Cased Hole	3,754	3,754	1.0	
10/16/2015	Cased Hole	3,768	3,768	1.0	
8/5/2015	Cased Hole	3,782	3,782	1.0	
8/5/2015	Cased Hole	3,788	3,788	1.0	
8/5/2015	Cased Hole	3,794	3,794	1.0	
8/5/2015	Cased Hole	3,800	3,800	1.0	
8/5/2015	Cased Hole	3,830	3,830	1.0	
8/5/2015	Cased Hole	3,835	3,835	1.0	



WBD Proposed


Well Name: OUTLAW STATE #004

Reference Datum: KB

API/Surface Loc 3001542565	Surface Legal Location UL-P SEC 29 T17S R28E	Field Name Artesia	State/Province New Mexico	Well Purpose Production
Spud Date 7/26/2015 23:30	Original KB Elevation (ft) 3,707.0	Ground Elevation (ft) 3,696.0	KB-Ground Distance (ft) 11.0	
PBSD (All) (ftKB) Original Hole - 4,958		Total Depth All (TVD) (ftKB) Original Hole - 4,999.5		

Production, Outlaw State 4 - Original Hole,
7/1/2024 3:25:21 PM

Vertical schematic (proposed)



Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Current Status
8/5/2015	Cased Hole	3,840	3,840	1.0	
8/5/2015	Cased Hole	3,856	3,856	1.0	
8/5/2015	Cased Hole	3,870	3,870	1.0	
8/5/2015	Cased Hole	3,875	3,875	1.0	
8/5/2015	Cased Hole	3,890	3,890	1.0	
8/5/2015	Cased Hole	3,894	3,894	1.0	

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
8/4/2015	Cement Plug	5,958	
11/21/2016	Float	4,958	4,957

Schematic Annotations

Start Date	Depth (ftKB)	Annotation

Well Name: OUTLAW STATE #004

Reference Datum: KB

API Surface Loc 3001542565		Surface Legal Location UL-P SEC 29 T17S R28E		Field Name Artesia		State/Province New Mexico		Well Purpose Production	
Spud Date 7/26/2015 23:30		Original KB Elevation (ft) 3,707.0		Ground Elevation (ft) 3,696.0		KB-Ground Distance (ft) 11.0			

Production, Outlaw State 4 - Original Hole, 7/1/2024 3:22:01 PM

Vertical schematic (actual)

Conductor;
11.00-
51.00;
20; J-55

Surface;
11.16-
432.00; 8
5/8; J-55

Plug
Back
Total
Depth;
4,958.00;
11/21/20
16

Prod 1;
11.31-
5,000.00;
5 1/2; L-
80

TD -
Outlaw
State 4 -
Original
Hole;
5,000.00

Survey

Incl (°)
0.40 → 1.10
DLS (°/100...
0.00 → 0.80

Section Des	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Act Btm (TVD) (ftKB)	Start Date
Conductor	24	11.0	51.0		7/14/2015
Surface	11	51.0	432.0	432.0	7/26/2015
Production 1	7 7/8	432.0	5,000.0	4,999.5	7/27/2015

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Conductor	20	94.00	J-55	51.00
Surface	8 5/8	24.00	J-55	432.00
Prod 1	5 1/2	17.00	L-80	5,000.00

Des	String	Top (ftKB)	Btm (ftKB)	Start Date
Primary Cement	Surface, 432.00ftKB, 8 5/8	11.00	432.00	7/27/2015
Primary Cement	Prod 1, 5,000.00ftKB, 5 1/2	11.00	5,000.00	7/30/2015

Tubing Description	Run Date	String Length (ft)	Set Depth (ftKB)
Tubing - Workstring	6/30/2024	68.10	68.0

Item Des	Jts	Make/Manuf acturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Tubing Pup Joint	1			2 7/8	6.50	J-55	4.10
Tubing	2		T&C Upset	2 7/8	6.50	J-55	64.00

Date	Top (ftKB)	Btm (ftKB)	Top (TVD) (ftKB)	Shot Dens (shots/ft)	Entered Shot Total
8/5/2015	3,260	3,260	3,260	1.0	
10/16/2015	3,362	3,362	3,362	1.0	

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
8/4/2015	Cement Plug	5,958	
11/21/2016	Float	4,958	4,957

Date	Top Depth (ftKB)	Btm (ftKB)	Top (TVD) (ftKB)	Shot Den...
8/5/2015	3,260	3,260	3,260	1.0
10/16/2015	3,362	3,362	3,362	1.0

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
8/4/2015	Cement Plug	5,958	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 360504

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 360504
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	7/2/2024