

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 02/10/2024
⁴ API Number 30-015-54095	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8604	⁶ Pool Code 98220
⁷ Property Code: 334580	⁸ Property Name: CHUCK SMITH MDP1 8-17 FEDERAL COM	⁹ Well Number: 26H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	5	24S	31E		279	SOUTH	1490	EAST	EDDY

¹¹ Bottom Hole Location FTP: 176' FNL 499' FEL LTP: 185' FSL 352' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	17	24S	31E		48	SOUTH	349	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 02/11/24		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 09/05/23	²² Ready Date 02/10/24	²³ TD 23102'M 12560'V	²⁴ PBTB 23060'M 12560'V	²⁵ Perforations 12740-22965'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5"		13.375"		793'	995
12.25"		9.625"		11840'	3860
8.75" X 8.5"		7" X 5.5"		23082'	2535

V. Well Test Data

³¹ Date New Oil 02/17/24	³² Gas Delivery Date 02/11/24	³³ Test Date 03/05/24	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2055
³⁷ Choke Size 70	³⁸ Oil 2109	³⁹ Water 8313	⁴⁰ Gas 11181		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
REGULATORY ADVISOR

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 04/03/2024 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: *PETROLEUM SPECIALIST*

Approval Date: *7/3/2024*

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-54095	² Pool Code 98220	³ Pool Name PURPLE SAGE WOLFCAMP
⁴ Property Code 334580	⁵ Property Name CHUCK SMITH MDP1 8 17 FED COM	⁶ Well Number 26H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3453'


¹⁰ Surface Location

UL or lot no. O	Section 5	Township 24S	Range 31E	Lot Idn	Feet from the 279	North/South line SOUTH	Feet from the 1490	East/West line EAST	County EDDY
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. P	Section 17	Township 24S	Range 31E	Lot Idn	Feet from the 48	North/South line SOUTH	Feet from the 349	East/West line EAST	County EDDY
¹² Dedicated Acres 640.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8604						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



All bearings and coordinates refer to New Mexico State Plane coordinate system, East Zone, U.S. Survey Feet.

Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99977581 and a Convergence Angle: 0.27195833°




OXY



Borehole:		Well:	Field:	Structure:
Chuck Smith MDP1 8-17 Fed Com 26H		Chuck Smith MDP1 8-17 Fed Com 26H	NM Eddy County (NAD 83)	Oxy Chuck Smith MDP1 8-17 Fed Com Pad Section 5 Lot O
Gravity & Magnetic Parameters				Miscellaneous
Model: IFR1	Dip: 59.829°	Date: 14-Dec-2023	Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet	Chuck Smith
MagDec: 6.542°	FS: 47499.1nT	Gravity FS: 998.439mgn (9.80665 Based)	Lat: N 32 14 23.57 Northing: 451416.96RUS Grid Conv: 0.2866°	MDP1 8-17 Fed
			Lon: W 103 47 46.09 Easting: 707428.19HUS Scale Fact: 0.99994069	Com 26H
				Plan: Oxy Chuck Smith MDP1 8-17 Fed Com 26H Rev 5 AR 29Nov23

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,479.00
Adjusted RKB, 26-14=12	12.00	0.00	0.00	12.00	0.00	0.00	0.00	-3,467.00
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,453.00
First Gyro Survey	98.25	0.23	55.76	98.25	-0.07	0.08	0.12	-3,380.75
Last Gyro Survey	736.06	1.95	40.07	736.00	-8.55	9.60	8.82	-2,743.10
First SLB Survey	865.00	1.80	48.88	864.77	-11.21	12.61	11.76	-2,614.23
Wolfcamp A Intersection	11,724.32	1.07	160.91	11,684.00	168.53	-90.35	701.45	8,205.00
KOP	11,920.00	2.10	103.37	11,879.65	171.36	-93.04	702.90	8,400.65
Enter Lateral Window	13,376.00	89.54	176.56	12,548.00	1,183.22	-1,065.55	1,108.14	9,069.00
Exit Lateral Window	13,569.00	88.19	181.43	12,551.99	1,374.81	-1,258.45	1,107.40	9,072.99
Enter Lateral Window	14,394.00	89.68	177.95	12,566.47	2,193.34	-2,082.48	1,104.73	9,087.47
Exit Lateral Window	15,590.00	89.55	181.73	12,572.10	3,381.66	-3,278.01	1,107.76	9,093.10
Enter Lateral Window	17,018.00	90.48	177.56	12,561.57	4,801.80	-4,704.76	1,129.36	9,082.57
Exit Lateral Window	17,717.00	88.54	180.52	12,558.37	5,497.24	-5,403.43	1,139.89	9,079.37
Section 8-17 Line Cross	17,866.44	88.79	179.23	12,561.81	5,645.81	-5,552.82	1,140.98	9,082.81
Enter Lateral Window	18,016.00	91.15	178.95	12,562.43	5,794.63	-5,702.35	1,143.06	9,083.43
LTP / 100ft FSL	23,050.88	89.31	178.76	12,559.48	10,800.75	-10,733.68	1,201.81	9,080.48
Final Survey	23,062.00	89.33	178.89	12,559.61	10,811.82	-10,744.80	1,202.04	9,080.61
Projection to Total Depth	23,102.00	89.33	178.89	12,560.08	10,851.64	-10,784.79	1,202.82	9,081.08



Vertical Section (ft) Azim = 173.55° Scale = 1:2700.00(ft) Origin = ON-S, 0E/W



Oxy Chuck Smith MDP1 8-17 Fed Com 26H Gyro+IFR1 Surveys to 23102ft
Survey Geodetic Report
DefinitiveSurvey

Report Date: January 02, 2024 - 07:16 PM (UTC 0)
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Chuck Smith MDP1 8-17 Fed Com Pad Section 5 Lot O / Chuck Smith MDP1 8-17 Fed Com 26H
Well: Chuck Smith MDP1 8-17 Fed Com 26H
Borehole: Chuck Smith MDP1 8-17 Fed Com 26H
UBHI / API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Chuck Smith MDP1 8-17 Fed Com 26H Gyro+IFR1 Surveys to January 02, 2024
Tort / AHD / DDI / ERD Ratio: 302.172 "/>11573.156 ft / 6.808 / 0.920
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°14'23.56519" , W 103°47'46.09101"
Location Grid N/E Y/X: N 451416.960 RUS , E 707428.190 RUS
CRS Grid Convergence Angle: 0.287°
Grid Scale Factor: 0.99994069
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 173.554 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3479.000 ft above MSL
Seabed / Ground Elevation: 3453.000 ft above MSL
Magnetic Declination: 6.542°
Total Gravity Field Strength: 998.438mgn (8.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47499.1 nT
Magnetic Dip Angle: 59.829°
Declination Date: December 14, 2023
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.255°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WFP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.479.00	0.00	451,416.96	707,428.19	N 32°14'23.57"	W 103°47'46.09"	0.00	0.00
Adjusted RKB, 26-14+12	12.00	0.00	0.00	12.00	0.00	0.00	0.00	-3.467.00	0.00	451,416.96	707,428.19	N 32°14'23.57"	W 103°47'46.09"	0.00	0.00
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.453.00	0.00	451,416.96	707,428.19	N 32°14'23.57"	W 103°47'46.09"	0.00	0.00
First Gyro Survey	98.25	0.23	55.76	98.25	-0.07	0.08	0.12	-3.380.75	0.32	451,417.04	707,428.31	N 32°14'23.57"	W 103°47'46.09"	0.15	55.76
	127.35	0.23	55.20	127.35	-0.12	0.15	0.22	-3.351.65	0.01	451,417.11	707,428.41	N 32°14'23.57"	W 103°47'46.09"	0.26	55.64
	155.78	0.30	52.06	155.78	-0.19	0.23	0.32	-3.323.22	0.25	451,417.19	707,428.51	N 32°14'23.57"	W 103°47'46.09"	0.39	54.90
	184.36	0.38	46.87	184.36	-0.28	0.34	0.45	-3.294.64	0.30	451,417.30	707,428.64	N 32°14'23.57"	W 103°47'46.09"	0.56	53.17
	212.49	0.45	46.37	212.49	-0.41	0.48	0.60	-3.266.51	0.25	451,417.44	707,428.79	N 32°14'23.57"	W 103°47'46.08"	0.76	51.42
	256.37	0.62	42.87	256.37	-0.67	0.77	0.88	-3.222.63	0.39	451,417.73	707,429.07	N 32°14'23.57"	W 103°47'46.08"	1.17	48.95
	299.53	0.74	47.27	299.52	-0.98	1.13	1.25	-3.179.48	0.30	451,418.09	707,429.44	N 32°14'23.58"	W 103°47'46.08"	1.68	47.83
	343.39	0.89	39.04	343.38	-1.39	1.59	1.67	-3.135.62	0.43	451,418.55	707,429.86	N 32°14'23.58"	W 103°47'46.07"	2.30	46.47
	387.09	1.07	42.59	387.07	-1.89	2.15	2.16	-3.091.93	0.43	451,419.11	707,430.35	N 32°14'23.59"	W 103°47'46.07"	3.05	45.13
	430.14	1.25	42.13	430.11	-2.47	2.79	2.75	-3.048.89	0.42	451,419.75	707,430.94	N 32°14'23.59"	W 103°47'46.06"	3.92	44.51
	474.03	1.43	43.36	473.99	-3.14	3.55	3.44	-3.005.01	0.42	451,420.51	707,431.63	N 32°14'23.60"	W 103°47'46.05"	4.95	44.15
	517.91	1.59	42.95	517.86	-3.89	4.39	4.24	-2.961.14	0.37	451,421.35	707,432.42	N 32°14'23.61"	W 103°47'46.04"	6.10	43.96
	561.72	1.75	42.62	561.65	-4.72	5.33	5.10	-2.917.35	0.37	451,422.29	707,433.29	N 32°14'23.62"	W 103°47'46.03"	7.38	43.75
	605.45	1.86	41.99	605.36	-5.63	6.35	6.03	-2.873.64	0.26	451,423.31	707,434.22	N 32°14'23.63"	W 103°47'46.02"	8.75	43.52
	648.60	1.87	43.72	648.48	-6.55	7.38	6.98	-2.830.52	0.13	451,424.34	707,435.17	N 32°14'23.64"	W 103°47'46.01"	10.16	43.43
	692.38	1.87	46.24	692.24	-7.52	8.46	7.91	-2.786.76	0.49	451,425.42	707,436.10	N 32°14'23.65"	W 103°47'46.00"	11.58	43.07
	736.06	1.95	40.07	735.90	-8.55	9.60	8.82	-2.743.10	0.29	451,426.56	707,437.01	N 32°14'23.66"	W 103°47'45.99"	13.03	42.57
	865.00	1.80	48.88	864.77	-11.21	12.61	11.76	-2.614.23	0.25	451,429.57	707,439.95	N 32°14'23.69"	W 103°47'45.95"	17.24	42.99
	959.00	1.89	50.39	958.72	-12.90	14.57	14.06	-2.520.28	0.11	451,431.53	707,442.25	N 32°14'23.71"	W 103°47'45.93"	20.25	43.99
	1,054.00	1.76	48.51	1,053.67	-14.59	16.53	16.36	-2.425.33	0.15	451,433.49	707,444.55	N 32°14'23.73"	W 103°47'45.90"	23.26	44.70
	1,148.00	1.57	46.74	1,147.63	-16.19	18.37	18.38	-2.331.37	0.21	451,435.33	707,446.57	N 32°14'23.75"	W 103°47'45.88"	25.99	45.01
	1,242.00	1.59	46.02	1,241.59	-17.76	20.16	20.26	-2.237.41	0.03	451,437.12	707,448.45	N 32°14'23.76"	W 103°47'45.85"	28.58	45.14
	1,336.00	1.50	47.27	1,335.56	-19.28	21.90	22.10	-2.143.44	0.10	451,438.86	707,450.29	N 32°14'23.78"	W 103°47'45.83"	31.11	45.26
	1,429.00	1.63	44.37	1,428.53	-20.84	23.67	23.92	-2.050.47	0.16	451,440.63	707,452.11	N 32°14'23.80"	W 103°47'45.81"	33.65	45.30
	1,523.00	1.54	45.42	1,522.49	-22.46	25.52	25.75	-1.956.51	0.10	451,442.47	707,453.94	N 32°14'23.82"	W 103°47'45.79"	36.25	45.27
	1,617.00	1.49	44.04	1,616.46	-24.02	27.28	27.50	-1.862.54	0.07	451,444.24	707,455.69	N 32°14'23.83"	W 103°47'45.77"	38.74	45.23
	1,712.00	0.95	100.17	1,711.44	-24.58	28.03	29.14	-1.767.56	1.31	451,444.98	707,457.32	N 32°14'23.84"	W 103°47'45.75"	40.43	46.11
	1,806.00	1.13	122.72	1,805.42	-23.77	27.39	30.68	-1.673.58	0.47	451,444.35	707,458.87	N 32°14'23.83"	W 103°47'45.73"	41.13	48.25
	1,900.00	1.11	117.70	1,899.40	-22.68	26.47	32.27	-1.579.60	0.11	451,443.42	707,460.46	N 32°14'23.83"	W 103°47'45.71"	41.73	50.64
	1,994.00	1.12	121.72	1,993.39	-21.60	25.56	33.86	-1.485.61	0.08	451,442.52	707,462.04	N 32°14'23.82"	W 103°47'45.70"	42.42	52.95
	2,088.00	1.19	113.81	2,087.37	-20.54	24.88	35.53	-1.391.63	0.19	451,441.64	707,463.72	N 32°14'23.81"	W 103°47'45.68"	43.26	55.21
	2,182.00	1.14	115.64	2,181.35	-19.55	23.88	37.27	-1.297.65	0.07	451,440.84	707,465.46	N 32°14'23.80"	W 103°47'45.66"	44.26	57.34
	2,277.00	1.19	107.97	2,276.33	-18.64	23.17	39.06	-1.202.67	0.17	451,440.13	707,467.25	N 32°14'23.79"	W 103°47'45.63"	45.41	59.32
	2,371.00	1.13	113.22	2,370.31	-17.78	22.50	40.84	-1.108.69	0.13	451,439.46	707,469.03	N 32°14'23.79"	W 103°47'45.61"	46.63	61.14
	2,464.00	1.27	115.42	2,463.29	-16.78	21.70	42.61	-1.015.71	0.16	451,438.66	707,470.80	N 32°14'23.78"	W 103°47'45.59"	47.82	63.01
	2,558.00	1.31	113.90	2,557.27	-15.69	20.82	44.53	-921.73	0.06	451,437.78	707,472.72	N 32°14'23.77"	W 103°47'45.57"	49.16	64.95
	2,653.00	1.26	114.74	2,652.24	-14.60	19.94	46.48	-826.76	0.06	451,436.90	707,474.66	N 32°14'23.76"	W 103°47'45.55"	50.57	66.78
	2,747.00	1.26	112.49	2,746.22	-13.56	19.11	48.37	-732.78	0.05	451,436.07	707,476.58	N 32°14'23.75"	W 103°47'45.53"	52.01	68.44
	2,841.00	1.08	110.24	2,840.20	-12.67	18.41	50.16	-638.80	0.20	451,435.37	707,478.34	N 32°14'23.74"	W 103°47'45.51"	53.43	69.84
	2,935.00	0.90	110.15	2,934.18	-11.94	17.85	51.68	-544.82	0.19	451,434.81	707,479.87	N 32°14'23.74"	W 103°47'45.49"	54.68	70.94
	3,027.00	0.92	107.42	3,026.17	-11.31	17.38	53.06	-452.83	0.05	451,434.34	707,481.25	N 32°14'23.73"	W 103°47'45.47"	55.84	71.86
	3,096.00	0.94	110.45	3,095.16	-10.83	17.02	54.12	-383.84	0.08	451,433.98	707,482.31	N 32°14'23.73"	W 103°47'45.46"	56.74	72.54
	3,180.00	0.90	108.77	3,180.15	-10.17	16.51	55.64	-288.73	0.05	451,433.47	707,483.73	N 32°14'23.73"	W 103°47'45.44"	57.34	73.46
	3,284.00	0.80	114.56	3,283.14	-9.52	16.00	56.84	-195.86	0.14	451,432.96	707,485.03	N 32°14'23.72"	W 103°47'45.43"	59.05	74.28
	3,378.00	0.79	96.31	3,377.13	-9.04	15.66	58.08	-101.87	0.27	451,432.62	707,486.27	N 32°14'23.72"	W 103°47'45.41"	60.15	74.91
	3,472.00	1.04	98.96	3,471.12	-8.67	15.45	59.57	-7.88	0.27	451,432.41	707,487.75	N 32°14'23.72"	W 103°47'45.40"	61.54	75.46
	3,560.00	1.35	101.95	3,559.08	-7.52	14.73	63.42	180.08	0.17	451,431.69	707,491.61	N 32°14'23.71"	W 103°47'45.35"	65.11	76.93
	3,753.00	1.57	113.22	3,752.05	-6.54	14.00	65.86	273.05	0.39	451,430.96	707,493.65	N 32°14'23.70"	W 103°47'45.33"	67.14	77.96
	3,847.00	1.52	114.59	3,846.02	-5.25	13.29	67.98	367.02	0.07	451,429.92	707,496.16	N 32°14'23.69"	W 103°47'45.30"	69.20	79.20
	3,941.00	1.99	117.58	3,939.97	-3.69	11.68	70.55	460.97	0.51	451,428.64	707,498.74	N 32°14'23.68"	W 103°47'45.27"	71.51	80.60
	4,035.00	2.32	80.78	4,033.91	-2.87	11.23	73.88	554.91	1.48	451,428.19	707,502.06	N 32°14'23.67"	W 103°47'45.23"	74.73	81.36
	4,128.00	4.57	53.37	4,126.74	-4.82	13.74	78.71	647.74	2.93	451,430.70	707,506.89	N 32°14'23.70"	W 103°47'45.17"	79.90	80.09
	4,316.00	8.90	64.28	4,313.41	-13.39	24.53	97.83	834.41	2.39	451,441.49	707,526.02	N 32°14'23.80"	W 103°47'44.95"	100.86	75.92
	4,410.00	9.21	75.89	4,406.24	-16.82	29.55	111.67	927.24	1.94	451,446.50	707,539.86	N 32°14'23.85"	W 103°47'44.79"	115.52	75.18
	4,504.00	8.8													

	19,186.00	1.83	79.16	9,156.47	133.75	-60.75	653.65	5,677.47	0.10	451,356.21	708,081.80	N 32°14'22.93"	W 103°47'38.48"	656.46	95.31
	9,290.00	1.93	85.37	9,250.42	133.68	-60.34	656.70	5,771.42	0.24	451,356.62	708,084.85	N 32°14'22.94"	W 103°47'38.45"	659.47	95.25
	9,384.00	1.64	86.89	9,344.37	133.61	-60.44	656.82	5,782.37	0.31	451,356.83	708,087.77	N 32°14'22.94"	W 103°47'38.41"	662.35	95.21
	9,477.00	1.41	89.87	9,437.34	134.01	-60.06	662.00	5,863.34	0.26	451,356.91	708,090.24	N 32°14'22.94"	W 103°47'38.39"	664.81	95.18
	9,571.00	1.34	94.00	9,531.31	134.33	-60.13	664.35	6,052.31	0.13	451,356.83	708,092.49	N 32°14'22.94"	W 103°47'38.36"	667.06	95.17
	9,665.00	1.19	104.85	9,625.29	134.89	-60.46	666.39	6,146.29	0.30	451,356.51	708,094.53	N 32°14'22.93"	W 103°47'38.34"	669.12	95.18
	9,759.00	1.16	110.16	9,719.27	135.67	-61.04	668.22	6,240.27	0.12	451,355.93	708,096.37	N 32°14'22.93"	W 103°47'38.31"	671.00	95.22
	9,852.00	1.10	113.28	9,812.24	136.65	-61.81	670.15	6,333.24	0.27	451,355.16	708,098.30	N 32°14'22.92"	W 103°47'38.29"	672.99	95.27
	9,946.00	1.52	107.90	9,906.21	137.74	-62.65	672.39	6,427.21	0.19	451,354.32	708,100.54	N 32°14'22.91"	W 103°47'38.27"	675.30	95.30
	10,040.00	1.42	101.70	10,000.18	138.61	-63.27	674.72	6,521.18	0.20	451,353.70	708,102.87	N 32°14'22.91"	W 103°47'38.24"	677.68	95.36
	10,133.00	1.51	109.46	10,093.15	139.51	-63.91	677.00	6,614.15	0.23	451,353.06	708,105.15	N 32°14'22.90"	W 103°47'38.21"	680.01	95.39
	10,226.00	1.57	122.29	10,186.12	140.84	-65.00	679.23	6,707.12	0.38	451,351.97	708,107.38	N 32°14'22.89"	W 103°47'38.19"	682.34	95.47
	10,320.00	1.62	130.90	10,280.08	142.62	-66.55	681.33	6,801.08	0.28	451,350.41	708,109.47	N 32°14'22.87"	W 103°47'38.16"	684.57	95.58
	10,414.00	1.83	123.73	10,374.04	145.73	-66.26	683.48	6,895.04	0.32	451,348.71	708,113.73	N 32°14'22.86"	W 103°47'38.14"	686.98	95.70
	10,508.00	2.01	124.64	10,467.99	146.62	-67.03	686.16	6,989.09	0.19	451,346.94	708,114.33	N 32°14'22.86"	W 103°47'38.11"	689.15	95.83
	10,602.00	1.89	122.97	10,561.93	148.69	-71.81	688.84	7,082.93	0.14	451,345.16	708,116.99	N 32°14'22.82"	W 103°47'38.08"	692.57	95.95
	10,696.00	1.59	125.48	10,655.89	150.54	-73.41	691.20	7,176.89	0.33	451,343.56	708,119.35	N 32°14'22.80"	W 103°47'38.05"	695.09	96.06
	10,790.00	1.29	134.66	10,749.86	152.24	-74.91	693.02	7,270.86	0.40	451,342.06	708,121.16	N 32°14'22.79"	W 103°47'38.03"	697.05	96.17
	10,884.00	1.42	142.05	10,843.83	154.05	-76.57	694.49	7,364.83	0.23	451,340.39	708,122.63	N 32°14'22.77"	W 103°47'38.01"	698.89	96.29
	10,978.00	1.38	146.72	10,937.81	156.06	-78.44	695.92	7,458.81	0.13	451,338.53	708,123.97	N 32°14'22.76"	W 103°47'37.99"	700.23	96.43
	11,072.00	1.12	137.47	11,031.78	157.81	-80.06	697.07	7,552.78	0.35	451,336.91	708,125.21	N 32°14'22.74"	W 103°47'37.98"	701.65	96.55
	11,166.00	0.90	149.02	11,125.77	159.22	-81.37	698.07	7,646.77	0.32	451,335.60	708,126.21	N 32°14'22.73"	W 103°47'37.97"	702.79	96.65
	11,260.00	1.02	154.64	11,219.75	160.69	-82.76	698.80	7,740.75	0.16	451,334.21	708,126.95	N 32°14'22.71"	W 103°47'37.96"	703.69	96.75
	11,353.00	0.93	157.19	11,312.74	162.19	-84.20	699.45	7,833.74	0.11	451,332.76	708,127.60	N 32°14'22.70"	W 103°47'37.95"	704.50	96.86
	11,447.00	0.81	161.37	11,406.73	163.64	-85.60	699.98	7,927.73	0.08	451,331.37	708,128.13	N 32°14'22.69"	W 103°47'37.95"	705.19	96.97
	11,541.00	1.03	154.71	11,500.72	165.15	-87.02	700.77	8,021.72	0.19	451,329.91	708,128.74	N 32°14'22.67"	W 103°47'37.94"	705.98	97.08
	11,635.00	1.10	172.24	11,594.70	166.86	-88.71	701.06	8,115.70	0.35	451,328.25	708,129.20	N 32°14'22.65"	W 103°47'37.93"	706.65	97.21
	11,724.32	1.07	160.91	11,684.00	168.53	-90.35	701.45	8,205.00	0.24	451,326.62	708,129.59	N 32°14'22.64"	W 103°47'37.93"	707.24	97.34
	11,729.00	1.07	160.30	11,688.68	168.61	-90.43	701.48	8,209.68	0.24	451,326.53	708,129.62	N 32°14'22.64"	W 103°47'37.93"	707.28	97.35
	11,790.00	0.84	169.57	11,749.68	169.61	-91.41	701.75	8,270.68	0.45	451,325.56	708,129.80	N 32°14'22.63"	W 103°47'37.93"	707.68	97.42
	11,859.00	0.77	181.43	11,818.67	170.58	-92.37	701.92	8,339.67	0.27	451,324.60	708,129.87	N 32°14'22.62"	W 103°47'37.93"	707.89	97.50
	11,920.00	2.10	103.37	11,879.65	171.36	-93.04	702.90	8,400.65	3.43	451,323.93	708,131.05	N 32°14'22.61"	W 103°47'37.91"	709.03	97.54
	11,943.00	2.85	97.64	11,902.63	171.64	-93.21	703.88	8,423.63	3.43	451,323.76	708,132.02	N 32°14'22.61"	W 103°47'37.90"	710.02	97.54
	12,037.00	1.38	92.65	11,995.10	174.32	-94.14	719.50	8,516.10	14.41	451,322.83	708,147.05	N 32°14'22.60"	W 103°47'37.72"	725.64	97.45
	12,131.00	25.54	127.67	12,083.11	190.61	-107.21	748.96	8,604.11	16.12	451,309.76	708,177.10	N 32°14'22.47"	W 103°47'37.38"	756.59	98.18
	12,225.00	27.84	144.88	12,167.46	222.86	-136.34	779.83	8,698.46	6.69	451,280.63	708,206.47	N 32°14'22.18"	W 103°47'37.04"	790.18	99.94
	12,319.00	30.86	143.66	12,249.70	261.88	-172.49	805.94	8,784.48	4.22	451,244.48	708,234.08	N 32°14'21.82"	W 103°47'36.72"	824.19	102.08
	12,412.00	54.59	143.34	12,324.12	309.92	-217.10	838.97	8,845.12	12.61	451,199.87	708,267.11	N 32°14'21.38"	W 103°47'36.34"	866.61	104.51
	12,506.00	53.82	143.59	12,386.66	370.47	-273.33	880.62	8,907.66	11.95	451,143.65	708,308.75	N 32°14'20.82"	W 103°47'35.85"	922.06	107.24
	12,600.00	62.47	144.40	12,436.23	439.86	-337.87	927.49	8,957.23	9.23	451,079.11	708,355.62	N 32°14'20.18"	W 103°47'35.31"	987.11	110.02
	12,694.00	64.34	150.97	12,475.37	516.73	-410.08	973.03	8,996.37	8.91	451,008.90	708,401.16	N 32°14'19.46"	W 103°47'34.77"	1,055.91	112.85
	12,788.00	71.57	160.09	12,505.31	598.11	-482.97	1,008.76	9,027.68	11.33	450,922.88	708,437.66	N 32°14'18.68"	W 103°47'34.36"	1,122.85	115.45
	12,882.00	77.97	165.25	12,527.63	691.00	-508.63	1,026.32	9,061.69	6.44	450,838.75	708,465.04	N 32°14'17.79"	W 103°47'34.05"	1,187.25	119.15
	12,975.00	85.40	170.89	12,541.08	782.50	-668.18	1,055.87	9,062.08	9.99	450,748.82	708,484.00	N 32°14'16.90"	W 103°47'33.84"	1,249.54	122.33
	13,069.00	89.96	172.71	12,545.70	876.32	-761.09	1,069.26	9,066.70	4.25	450,655.91	708,497.38	N 32°14'15.98"	W 103°47'33.69"	1,312.47	125.44
	13,162.00	90.06	172.87	12,546.50	969.31	-853.35	1,080.93	9,067.50	1.20	450,563.66	708,509.06	N 32°14'15.07"	W 103°47'33.56"	1,377.18	128.29
	13,191.00	92.24	172.09	12,546.68	998.30	-862.10	1,084.73	9,067.68	3.90	450,534.91	708,512.85	N 32°14'14.78"	W 103°47'33.51"	1,398.12	129.12
	13,216.00	93.11	171.93	12,546.99	1,027.32	-869.62	1,087.50	9,067.54	1.00	450,514.54	708,516.16	N 32°14'14.54"	W 103°47'33.47"	1,419.56	129.88
	13,310.00	89.87	171.90	12,547.66	1,117.25	-999.91	1,101.50	9,068.66	0.60	450,417.11	708,529.63	N 32°14'13.62"	W 103°47'33.33"	1,487.66	132.23
	13,376.00	89.54	176.56	12,548.00	1,183.22	-1,065.55	1,108.14	9,069.00	7.08	450,351.47	708,536.26	N 32°14'12.97"	W 103°47'33.25"	1,537.33	133.88
	13,404.00	89.40	178.54	12,548.26	1,211.15	-1,093.53	1,109.33	9,069.26	7.08	450,323.50	708,537.45	N 32°14'12.69"	W 103°47'33.24"	1,557.70	134.59
	13,498.00	88.53	181.56	12,549.96	1,304.52	-1,187.50	1,109.25	9,070.96	3.34	450,229.53	708,537.37	N 32°14'11.76"	W 103°47'33.25"	1,624.99	136.95
	13,589.00	87.19	181.43	12,551.09	1,374.81	-1,274.60	1,107.46	9,071.69	0.50	450,159.58	708,537.85	N 32°14'11.06"	W 103°47'33.27"	1,675.40	138.65
	13,591.00	88.09	181.39	12,552.71	1,396.60	-1,280.43	1,106.86	9,073.71	0.51	450,136.61	708,534.98	N 32°14'10.84"	W 103°47'33.27"	1,692.52	139.16
	13,685.00	87.80	182.13	12,556.08	1,489.57	-1,374.32	1,103.97	9,077.08	0.85	450,042.72	708,532.09	N 32°14'09.91"	W 103°47'33.32"	1,762.81	141.23
	13,779.00	88.20	184.11	12,559.36	1,582.20	-1,468.12	1,098.86	9,080.36	2.15	449,948.93	708,526.98	N 32°14'09.88"	W 103°47'33.38"	1,833.81	143.19
	13,872.00	88.46	182.54	12,562.07	1,673.81	-1,560.92	1,093.47	9,083.07	1.71	449,856.13	708,521.59	N 32°14'08.07"	W 103°47'33.45"	1,905.82	144.99
	13,967.00	89.67	181.11	12,563.62	1,767.81	-1,655.86	1,090.44	9,084.62	1.97	449,761.20	708,518.57	N 32°14'07.13"	W 103°47'33.46"	1,982.66	146.63
	14,060.00	90.57	180.62	12,566.23	1,860.17	-1,748.85	1,090.01	9,085.23	1.22	449,668.22	708,518.14	N 32°14'06.22"	W 103°47'33.50"	2,060.73	148.07
	14,154.00	88.61	177.34	12,565.73	1,953.81	-1,842.79	1,092.67	9,086.73	2.44	449,574.28	708,520.79	N 32°14'05.28"	W 103°47'33.48"	2,142.39	149.33
	14,248.00	89.40	177.07	12,566.54	2,047.62	-1,936.68	1,097.25	9,087.54	1.93	449,480.40	708,525.38	N 32°14'04.35"	W 103°47'33.43"	2,225.91	150.47
	14,343.00	90.91	176.75	12,566.28</											

21,374.00	89.49	179.68	12,562.18	9,133.88	-9,058.76	1,179.29	9,083.18	0.24	442,358.76	708,607.41	N 32°12'53.87"	W 103°47'32.89"	9,135.20	172.58	
21,467.00	90.18	179.77	12,562.45	9,226.34	-9,151.76	1,179.74	9,083.45	0.75	442,265.77	708,607.86	N 32°12'52.95"	W 103°47'32.89"	9,227.48	172.65	
21,561.00	89.64	179.48	12,562.59	9,319.82	-9,245.75	1,180.36	9,083.59	0.65	442,171.77	708,608.47	N 32°12'52.02"	W 103°47'32.89"	9,320.79	172.72	
21,654.00	89.89	179.92	12,562.98	9,412.28	-9,338.75	1,180.84	9,083.98	0.54	442,078.78	708,608.96	N 32°12'51.10"	W 103°47'32.89"	9,413.11	172.79	
21,748.00	89.46	180.29	12,563.51	9,505.67	-9,432.75	1,180.67	9,084.51	0.60	441,984.79	708,608.79	N 32°12'50.17"	W 103°47'32.90"	9,506.35	172.87	
21,842.00	89.98	179.78	12,563.97	9,599.06	-9,526.75	1,180.61	9,084.97	0.77	441,890.80	708,608.73	N 32°12'49.24"	W 103°47'32.90"	9,599.62	172.94	
21,935.00	90.21	180.47	12,563.81	9,691.45	-9,619.75	1,180.41	9,084.81	0.78	441,797.80	708,608.53	N 32°12'48.32"	W 103°47'32.91"	9,691.90	173.00	
22,029.00	88.76	180.41	12,564.66	9,784.77	-9,713.74	1,179.69	9,085.66	1.54	441,703.82	708,607.81	N 32°12'47.39"	W 103°47'32.93"	9,785.11	173.08	
22,123.00	86.82	182.05	12,568.28	9,877.85	-9,807.64	1,177.67	9,089.28	2.70	441,609.92	708,605.79	N 32°12'46.46"	W 103°47'32.95"	9,878.09	173.15	
22,217.00	87.58	182.42	12,572.88	9,970.66	-9,901.45	1,174.01	9,093.88	0.90	441,516.11	708,602.13	N 32°12'45.53"	W 103°47'33.00"	9,970.81	173.24	
22,311.00	90.56	182.10	12,574.40	10,063.55	-9,995.36	1,170.31	9,095.40	3.19	441,422.22	708,598.42	N 32°12'44.60"	W 103°47'33.05"	10,063.64	173.32	
22,405.00	93.42	180.61	12,571.14	10,156.61	-10,089.26	1,168.08	9,092.14	3.43	441,328.32	708,596.20	N 32°12'43.67"	W 103°47'33.08"	10,156.65	173.40	
22,499.00	93.51	178.12	12,565.46	10,249.95	-10,183.08	1,169.12	9,086.46	2.65	441,234.51	708,597.24	N 32°12'42.75"	W 103°47'33.08"	10,249.97	173.45	
22,592.00	93.21	176.47	12,560.00	10,342.59	-10,275.81	1,173.50	9,081.00	1.80	441,141.78	708,601.62	N 32°12'41.83"	W 103°47'33.03"	10,342.60	173.49	
22,686.00	89.01	175.06	12,558.18	10,436.46	-10,369.51	1,180.44	9,079.18	4.71	441,048.08	708,608.56	N 32°12'40.90"	W 103°47'32.96"	10,436.49	173.51	
22,780.00	90.65	175.69	12,558.46	10,530.43	-10,463.20	1,188.02	9,079.46	1.87	440,954.40	708,616.14	N 32°12'39.97"	W 103°47'32.87"	10,530.43	173.52	
22,874.00	90.13	176.38	12,557.82	10,624.34	-10,556.97	1,194.52	9,078.82	0.92	440,860.63	708,622.64	N 32°12'39.04"	W 103°47'32.80"	10,624.34	173.54	
22,968.00	89.18	177.78	12,558.39	10,718.16	-10,650.85	1,199.31	9,079.39	1.80	440,766.77	708,627.43	N 32°12'38.12"	W 103°47'32.75"	10,718.16	173.58	
23,050.88	89.31	178.76	12,559.48	10,800.75	-10,733.68	1,201.81	9,080.48	1.19	440,683.94	708,629.93	N 32°12'37.30"	W 103°47'32.73"	10,800.75	173.61	
Final Survey	23,062.00	89.33	178.89	12,559.61	10,811.82	-10,744.80	1,202.04	9,080.61	1.19	440,672.82	708,630.16	N 32°12'37.19"	W 103°47'32.72"	10,811.83	173.62
Projection to Total Depth	23,102.00	89.33	178.89	12,560.08	10,851.64	-10,784.79	1,202.82	9,081.08	0.00	440,632.83	708,630.93	N 32°12'36.79"	W 103°47'32.72"	10,851.65	173.64

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 3 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Vendor / Tool	Borehole / Survey
	1	0.000	736.060	Act Stns		GYD_GC+WIR+DPIPE		Chuck Smith MDP1 8-17 Fed Com 26H / Oxy Chuck Smith MDP1 8-17 Fed Com 26H Gyro+IFR1 Surveys to 23102ft
	1	736.060	23,102.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS		Chuck Smith MDP1 8-17 Fed Com 26H / Oxy Chuck Smith MDP1 8-17 Fed Com 26H Gyro+IFR1 Surveys to 23102ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
23,062.000	26.400	26.400	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CHUCK SMITH MDP1 8-17
FEDERAL COM

Well Location: T24S / R31E / SEC 5 /
SWSE / 32.2398792 / -103.7961364

County or Parish/State: EDDY /
NM

Well Number: 26H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM142696

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001554095

Well Status: Producing Oil Well

Operator: OXY USA
INCORPORATED

Subsequent Report

Sundry ID: 2777912

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/05/2024

Date Operation Actually Began: 01/21/2024

Type of Action: Workover Operations

Time Sundry Submitted: 10:12

Actual Procedure: RUPU 01/21/24, RIH & clean out to PBTD @ 23060', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 12740-22965' Total 1230 holes. Frac in 41 stages w/ 577021BBL Produced Water + 33179BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25481650# sand, RD Liberty 02/04/24. Well ready to produce 02/10/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 04/30/2024.

Received by OCD: 7/3/2024 1:27:11 PM

Page 9 of 15

Well Name: CHUCK SMITH MDP 1 8-17 FEDERAL COM	Well Location: T24S / R31E / SEC 5 / SWSE / 32.2398792 / -103.7961364	County or Parish/State: EDDY / NM
Well Number: 26H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM142696	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554095	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: MAR 05, 2024 10:11 AM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/06/2024
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017 1. WELL API NO. 30-015-54095 2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN 3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CHUCK SMITH MDP1 8-17 FEDERAL COM 6. Well Number: 26H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator: OXY USA INC.								9. OGRID: 16696			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710								11. Pool name or Wildcat PURPLE SAGE WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	O	5	24S	31E		279	SOUTH	1490	EAST	EDDY	
BH:	P	17	24S	31E		48	SOUTH	349	EAST	EDDY	
13. Date Spudded 09/05/2023		14. Date T.D. Reached 12/29/2023		15. Date Rig Released 01/01/2024		16. Date Completed (Ready to Produce) 02/10/2024			17. Elevations (DF and RKB, RT, GR, etc.) 3453' GL		
18. Total Measured Depth of Well 23102'M 12560'V				19. Plug Back Measured Depth 23060'M 12560'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12740-22965' WOLFCAMP											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13.375" J55		54.5		793'		17.5"		995sx-surf circ			
9.625" HCL-80		40		11840'		12.25"		3860sx-surf circ			
7" x 5.5" P110CY		32, 20		23082'		8.75" x 8.5"		2535sx-TOC@7850'			
24. LINER RECORD											
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD				
							SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number) Perf @ 12740-22965' Total 1230 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
						12740-22965'		577021BBL Produced Water + 33179BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25481650# sand			
28. PRODUCTION											
Date First Production 02/17/2024		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing					Well Status (Prod. or Shut-in) Prod.				
Date of Test 03/05/2024	Hours Tested 24 hrs.	Choke Size 70	Prod'n For Test Period	Oil - Bbl 2109	Gas - MCF 11181	Water - Bbl. 8313	Gas - Oil Ratio 5302				
Flow Tubing Press.	Casing Pressure 2055	Calculated 24- Hour Rate	Oil - Bbl. 2109	Gas - MCF 11181	Water - Bbl. 8313	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By			
31. List Attachments WBD, C-104, As-Drilled C-102, Kickoff Points Form, Final Directional Survey, Completion Sundry C-103											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude _____ Longitude _____ NAD83											
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Printed											
Signature: <i>Jana Mendiola</i>		Name: Jana Mendiola				Title: Regulatory Advisor			Date: 04/03/2024		
E-mail Address: janalyn_mendiola@oxy.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 580'	T. Bell Canyon 4295'	T. Ojo Alamo	T. Penn A"
T. Salado 909'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2790'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4272'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5216'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6490'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 8131'	T. Todilto	
T. Abo	T. 1st Bone Spring 9149'	T. Entrada	
T. Wolfcamp 11500'	T. 2nd Bone Spring 9791'	T. Wingate	
T. Penn	T. 3rd Bone Spring 11047'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
CHUCK SMITH MDP1 8-17 FEDERAL COM 26H
API No. 30-015-54095



Perfs @ 12740-22965'

TD- 23102'M 12560'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 361030

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 361030
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 361030

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 361030
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	7/3/2024