

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 4/15/22
⁴ API Number 30-015-47322	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code 325417	⁸ Property Name Todd 36-25 State Fed Com	⁹ Well Number 718H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23S	31E		180	South	975	East	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	25	23S	31E		95	North	1603	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/15/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 10/31/21	²² Ready Date 4/15/22	²³ TD 22322	²⁴ PBDT 22,308 MD/12,052 TVD	²⁵ Perforations 12310 - 22296	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	883	690 sx CIC; Circ 395 sx		
9-7/8"	8-5/8"	11525	925 sx CIC; Circ 0		
6-3/4"	5-1/2"	22311	2680 sx CIH; Circ 374 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 4/22/22	³² Gas Delivery Date 4/22/22	³³ Test Date 4/22/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure 3731 psi
³⁷ Choke Size	³⁸ Oil 2650 bbl	³⁹ Water 5231 bbl	⁴⁰ Gas 7628 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvN.com			Approval Date: 7/9/2024		
Date: 5/4/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
611 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-47322	Pool Code 98236	Pool Name WC-015 G-08 S233135D;WOLFCAMP
Property Code 325417	Property Name TODD 36-25 STATE FED COM	Well Number 718H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3517.6'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23-S	31-E		180	SOUTH	975	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	25	23-S	31-E		95	NORTH	1603	EAST	EDDY
Dedicated Acres 640	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

TODD 36-25 STATE FED COM 718H
EL: 3517.6'
LAT: 32.254162
LON: 103.726133
N: 456728.36
E: 729042.66

KICK OFF POINT
36' FSL 1652' FEL SEC. 36
LAT: 32.253768
LON: 103.728324
N: 456581.08
E: 728366.24

FIRST TAKE POINT
460' FSL 1646' FEL SEC. 36
LAT: 32.254933
LON: 103.728304
N: 457004.75
E: 728370.09

LAST TAKE POINT
121' FNL 1603' FEL SEC. 25
LAT: 32.282355
LON: 103.728155
N: 466980.94
E: 728360.04

BOTTOM OF HOLE
LAT: 32.282426
LON: 103.728155
N: 467006.94
E: 728359.77

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

5/3/2022

Signature _____ Date _____

Shayda Omoumi
Printed Name

shayda.omoumi@dvn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey _____

Signature & Seal of Professional Surveyor

04/25/2022

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 718H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Well:	Todd 36-25 State Fed Com 718H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Todd 36-25 State Fed Com			
Site Position:		Northing:	456,728.53 usft	Latitude:	32.254162
From:	Map	Easting:	729,072.65 usft	Longitude:	-103.726037
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.32 °

Well	Todd 36-25 State Fed Com 718H					
Well Position	+N/-S	0.00 usft	Northing:	456,728.36 usft	Latitude:	32.254162
	+E/-W	0.00 usft	Easting:	729,042.66 usft	Longitude:	-103.726134
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,517.60 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/21/2021	6.59	59.90	47,467.08100911

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	356.20	

Survey Program	Date	1/12/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
182.00	22,322.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	456,728.36	729,042.66	32.254162	-103.726134
182.00	0.30	293.14	182.00	0.19	-0.44	456,728.55	729,042.22	32.254163	-103.726135
306.00	0.30	286.03	306.00	0.40	-1.05	456,728.76	729,041.61	32.254164	-103.726137
399.00	0.40	259.39	399.00	0.41	-1.60	456,728.77	729,041.05	32.254164	-103.726139
492.00	0.40	248.06	491.99	0.23	-2.22	456,728.59	729,040.43	32.254163	-103.726141
586.00	0.70	248.76	585.99	-0.10	-3.06	456,728.26	729,039.59	32.254162	-103.726144
679.00	0.80	245.51	678.98	-0.57	-4.18	456,727.79	729,038.47	32.254161	-103.726147
772.00	0.70	236.37	771.97	-1.16	-5.25	456,727.20	729,037.41	32.254159	-103.726151
823.00	0.70	228.72	822.97	-1.54	-5.74	456,726.82	729,036.92	32.254158	-103.726152
984.00	0.30	246.80	983.96	-2.35	-6.87	456,726.01	729,035.79	32.254156	-103.726156
1,077.00	0.40	247.30	1,076.96	-2.57	-7.39	456,725.79	729,035.27	32.254156	-103.726158
1,170.00	0.30	269.20	1,169.96	-2.70	-7.93	456,725.66	729,034.72	32.254155	-103.726159

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 718H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Well:	Todd 36-25 State Fed Com 718H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,263.00	0.20	265.70	1,262.96	-2.72	-8.34	456,725.64	729,034.32	32.254155	-103.726161
1,356.00	0.30	287.00	1,355.96	-2.66	-8.73	456,725.70	729,033.92	32.254155	-103.726162
1,449.00	0.10	318.60	1,448.96	-2.53	-9.02	456,725.83	729,033.64	32.254156	-103.726163
1,544.00	1.10	252.90	1,543.95	-2.73	-9.94	456,725.63	729,032.71	32.254155	-103.726166
1,639.00	3.00	247.20	1,638.89	-3.96	-13.11	456,724.40	729,029.55	32.254152	-103.726176
1,734.00	4.20	251.70	1,733.70	-6.02	-18.70	456,722.34	729,023.95	32.254146	-103.726194
1,828.00	5.90	263.40	1,827.33	-7.66	-26.77	456,720.70	729,015.88	32.254142	-103.726220
1,923.00	7.40	273.40	1,921.69	-7.85	-37.73	456,720.51	729,004.93	32.254141	-103.726256
2,018.00	7.90	271.80	2,015.85	-7.29	-50.36	456,721.07	728,992.29	32.254143	-103.726297
2,113.00	8.00	271.40	2,109.93	-6.92	-63.50	456,721.44	728,979.16	32.254144	-103.726339
2,208.00	8.00	272.30	2,204.01	-6.49	-76.71	456,721.87	728,965.95	32.254146	-103.726382
2,303.00	8.20	265.20	2,298.06	-6.79	-90.07	456,721.57	728,952.59	32.254145	-103.726425
2,399.00	8.40	263.00	2,393.06	-8.22	-103.85	456,720.14	728,938.81	32.254141	-103.726470
2,493.00	8.50	263.00	2,486.04	-9.90	-117.56	456,718.46	728,925.10	32.254137	-103.726514
2,588.00	8.50	263.40	2,579.99	-11.57	-131.50	456,716.79	728,911.15	32.254133	-103.726559
2,683.00	8.70	263.60	2,673.93	-13.18	-145.62	456,715.18	728,897.04	32.254129	-103.726605
2,779.00	8.60	264.50	2,768.83	-14.67	-159.98	456,713.69	728,882.68	32.254125	-103.726651
2,874.00	8.60	264.20	2,862.77	-16.07	-174.11	456,712.29	728,868.54	32.254121	-103.726697
2,969.00	8.20	257.80	2,956.75	-18.22	-187.80	456,710.14	728,854.85	32.254115	-103.726742
3,064.00	8.20	253.60	3,050.78	-21.57	-200.92	456,706.79	728,841.73	32.254106	-103.726784
3,159.00	7.70	254.00	3,144.87	-25.23	-213.54	456,703.13	728,829.12	32.254096	-103.726825
3,254.00	7.60	253.80	3,239.02	-28.74	-225.69	456,699.62	728,816.97	32.254087	-103.726864
3,349.00	7.80	253.60	3,333.16	-32.31	-237.91	456,696.05	728,804.75	32.254077	-103.726904
3,445.00	7.90	254.00	3,428.26	-35.97	-250.50	456,692.39	728,792.16	32.254067	-103.726945
3,540.00	7.30	255.80	3,522.43	-39.25	-262.63	456,689.11	728,780.03	32.254059	-103.726984
3,635.00	6.90	256.90	3,616.70	-42.02	-274.04	456,686.34	728,768.62	32.254051	-103.727021
3,730.00	6.40	259.40	3,711.06	-44.29	-284.80	456,684.07	728,757.86	32.254045	-103.727056
3,825.00	6.50	253.40	3,805.46	-46.80	-295.16	456,681.56	728,747.50	32.254038	-103.727089
3,920.00	6.90	246.90	3,899.81	-50.58	-305.56	456,677.78	728,737.10	32.254028	-103.727123
4,016.00	6.60	246.30	3,995.15	-55.06	-315.91	456,673.30	728,726.74	32.254016	-103.727157
4,111.00	6.50	242.70	4,089.53	-59.72	-325.69	456,668.64	728,716.97	32.254003	-103.727188
4,206.00	7.10	241.10	4,183.86	-65.02	-335.61	456,663.34	728,707.05	32.253989	-103.727221
4,301.00	7.80	240.00	4,278.06	-71.08	-346.33	456,657.28	728,696.32	32.253972	-103.727255
4,397.00	7.80	250.30	4,373.17	-76.54	-358.11	456,651.83	728,684.55	32.253958	-103.727294
4,492.00	7.90	255.90	4,467.28	-80.30	-370.51	456,648.06	728,672.15	32.253947	-103.727334
4,587.00	7.30	256.20	4,561.45	-83.33	-382.70	456,645.03	728,659.95	32.253939	-103.727373
4,683.00	7.50	255.90	4,656.65	-86.31	-394.70	456,642.05	728,647.95	32.253931	-103.727412
4,778.00	8.10	256.90	4,750.77	-89.34	-407.23	456,639.02	728,635.42	32.253923	-103.727453
4,873.00	8.80	260.00	4,844.74	-92.12	-420.91	456,636.24	728,621.75	32.253916	-103.727497
4,968.00	9.00	260.40	4,938.60	-94.62	-435.39	456,633.74	728,607.26	32.253909	-103.727544
5,063.00	9.10	259.40	5,032.41	-97.24	-450.10	456,631.12	728,592.55	32.253902	-103.727591
5,159.00	9.20	257.80	5,127.19	-100.26	-465.07	456,628.10	728,577.59	32.253894	-103.727640
5,254.00	9.40	256.50	5,220.94	-103.67	-480.03	456,624.69	728,562.62	32.253885	-103.727688
5,349.00	9.40	255.10	5,314.67	-107.48	-495.07	456,620.88	728,547.58	32.253875	-103.727737
5,444.00	9.40	253.70	5,408.39	-111.65	-510.02	456,616.71	728,532.64	32.253863	-103.727786
5,539.00	8.30	255.50	5,502.26	-115.55	-524.10	456,612.82	728,518.55	32.253853	-103.727831
5,634.00	8.20	257.50	5,596.28	-118.73	-537.35	456,609.63	728,505.30	32.253844	-103.727874
5,729.00	8.00	261.90	5,690.33	-121.13	-550.51	456,607.23	728,492.14	32.253838	-103.727917
5,825.00	8.10	266.60	5,785.38	-122.47	-563.88	456,605.89	728,478.78	32.253835	-103.727960
5,920.00	8.20	264.40	5,879.43	-123.53	-577.30	456,604.83	728,465.35	32.253832	-103.728003
6,015.00	7.30	270.70	5,973.56	-124.11	-590.08	456,604.25	728,452.58	32.253830	-103.728045
6,110.00	6.60	274.40	6,067.86	-123.62	-601.56	456,604.74	728,441.10	32.253832	-103.728082
6,205.00	6.70	273.00	6,162.22	-122.91	-612.54	456,605.45	728,430.12	32.253834	-103.728117
6,301.00	5.90	280.60	6,257.64	-121.71	-622.98	456,606.65	728,419.68	32.253838	-103.728151
6,396.00	4.70	294.10	6,352.24	-119.22	-631.33	456,609.14	728,411.32	32.253845	-103.728178

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 718H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Well:	Todd 36-25 State Fed Com 718H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,491.00	3.20	307.70	6,447.01	-116.01	-636.98	456,612.35	728,405.67	32.253853	-103.728196
6,586.00	1.30	302.70	6,541.93	-113.81	-639.99	456,614.55	728,402.67	32.253860	-103.728206
6,681.00	0.70	261.50	6,636.92	-113.31	-641.47	456,615.05	728,401.19	32.253861	-103.728211
6,776.00	0.70	261.20	6,731.91	-113.49	-642.62	456,614.87	728,400.04	32.253860	-103.728214
6,871.00	0.90	246.00	6,826.90	-113.88	-643.87	456,614.48	728,398.78	32.253859	-103.728219
6,966.00	1.00	238.40	6,921.89	-114.62	-645.26	456,613.74	728,397.40	32.253857	-103.728223
7,061.00	1.00	235.60	7,016.88	-115.52	-646.65	456,612.84	728,396.01	32.253855	-103.728228
7,156.00	1.00	223.20	7,111.86	-116.59	-647.90	456,611.77	728,394.76	32.253852	-103.728232
7,251.00	1.30	217.60	7,206.84	-118.05	-649.13	456,610.31	728,393.53	32.253848	-103.728236
7,347.00	1.30	218.40	7,302.82	-119.77	-650.47	456,608.59	728,392.19	32.253843	-103.728240
7,442.00	1.50	212.20	7,397.79	-121.66	-651.80	456,606.70	728,390.86	32.253838	-103.728244
7,537.00	1.60	211.00	7,492.76	-123.85	-653.14	456,604.51	728,389.51	32.253832	-103.728249
7,632.00	0.20	235.00	7,587.74	-125.09	-653.96	456,603.28	728,388.69	32.253829	-103.728251
7,727.00	0.50	27.20	7,682.74	-124.81	-653.91	456,603.55	728,388.75	32.253830	-103.728251
7,822.00	0.40	48.40	7,777.74	-124.22	-653.47	456,604.14	728,389.18	32.253831	-103.728250
7,918.00	0.40	73.90	7,873.74	-123.91	-652.90	456,604.45	728,389.76	32.253832	-103.728248
8,013.00	0.40	128.60	7,968.73	-124.02	-652.32	456,604.34	728,390.33	32.253832	-103.728246
8,108.00	0.50	140.60	8,063.73	-124.55	-651.80	456,603.81	728,390.86	32.253830	-103.728244
8,203.00	0.50	132.10	8,158.73	-125.15	-651.23	456,603.21	728,391.43	32.253829	-103.728243
8,298.00	0.70	144.80	8,253.72	-125.90	-650.59	456,602.46	728,392.07	32.253826	-103.728240
8,393.00	0.70	156.00	8,348.71	-126.90	-650.02	456,601.46	728,392.64	32.253824	-103.728239
8,488.00	0.90	158.50	8,443.71	-128.13	-649.51	456,600.23	728,393.15	32.253820	-103.728237
8,584.00	1.20	161.20	8,539.69	-129.78	-648.91	456,598.58	728,393.75	32.253816	-103.728235
8,679.00	1.60	154.50	8,634.66	-131.92	-648.02	456,596.44	728,394.64	32.253810	-103.728232
8,774.00	1.50	157.00	8,729.63	-134.26	-646.96	456,594.10	728,395.70	32.253803	-103.728229
8,869.00	1.20	166.80	8,824.60	-136.37	-646.25	456,591.99	728,396.41	32.253798	-103.728227
8,964.00	0.70	179.00	8,919.59	-137.92	-646.01	456,590.44	728,396.65	32.253793	-103.728226
9,059.00	0.70	169.00	9,014.58	-139.07	-645.89	456,589.29	728,396.77	32.253790	-103.728226
9,154.00	0.50	208.70	9,109.57	-140.01	-645.98	456,588.35	728,396.68	32.253788	-103.728226
9,249.00	1.00	264.40	9,204.57	-140.45	-647.00	456,587.91	728,395.66	32.253786	-103.728229
9,345.00	1.20	274.50	9,300.55	-140.45	-648.84	456,587.91	728,393.82	32.253786	-103.728235
9,440.00	0.60	263.10	9,395.54	-140.44	-650.32	456,587.92	728,392.33	32.253787	-103.728240
9,535.00	0.50	245.20	9,490.53	-140.67	-651.19	456,587.69	728,391.46	32.253786	-103.728243
9,630.00	0.60	237.90	9,585.53	-141.11	-651.99	456,587.25	728,390.67	32.253785	-103.728245
9,725.00	0.90	245.10	9,680.52	-141.69	-653.09	456,586.67	728,389.57	32.253783	-103.728249
9,820.00	1.30	242.60	9,775.50	-142.50	-654.72	456,585.86	728,387.94	32.253781	-103.728254
9,915.00	1.20	260.20	9,870.48	-143.16	-656.66	456,585.20	728,386.00	32.253779	-103.728260
10,010.00	1.10	287.30	9,965.46	-143.06	-658.51	456,585.30	728,384.15	32.253779	-103.728266
10,106.00	1.10	306.10	10,061.44	-142.24	-660.13	456,586.12	728,382.52	32.253782	-103.728272
10,201.00	1.10	303.60	10,156.43	-141.20	-661.63	456,587.16	728,381.03	32.253785	-103.728276
10,296.00	0.80	305.70	10,251.41	-140.31	-662.93	456,588.05	728,379.73	32.253787	-103.728281
10,391.00	0.60	292.40	10,346.41	-139.73	-663.93	456,588.63	728,378.73	32.253789	-103.728284
10,486.00	0.60	286.70	10,441.40	-139.40	-664.86	456,588.96	728,377.79	32.253790	-103.728287
10,581.00	0.70	276.40	10,536.40	-139.19	-665.92	456,589.17	728,376.74	32.253790	-103.728290
10,676.00	0.70	268.30	10,631.39	-139.14	-667.07	456,589.22	728,375.58	32.253790	-103.728294
10,772.00	0.30	250.90	10,727.38	-139.24	-667.90	456,589.12	728,374.76	32.253790	-103.728297
10,867.00	0.20	184.30	10,822.38	-139.49	-668.14	456,588.87	728,374.51	32.253789	-103.728298
10,962.00	0.30	203.00	10,917.38	-139.89	-668.25	456,588.47	728,374.40	32.253788	-103.728298
11,057.00	0.70	196.10	11,012.38	-140.67	-668.51	456,587.69	728,374.15	32.253786	-103.728299
11,152.00	1.10	199.20	11,107.37	-142.09	-668.97	456,586.27	728,373.68	32.253782	-103.728300
11,248.00	1.20	211.60	11,203.35	-143.82	-669.80	456,584.54	728,372.85	32.253778	-103.728303
11,343.00	1.20	232.10	11,298.33	-145.28	-671.11	456,583.08	728,371.55	32.253774	-103.728307
11,438.00	1.50	248.60	11,393.30	-146.34	-673.05	456,582.02	728,369.61	32.253771	-103.728314
11,484.00	1.70	248.30	11,439.28	-146.81	-674.24	456,581.55	728,368.41	32.253769	-103.728317
11,565.00	2.20	264.90	11,520.24	-147.39	-676.91	456,580.97	728,365.75	32.253768	-103.728326

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 718H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Well:	Todd 36-25 State Fed Com 718H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,588.00	2.20	265.50	11,543.22	-147.47	-677.79	456,580.89	728,364.87	32.253768	-103.728329
KOP @ 11588' MD, 33' FSL, 1653' FEL									
11,682.00	9.90	349.30	11,636.72	-139.65	-681.10	456,588.71	728,361.56	32.253789	-103.728339
11,778.00	23.30	3.90	11,728.54	-112.47	-681.34	456,615.90	728,361.32	32.253864	-103.728340
11,850.00	30.73	5.86	11,792.64	-79.91	-678.49	456,648.45	728,364.17	32.253953	-103.728330
X FTP @ 11850' MD, 100' FSL, 1654' FEL									
11,872.00	33.00	6.30	11,811.33	-68.37	-677.26	456,659.99	728,365.40	32.253985	-103.728326
11,967.00	41.60	2.00	11,886.84	-11.02	-673.31	456,717.34	728,369.35	32.254143	-103.728312
12,063.00	50.80	358.30	11,953.23	58.17	-673.30	456,786.53	728,369.36	32.254333	-103.728311
12,158.00	57.80	0.60	12,008.63	135.26	-673.97	456,863.62	728,368.69	32.254545	-103.728311
12,253.00	67.10	0.70	12,052.52	219.39	-673.01	456,947.75	728,369.64	32.254776	-103.728307
12,348.00	79.30	0.20	12,079.93	310.16	-672.31	457,038.52	728,370.34	32.255025	-103.728303
12,443.00	92.40	0.10	12,086.79	404.71	-672.07	457,133.07	728,370.59	32.255285	-103.728300
12,538.00	92.10	0.60	12,083.06	499.63	-671.49	457,227.99	728,371.17	32.255546	-103.728297
12,634.00	91.80	1.30	12,079.79	595.56	-669.90	457,323.92	728,372.76	32.255810	-103.728290
12,729.00	91.10	359.70	12,077.39	690.52	-669.07	457,418.88	728,373.59	32.256071	-103.728285
12,824.00	90.40	0.00	12,076.15	785.51	-669.32	457,513.87	728,373.34	32.256332	-103.728284
12,919.00	89.50	359.70	12,076.23	880.51	-669.56	457,608.87	728,373.09	32.256593	-103.728284
13,015.00	88.20	359.90	12,078.16	976.49	-669.90	457,704.85	728,372.76	32.256857	-103.728283
13,110.00	89.50	359.30	12,080.06	1,071.47	-670.56	457,799.83	728,372.09	32.257118	-103.728283
13,205.00	87.90	359.40	12,082.22	1,166.43	-671.64	457,894.79	728,371.02	32.257379	-103.728285
13,300.00	91.20	359.00	12,082.96	1,261.41	-672.97	457,989.77	728,369.69	32.257640	-103.728288
13,395.00	90.00	359.30	12,081.97	1,356.39	-674.38	458,084.75	728,368.28	32.257901	-103.728290
13,490.00	89.60	359.20	12,082.30	1,451.38	-675.62	458,179.74	728,367.04	32.258162	-103.728293
13,585.00	90.40	0.00	12,082.30	1,546.38	-676.28	458,274.74	728,366.37	32.258424	-103.728293
13,680.00	89.80	359.00	12,082.13	1,641.37	-677.11	458,369.73	728,365.54	32.258685	-103.728294
13,775.00	88.80	358.50	12,083.29	1,736.34	-679.18	458,464.70	728,363.47	32.258946	-103.728299
13,870.00	91.40	358.70	12,083.13	1,831.30	-681.50	458,559.66	728,361.15	32.259207	-103.728305
13,965.00	91.50	358.40	12,080.73	1,926.24	-683.91	458,654.60	728,358.75	32.259468	-103.728311
14,060.00	90.10	357.90	12,079.40	2,021.18	-686.97	458,749.54	728,355.68	32.259729	-103.728319
14,155.00	90.50	358.20	12,078.90	2,116.13	-690.21	458,844.49	728,352.45	32.259990	-103.728328
14,250.00	90.50	357.50	12,078.07	2,211.05	-693.77	458,939.41	728,348.89	32.260251	-103.728338
14,345.00	90.60	357.00	12,077.16	2,305.94	-698.33	459,034.30	728,344.33	32.260512	-103.728351
14,440.00	90.30	358.90	12,076.41	2,400.87	-701.73	459,129.23	728,340.93	32.260773	-103.728360
14,535.00	93.70	1.80	12,073.10	2,495.79	-701.15	459,224.15	728,341.51	32.261034	-103.728356
14,630.00	91.30	0.30	12,068.95	2,590.67	-699.41	459,319.03	728,343.25	32.261294	-103.728349
14,725.00	92.40	0.20	12,065.89	2,685.62	-699.00	459,413.98	728,343.66	32.261555	-103.728346
14,820.00	90.60	358.10	12,063.40	2,780.57	-700.41	459,508.93	728,342.25	32.261816	-103.728349
14,915.00	91.50	358.00	12,061.66	2,875.50	-703.64	459,603.86	728,339.02	32.262077	-103.728357
15,013.00	89.90	358.30	12,060.46	2,973.43	-706.80	459,701.79	728,335.85	32.262347	-103.728366
15,108.00	90.40	358.80	12,060.21	3,068.40	-709.21	459,796.76	728,333.45	32.262608	-103.728372
15,203.00	90.70	358.40	12,059.30	3,163.37	-711.53	459,891.73	728,331.13	32.262869	-103.728378
15,298.00	90.90	359.90	12,057.98	3,258.35	-712.94	459,986.71	728,329.72	32.263130	-103.728380
15,393.00	88.80	1.80	12,058.22	3,353.33	-711.53	460,081.69	728,331.13	32.263391	-103.728374
15,489.00	88.40	2.20	12,060.57	3,449.24	-708.18	460,177.60	728,334.48	32.263655	-103.728362
15,584.00	88.10	1.90	12,063.47	3,544.13	-704.78	460,272.49	728,337.88	32.263915	-103.728349
15,679.00	88.30	2.10	12,066.46	3,639.03	-701.47	460,367.39	728,341.19	32.264176	-103.728336
15,774.00	88.20	1.70	12,069.36	3,733.93	-698.32	460,462.29	728,344.34	32.264437	-103.728325
15,869.00	88.30	1.60	12,072.26	3,828.85	-695.58	460,557.21	728,347.07	32.264698	-103.728314
15,965.00	91.60	1.40	12,072.34	3,924.80	-693.07	460,653.16	728,349.58	32.264961	-103.728304
16,060.00	92.10	0.70	12,069.27	4,019.74	-691.33	460,748.10	728,351.32	32.265222	-103.728297
16,155.00	91.00	1.10	12,066.70	4,114.69	-689.84	460,843.05	728,352.82	32.265483	-103.728290
16,250.00	89.70	1.10	12,066.12	4,209.67	-688.02	460,938.03	728,354.64	32.265744	-103.728283
16,345.00	89.20	0.00	12,067.04	4,304.66	-687.10	461,033.02	728,355.55	32.266005	-103.728278
16,440.00	88.40	359.90	12,069.03	4,399.63	-687.19	461,127.99	728,355.47	32.266267	-103.728276

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 718H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Well:	Todd 36-25 State Fed Com 718H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,535.00	89.10	359.70	12,071.10	4,494.61	-687.52	461,222.97	728,355.14	32.266528	-103.728276
16,631.00	89.00	359.30	12,072.69	4,590.59	-688.36	461,318.95	728,354.30	32.266791	-103.728277
16,726.00	90.20	359.10	12,073.35	4,685.58	-689.68	461,413.94	728,352.97	32.267053	-103.728279
16,821.00	89.80	359.10	12,073.35	4,780.57	-691.17	461,508.93	728,351.48	32.267314	-103.728282
16,916.00	89.80	358.70	12,073.68	4,875.55	-693.00	461,603.91	728,349.66	32.267575	-103.728286
17,011.00	89.40	358.50	12,074.35	4,970.52	-695.32	461,698.88	728,347.34	32.267836	-103.728292
17,107.00	90.50	0.00	12,074.43	5,066.51	-696.58	461,794.87	728,346.08	32.268100	-103.728295
17,139.00	90.33	359.87	12,074.20	5,098.51	-696.61	461,826.87	728,346.04	32.268188	-103.728294
X SEC @ 17139' MD, 0' FSL, 1644' FEL									
17,202.00	90.00	359.60	12,074.02	5,161.50	-696.91	461,889.87	728,345.75	32.268361	-103.728294
17,297.00	89.60	358.80	12,074.35	5,256.49	-698.23	461,984.85	728,344.42	32.268622	-103.728296
17,393.00	91.50	0.70	12,073.43	5,352.48	-698.65	462,080.84	728,344.00	32.268886	-103.728296
17,488.00	92.60	0.70	12,070.03	5,447.41	-697.49	462,175.77	728,345.16	32.269147	-103.728291
17,583.00	91.00	2.20	12,067.04	5,542.33	-695.09	462,270.69	728,347.57	32.269408	-103.728281
17,678.00	90.80	1.90	12,065.55	5,637.25	-691.69	462,365.62	728,350.96	32.269669	-103.728268
17,774.00	89.10	1.20	12,065.64	5,733.22	-689.10	462,461.58	728,353.56	32.269932	-103.728258
17,869.00	89.90	1.10	12,066.47	5,828.19	-687.19	462,556.55	728,355.47	32.270193	-103.728250
17,964.00	89.00	0.20	12,067.38	5,923.18	-686.11	462,651.54	728,356.54	32.270454	-103.728245
18,060.00	92.10	0.40	12,066.46	6,019.16	-685.61	462,747.52	728,357.05	32.270718	-103.728242
18,155.00	93.20	0.20	12,062.06	6,114.06	-685.11	462,842.42	728,357.54	32.270979	-103.728238
18,250.00	92.00	0.70	12,057.75	6,208.95	-684.37	462,937.32	728,358.29	32.271240	-103.728234
18,345.00	90.70	359.20	12,055.52	6,303.92	-684.45	463,032.28	728,358.21	32.271501	-103.728233
18,440.00	90.70	358.80	12,054.36	6,398.90	-686.11	463,127.26	728,356.55	32.271762	-103.728236
18,536.00	89.40	0.50	12,054.27	6,494.89	-686.69	463,223.25	728,355.96	32.272026	-103.728237
18,631.00	88.80	0.60	12,055.76	6,589.88	-685.78	463,318.24	728,356.87	32.272287	-103.728232
18,726.00	88.80	1.00	12,057.75	6,684.85	-684.46	463,413.21	728,358.20	32.272548	-103.728226
18,821.00	87.80	1.30	12,060.57	6,779.79	-682.55	463,508.15	728,360.11	32.272809	-103.728218
18,915.00	88.10	359.40	12,063.93	6,873.72	-681.98	463,602.08	728,360.68	32.273067	-103.728214
19,011.00	89.30	359.00	12,066.11	6,969.68	-683.32	463,698.04	728,359.34	32.273331	-103.728217
19,106.00	90.10	358.80	12,066.61	7,064.66	-685.14	463,793.02	728,357.52	32.273592	-103.728221
19,201.00	88.50	359.80	12,067.77	7,159.65	-686.30	463,888.01	728,356.36	32.273853	-103.728223
19,296.00	88.20	0.30	12,070.51	7,254.61	-686.22	463,982.97	728,356.44	32.274114	-103.728221
19,391.00	88.40	0.60	12,073.32	7,349.56	-685.47	464,077.92	728,357.18	32.274375	-103.728217
19,487.00	90.50	0.10	12,074.25	7,445.55	-684.89	464,173.91	728,357.77	32.274639	-103.728213
19,582.00	91.00	0.20	12,073.00	7,540.54	-684.64	464,268.90	728,358.02	32.274900	-103.728211
19,677.00	91.20	0.30	12,071.18	7,635.52	-684.22	464,363.88	728,358.43	32.275161	-103.728208
19,772.00	91.30	0.60	12,069.11	7,730.50	-683.48	464,458.86	728,359.18	32.275422	-103.728204
19,867.00	91.00	359.90	12,067.20	7,825.47	-683.06	464,553.84	728,359.59	32.275683	-103.728201
19,963.00	90.30	359.00	12,066.11	7,921.46	-683.98	464,649.82	728,358.67	32.275947	-103.728202
20,058.00	90.60	0.30	12,065.36	8,016.46	-684.56	464,744.82	728,358.09	32.276208	-103.728202
20,153.00	90.10	359.80	12,064.78	8,111.45	-684.48	464,839.81	728,358.17	32.276469	-103.728200
20,248.00	87.40	357.50	12,066.86	8,206.39	-686.72	464,934.75	728,355.94	32.276730	-103.728205
20,343.00	89.30	356.30	12,069.59	8,301.20	-691.85	465,029.57	728,350.80	32.276991	-103.728220
20,438.00	91.30	357.40	12,069.09	8,396.05	-697.07	465,124.41	728,345.58	32.277252	-103.728235
20,534.00	92.20	358.50	12,066.16	8,491.95	-700.51	465,220.31	728,342.15	32.277515	-103.728245
20,629.00	91.00	358.70	12,063.51	8,586.88	-702.83	465,315.24	728,339.83	32.277776	-103.728251
20,724.00	90.70	357.90	12,062.10	8,681.82	-705.64	465,410.19	728,337.01	32.278037	-103.728258
20,820.00	91.90	359.60	12,059.92	8,777.77	-707.74	465,506.13	728,334.92	32.278301	-103.728263
20,915.00	92.30	359.60	12,056.44	8,872.71	-708.40	465,601.07	728,334.26	32.278562	-103.728263
21,010.00	93.60	1.20	12,051.55	8,967.57	-707.74	465,695.93	728,334.92	32.278823	-103.728260
21,105.00	94.00	0.80	12,045.26	9,062.35	-706.08	465,790.71	728,336.57	32.279083	-103.728252
21,200.00	92.50	1.90	12,039.87	9,157.17	-703.85	465,885.53	728,338.81	32.279344	-103.728243
21,295.00	90.40	2.20	12,037.47	9,252.07	-700.45	465,980.43	728,342.20	32.279605	-103.728231
21,390.00	89.60	0.80	12,037.47	9,347.03	-697.97	466,075.39	728,344.69	32.279866	-103.728221
21,485.00	88.60	0.50	12,038.96	9,442.01	-696.89	466,170.37	728,345.77	32.280127	-103.728216

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Todd 36-25 State Fed Com 718H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Site:	Todd 36-25 State Fed Com	MD Reference:	GE 3517.6' + KB 22.5' @ 3540.10usft
Well:	Todd 36-25 State Fed Com 718H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
21,580.00	89.90	1.00	12,040.20	9,537.00	-695.64	466,265.36	728,347.01	32.280388	-103.728210
21,674.00	90.40	1.80	12,039.96	9,630.97	-693.35	466,359.33	728,349.31	32.280646	-103.728201
21,769.00	90.00	1.90	12,039.62	9,725.92	-690.28	466,454.28	728,352.38	32.280907	-103.728189
21,864.00	89.40	1.60	12,040.12	9,820.87	-687.38	466,549.23	728,355.28	32.281168	-103.728178
21,959.00	89.30	2.00	12,041.20	9,915.82	-684.40	466,644.18	728,358.26	32.281429	-103.728167
22,054.00	88.80	1.10	12,042.77	10,010.77	-681.83	466,739.13	728,360.83	32.281690	-103.728157
22,149.00	87.90	359.60	12,045.51	10,105.72	-681.25	466,834.08	728,361.41	32.281951	-103.728153
22,245.00	87.80	359.40	12,049.11	10,201.65	-682.08	466,930.01	728,360.57	32.282215	-103.728154
22,264.00	87.50	359.40	12,049.89	10,220.63	-682.28	466,948.99	728,360.37	32.282267	-103.728154
22,317.00	87.50	359.40	12,052.20	10,273.58	-682.84	467,001.94	728,359.82	32.282412	-103.728155
X LTP @ 22317' MD, 100' FNL, 1603' FEL									
22,322.00	87.50	359.40	12,052.42	10,278.58	-682.89	467,006.94	728,359.77	32.282426	-103.728155
PBHL; 95' FNL, 1603' FEL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
11,588.00	11,543.22	-147.47	-677.79	KOP @ 11588' MD, 33' FSL, 1653' FEL	
11,850.00	11,792.64	-79.91	-678.49	X FTP @ 11850' MD, 100' FSL, 1654' FEL	
17,139.00	12,074.20	5,098.51	-696.61	X SEC @ 17139' MD, 0' FSL, 1644' FEL	
22,317.00	12,052.20	10,273.58	-682.84	X LTP @ 22317' MD, 100' FNL, 1603' FEL	
22,322.00	12,052.42	10,278.58	-682.89	PBHL; 95' FNL, 1603' FEL	

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-47322
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Todd 36-25 State Fed Com
4. Well Location Unit Letter <u>P</u> : <u>180</u> feet from the <u>South</u> line and <u>975</u> feet from the <u>East</u> line Section <u>36</u> Township <u>23S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number 718H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3517.6'		9. OGRID Number 6137
		10. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12310'-22296', total 1504 holes. Frac totals 25,257,902# proppant, 50 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 22,308' MD/12,052' TVD. CHC, FWB, ND BOP. Tubing will be run at later date. TOP 4/15/2022.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 5/4/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 Revised August 1, 2011	
		1. WELL API NO. 30-015-47322		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN	
		3. State Oil & Gas Lease No.		5. Lease Name or Unit Agreement Name Todd 36-25 State Fed Com	
				6. Well Number: 718H	
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER					
8. Name of Operator Devon Energy Production Company, L.P.				9. OGRID 6137	
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102				11. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP	
12. Location	Unit Ltr	Section	Township	Range	Feet from the
Surface:	P	36	23S	31E	180
BH:	B	25	23S	31E	95
13. Date Spudded 10/31/21	14. Date T.D. Reached 1/10/22	15. Date Rig Released 1/14/22	16. Date Completed (Ready to Produce) 4/15/22	17. Elevations (DF and RKB, RT, GR, etc.) 3517.6' GL	
18. Total Measured Depth of Well 22322 MD, 12052 TVD		19. Plug Back Measured Depth 22,308 MD/12,052 TVD		20. Was Directional Survey Made? Yes	
				21. Type Electric and Other Logs Run RBL	
22. Producing Interval(s), of this completion - Top, Bottom, Name 12310-22296, WOLFCAMP					
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5	883	17-1/2"	690 sx CIC; circ 395 sx	
8-5/8"	32	11525	9-7/8"	925 sx CIC; circ 0	
5-1/2"	20	22311	6-3/4"	2680 sx CH; circ 374 sx	
24. LINER RECORD			25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE
26. Perforation record (interval, size, and number) 12310 - 22296, total 1504 holes			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12310-22296 Acidize and frac in 51 stages. See detailed summary attached.		
28. PRODUCTION					
Date First Production 4/15/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing		Well Status (Prod. or Shut-in) Producing	
Date of Test 4/22/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2650	Gas - MCF 7628
				Water - Bbl. 5231	Gas - Oil Ratio 2878.490566
Flow Tubing Press. psi	Casing Pressure 3731 psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.
					Oil Gravity - API - (Corr.)
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold					30. Test Witnessed By
31. List Attachments Directional Survey, Logs					
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.					
33. If an on-site burial was used at the well, report the exact location of the on-site burial:					
Latitude		Longitude		NAD 1927 1983	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief					
Signature 		Printed Name Shayda Omoumi		Title Regulatory Compliance Associate Date 5/4/2022	
E-mail Address shayda.omoumi@dvn.com					

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 823			
Salt - 1165			
Base of Salt - 4217			
Lamar - 4527			
Delaware - 4551			
Cherry Canyon - 5426			
Brushy Canyon - 6667			
1st Bone Spring Lime - 8334			
1st Bone Spring Sand - 9436			
2nd Bone Spring Sand - 10020			
3rd Bone Spring Lime - 10543			
3rd Bone Spring Sand - 11294			
Wolfcamp - 11730			
Strawn - 13475			

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 104499

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 104499
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 104499

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 104499
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	7/9/2024