

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 5/2/22
⁴ API Number 30-025-48451	⁵ Pool Name WC-025 G-08 S243217P; UPR WOLFCAMP	⁶ Pool Code 98248
⁷ Property Code 329914	⁸ Property Name Right Meow 30-31 Fed Com	⁹ Well Number 712H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	30	23S	32E		250	North	1805	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	31	23S	32E		306	South	1817	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/2/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 1/12/22	²² Ready Date 5/2/22	²³ TD 22130	²⁴ PBDT 22,118 MD/12,210 TVD	²⁵ Perforations 12340 - 22107	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	1088	855 sx CIC; Circ 378 sx		
9-7/8"	8-5/8"	11602	580 sx CIC; Circ 0		
6-3/4"	5-1/2"	22121	2010 sx CIH; Circ 181 sx		
	Tubing:	0			

V. Well Test Data

³¹ Date New Oil 5/10/22	³² Gas Delivery Date 5/10/22	³³ Test Date 5/10/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 3176 bbl	³⁹ Water 6227 bbl	⁴⁰ Gas 54 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvnm.com			Approval Date: 7/10/2024		
Date: 5/16/2022		Phone: 405-552-3513			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48451	² Pool Code 98248	³ Pool Name WC-025 G-08 S243217P;UPR WOLFCAMP
⁴ Property Code 329914	⁵ Property Name RIGHT MEOW 30-31 FED COM	⁶ Well Number 712H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3616.0

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	30	23 S	32 E		250	NORTH	1805	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	31	23 S	32 E		306	SOUTH	1817	WEST	LEA

¹² Dedicated Acres 691.6	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 30 LAT. = 32.2826837°N LONG. = 103.7229672°W NMSP EAST (FT) N = 467109.75 E = 729962.47 W/4 CORNER SEC. 30 LAT. = 32.2754287°N LONG. = 103.7229686°W NMSP EAST (FT) N = 464470.42 E = 729977.03 SECTION CORNER LAT. = 32.2681761°N LONG. = 103.7229746°W NMSP EAST (FT) N = 461832.00 E = 729990.21 W/4 CORNER SEC. 31 LAT. = 32.2609229°N LONG. = 103.7229776°W NMSP EAST (FT) N = 459193.32 E = 730004.28 SW CORNER SEC. 31 LAT. = 32.2536675°N LONG. = 103.7229799°W NMSP EAST (FT) N = 456553.86 E = 730018.57 N89°22'51"E 2849.85 FT N89°23'20"E 2639.62 FT N89°27'05"E 2854.96 FT N89°24'40"E 2639.34 FT N89°13'30"W 2847.56 FT S89°26'54"W 2645.80 FT 1805' 250' 306' 1817' KOP FTP KICK OFF POINT 142' FNL, 1790' FWL LAT. = 32.2823191°N LONG. = 103.7171776°W NMSP EAST (FT) N = 467140.54 E = 732811.53 FIRST TAKE POINT 484' FNL, 11716' FWL LAT. = 32.2813775°N LONG. = 103.7174146°W NMSP EAST (FT) N = 461859.33 E = 732844.42 LAST TAKE POINT 328' FSL, 1818' FWL LAT. = 32.2545835°N LONG. = 103.7171014°W NMSP EAST (FT) N = 456874.50 E = 731833.13 BOTTOM OF HOLE LAT. = 32.2545204°N LONG. = 103.7171044°W NMSP EAST (FT) N = 456874.50 E = 731833.13 LTP BOTTOM OF HOLE SEC. 30 SEC. 31 AS-DRILLED	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Shayda Omoumi</i> 5/5/2022 Signature Date Shayda Omoumi Printed Name shayda.omoumi@dvn.com E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. APRIL 21, 2022 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 Survey No. 8262
---	---

Intent ☐ As Drilled ☒

API # 30-025-48451		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: RIGHT MEOW 30-31 FED COM	Well Number 712H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	30	23S	32E		142	NORTH	1790	WEST	LEA
Latitude 32.2823191					Longitude 103.7171776				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	30	23S	32E		484	NORTH	1716	WEST	LEA
Latitude 32.2813775					Longitude 103.7174146				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	31	23S	32E		329	SOUTH	1818	WEST	LEA
Latitude 32.2545835					Longitude 103.7171014				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Devon Energy

Lea County, NM (NAD83)

Magic Cat 30-19 Fed Com

Right Meow 30-31 Fed Com 712H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

14 March, 2022

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Magic Cat 30-19 Fed Com			
Site Position:		Northing:	462,173.00 usft	Latitude:	32.2690471
From:	Map	Easting:	734,193.00 usft	Longitude:	-103.7093713
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.33 °

Well	Right Meow 30-31 Fed Com 712H					
Well Position	+N/-S	0.00 usft	Northing:	466,879.31 usft	Latitude:	32.2820219
	+E/-W	0.00 usft	Easting:	731,768.36 usft	Longitude:	-103.7171281
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,616.00 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	1/8/2022	6.47	59.92	47,683.30000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	1.63	

Survey Program	Date	3/14/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
178.00	7,061.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	466,879.31	731,768.36	32.2820219	-103.7171281
178.00	0.50	285.20	178.00	0.20	-0.75	466,879.51	731,767.61	32.2820225	-103.7171305
272.00	0.50	283.60	271.99	0.41	-1.54	466,879.72	731,766.81	32.2820231	-103.7171331
366.00	0.60	284.30	365.99	0.63	-2.42	466,879.94	731,765.94	32.2820237	-103.7171359
459.00	0.60	283.30	458.98	0.86	-3.37	466,880.17	731,764.99	32.2820243	-103.7171390
553.00	0.60	274.30	552.98	1.01	-4.34	466,880.32	731,764.02	32.2820248	-103.7171421
646.00	0.70	263.50	645.97	0.98	-5.39	466,880.29	731,762.97	32.2820247	-103.7171455
740.00	0.80	259.40	739.97	0.79	-6.60	466,880.10	731,761.76	32.2820242	-103.7171494
834.00	0.80	250.80	833.96	0.46	-7.87	466,879.77	731,760.49	32.2820233	-103.7171535
927.00	0.80	228.80	926.95	-0.18	-8.97	466,879.13	731,759.39	32.2820216	-103.7171571
1,019.00	0.80	210.90	1,018.94	-1.16	-9.78	466,878.15	731,758.58	32.2820189	-103.7171598
1,168.00	1.00	217.90	1,167.92	-3.08	-11.11	466,876.23	731,757.24	32.2820136	-103.7171641

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,258.00	1.10	228.70	1,257.91	-4.27	-12.24	466,875.04	731,756.11	32.2820104	-103.7171678
1,352.00	0.90	222.40	1,351.89	-5.41	-13.42	466,873.90	731,754.94	32.2820073	-103.7171716
1,446.00	0.70	239.70	1,445.88	-6.24	-14.41	466,873.07	731,753.94	32.2820050	-103.7171748
1,541.00	0.70	254.80	1,540.87	-6.69	-15.47	466,872.62	731,752.88	32.2820038	-103.7171783
1,635.00	0.70	269.50	1,634.87	-6.84	-16.60	466,872.47	731,751.75	32.2820034	-103.7171819
1,730.00	1.70	6.40	1,729.85	-5.45	-17.03	466,873.86	731,751.33	32.2820072	-103.7171833
1,824.00	2.50	10.90	1,823.79	-2.05	-16.48	466,877.26	731,751.87	32.2820166	-103.7171815
1,920.00	2.20	8.80	1,919.71	1.83	-15.81	466,881.14	731,752.55	32.2820272	-103.7171792
2,014.00	3.20	10.80	2,013.60	6.19	-15.04	466,885.50	731,753.32	32.2820392	-103.7171766
2,108.00	4.00	13.00	2,107.42	11.96	-13.81	466,891.27	731,754.55	32.2820550	-103.7171726
2,203.00	4.00	11.80	2,202.18	18.43	-12.39	466,897.74	731,755.97	32.2820728	-103.7171678
2,297.00	3.90	10.50	2,295.96	24.79	-11.13	466,904.10	731,757.22	32.2820902	-103.7171637
2,391.00	3.80	10.20	2,389.75	30.99	-10.00	466,910.31	731,758.36	32.2821073	-103.7171599
2,485.00	3.60	5.80	2,483.55	37.00	-9.15	466,916.31	731,759.21	32.2821238	-103.7171570
2,579.00	3.50	3.70	2,577.37	42.80	-8.67	466,922.11	731,759.69	32.2821397	-103.7171553
2,674.00	3.40	19.60	2,672.20	48.34	-7.53	466,927.65	731,760.82	32.2821549	-103.7171516
2,769.00	3.60	28.80	2,767.03	53.61	-5.15	466,932.92	731,763.21	32.2821694	-103.7171438
2,863.00	3.50	26.80	2,860.85	58.76	-2.44	466,938.07	731,765.92	32.2821835	-103.7171349
2,957.00	3.50	25.90	2,954.67	63.90	0.11	466,943.21	731,768.47	32.2821976	-103.7171265
3,051.00	3.50	25.70	3,048.50	69.07	2.61	466,948.38	731,770.97	32.2822117	-103.7171184
3,146.00	3.50	27.60	3,143.32	74.25	5.21	466,953.56	731,773.57	32.2822259	-103.7171099
3,240.00	3.30	29.60	3,237.15	79.14	7.88	466,958.46	731,776.23	32.2822393	-103.7171011
3,334.00	3.00	31.70	3,331.01	83.59	10.50	466,962.90	731,778.86	32.2822515	-103.7170926
3,429.00	2.60	32.00	3,425.90	87.53	12.95	466,966.84	731,781.31	32.2822623	-103.7170846
3,524.00	2.40	30.30	3,520.81	91.08	15.10	466,970.39	731,783.45	32.2822720	-103.7170775
3,618.00	2.20	29.30	3,614.73	94.35	16.97	466,973.66	731,785.33	32.2822810	-103.7170714
3,712.00	2.10	25.70	3,708.66	97.48	18.60	466,976.79	731,786.96	32.2822896	-103.7170661
3,807.00	2.00	20.80	3,803.60	100.59	19.95	466,979.90	731,788.30	32.2822981	-103.7170617
3,902.00	1.90	39.50	3,898.55	103.36	21.54	466,982.67	731,789.89	32.2823057	-103.7170565
3,996.00	1.70	66.00	3,992.51	105.13	23.80	466,984.44	731,792.16	32.2823105	-103.7170491
4,091.00	1.40	81.30	4,087.47	105.88	26.24	466,985.19	731,794.59	32.2823125	-103.7170412
4,185.00	1.40	47.80	4,181.44	106.82	28.22	466,986.13	731,796.58	32.2823151	-103.7170348
4,279.00	1.50	50.10	4,275.41	108.38	30.02	466,987.69	731,798.37	32.2823194	-103.7170290
4,373.00	1.10	84.20	4,369.39	109.26	31.86	466,988.57	731,800.22	32.2823217	-103.7170230
4,468.00	2.20	3.90	4,464.36	111.17	32.89	466,990.48	731,801.25	32.2823270	-103.7170196
4,562.00	2.90	0.30	4,558.27	115.35	33.03	466,994.66	731,801.38	32.2823385	-103.7170191
4,657.00	2.40	356.60	4,653.16	119.74	32.92	466,999.05	731,801.28	32.2823505	-103.7170193
4,752.00	2.40	356.00	4,748.08	123.71	32.66	467,003.02	731,801.02	32.2823615	-103.7170201
4,846.00	2.30	351.20	4,842.00	127.54	32.24	467,006.85	731,800.59	32.2823720	-103.7170214
4,941.00	2.30	353.60	4,936.93	131.32	31.73	467,010.63	731,800.09	32.2823824	-103.7170230
5,035.00	2.20	349.70	5,030.85	134.97	31.20	467,014.28	731,799.56	32.2823924	-103.7170246
5,130.00	2.30	349.30	5,125.78	138.63	30.52	467,017.94	731,798.88	32.2824025	-103.7170268
5,225.00	2.30	349.80	5,220.70	142.38	29.83	467,021.69	731,798.19	32.2824128	-103.7170289
5,320.00	2.40	345.60	5,315.62	146.18	29.00	467,025.50	731,797.35	32.2824233	-103.7170316
5,414.00	2.40	345.40	5,409.54	150.00	28.01	467,029.31	731,796.37	32.2824338	-103.7170347
5,509.00	2.30	341.40	5,504.46	153.73	26.90	467,033.04	731,795.26	32.2824440	-103.7170382
5,603.00	2.20	337.00	5,598.39	157.18	25.60	467,036.49	731,793.95	32.2824535	-103.7170424
5,697.00	2.20	335.10	5,692.32	160.47	24.13	467,039.78	731,792.49	32.2824626	-103.7170470
5,792.00	2.20	331.20	5,787.25	163.72	22.48	467,043.04	731,790.84	32.2824716	-103.7170523
5,886.00	2.20	331.40	5,881.18	166.89	20.75	467,046.20	731,789.11	32.2824803	-103.7170578
5,980.00	2.20	330.00	5,975.11	170.04	18.99	467,049.35	731,787.34	32.2824890	-103.7170635
6,075.00	2.20	328.20	6,070.04	173.17	17.11	467,052.48	731,785.47	32.2824976	-103.7170695
6,169.00	2.00	328.30	6,163.98	176.09	15.30	467,055.40	731,783.66	32.2825057	-103.7170753
6,263.00	2.20	330.00	6,257.91	179.05	13.54	467,058.36	731,781.89	32.2825139	-103.7170810
6,358.00	2.00	322.50	6,352.85	181.95	11.62	467,061.26	731,779.97	32.2825219	-103.7170871

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
6,453.00	1.80	318.20	6,447.80	184.37	9.61	467,063.68	731,777.97	32.2825286	-103.7170936	
6,547.00	1.80	317.80	6,541.75	186.57	7.64	467,065.88	731,775.99	32.2825346	-103.7170999	
6,641.00	1.60	316.20	6,635.71	188.61	5.74	467,067.92	731,774.09	32.2825403	-103.7171060	
6,737.00	1.50	317.20	6,731.68	190.50	3.96	467,069.81	731,772.31	32.2825455	-103.7171118	
6,830.00	0.60	352.80	6,824.66	191.87	3.07	467,071.19	731,771.42	32.2825493	-103.7171146	
6,925.00	0.80	107.20	6,919.66	192.17	3.64	467,071.48	731,771.99	32.2825501	-103.7171128	
Final MWD Survey @ 6925' MD										
6,945.00	0.80	107.20	6,939.65	192.09	3.91	467,071.40	731,772.26	32.2825499	-103.7171119	
Top of Fish @ 6945' MD										
7,051.00	0.80	107.20	7,045.64	191.65	5.32	467,070.96	731,773.68	32.2825486	-103.7171073	
Btm of Fish @ 7051' MD										
7,061.00	0.80	107.20	7,055.64	191.61	5.45	467,070.92	731,773.81	32.2825485	-103.7171069	
PBHL; 58' FNL, 1810' FWL										

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
6,925.00	6,919.66	192.17	3.64	Final MWD Survey @ 6925' MD	
6,945.00	6,939.65	192.09	3.91	Top of Fish @ 6945' MD	
7,051.00	7,045.64	191.65	5.32	Btm of Fish @ 7051' MD	
7,061.00	7,055.64	191.61	5.45	PBHL; 58' FNL, 1810' FWL	

Checked By: _____

Approved By: _____

Date: _____

Devon Energy

Lea County, NM (NAD83)

Magic Cat 30-19 Fed Com

Right Meow 30-31 Fed Com 712H

ST01

Design: ST01

Survey Report - Geographic

14 March, 2022

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Magic Cat 30-19 Fed Com			
Site Position:		Northing:	462,173.00 usft	Latitude:	32.2690471
From:	Map	Easting:	734,193.00 usft	Longitude:	-103.7093713
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.33 °

Well	Right Meow 30-31 Fed Com 712H					
Well Position	+N/-S	0.00 usft	Northing:	466,879.31 usft	Latitude:	32.2820219
	+E/-W	0.00 usft	Easting:	731,768.36 usft	Longitude:	-103.7171281
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,616.00 usft

Wellbore	ST01				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	1/27/2022	6.47	59.92	47,678.20000000

Design	ST01				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	5,414.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	179.63	

Survey Program	Date	3/14/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
178.00	5,414.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	
5,575.00	22,130.00	ST01 (ST01)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	466,879.31	731,768.36	32.2820219	-103.7171281
178.00	0.50	285.20	178.00	0.20	-0.75	466,879.51	731,767.61	32.2820225	-103.7171305
272.00	0.50	283.60	271.99	0.41	-1.54	466,879.72	731,766.81	32.2820231	-103.7171331
366.00	0.60	284.30	365.99	0.63	-2.42	466,879.94	731,765.94	32.2820237	-103.7171359
459.00	0.60	283.30	458.98	0.86	-3.37	466,880.17	731,764.99	32.2820243	-103.7171390
553.00	0.60	274.30	552.98	1.01	-4.34	466,880.32	731,764.02	32.2820248	-103.7171421
646.00	0.70	263.50	645.97	0.98	-5.39	466,880.29	731,762.97	32.2820247	-103.7171455
740.00	0.80	259.40	739.97	0.79	-6.60	466,880.10	731,761.76	32.2820242	-103.7171494
834.00	0.80	250.80	833.96	0.46	-7.87	466,879.77	731,760.49	32.2820233	-103.7171535
927.00	0.80	228.80	926.95	-0.18	-8.97	466,879.13	731,759.39	32.2820216	-103.7171571
1,019.00	0.80	210.90	1,018.94	-1.16	-9.78	466,878.15	731,758.58	32.2820189	-103.7171598

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,168.00	1.00	217.90	1,167.92	-3.08	-11.11	466,876.23	731,757.24	32.2820136	-103.7171641
1,258.00	1.10	228.70	1,257.91	-4.27	-12.24	466,875.04	731,756.11	32.2820104	-103.7171678
1,352.00	0.90	222.40	1,351.89	-5.41	-13.42	466,873.90	731,754.94	32.2820073	-103.7171716
1,446.00	0.70	239.70	1,445.88	-6.24	-14.41	466,873.07	731,753.94	32.2820050	-103.7171748
1,541.00	0.70	254.80	1,540.87	-6.69	-15.47	466,872.62	731,752.88	32.2820038	-103.7171783
1,635.00	0.70	269.50	1,634.87	-6.84	-16.60	466,872.47	731,751.75	32.2820034	-103.7171819
1,730.00	1.70	6.40	1,729.85	-5.45	-17.03	466,873.86	731,751.33	32.2820072	-103.7171833
1,824.00	2.50	10.90	1,823.79	-2.05	-16.48	466,877.26	731,751.87	32.2820166	-103.7171815
1,920.00	2.20	8.80	1,919.71	1.83	-15.81	466,881.14	731,752.55	32.2820272	-103.7171792
2,014.00	3.20	10.80	2,013.60	6.19	-15.04	466,885.50	731,753.32	32.2820392	-103.7171766
2,108.00	4.00	13.00	2,107.42	11.96	-13.81	466,891.27	731,754.55	32.2820550	-103.7171726
2,203.00	4.00	11.80	2,202.18	18.43	-12.39	466,897.74	731,755.97	32.2820728	-103.7171678
2,297.00	3.90	10.50	2,295.96	24.79	-11.13	466,904.10	731,757.22	32.2820902	-103.7171637
2,391.00	3.80	10.20	2,389.75	30.99	-10.00	466,910.31	731,758.36	32.2821073	-103.7171599
2,485.00	3.60	5.80	2,483.55	37.00	-9.15	466,916.31	731,759.21	32.2821238	-103.7171570
2,579.00	3.50	3.70	2,577.37	42.80	-8.67	466,922.11	731,759.69	32.2821397	-103.7171553
2,674.00	3.40	19.60	2,672.20	48.34	-7.53	466,927.65	731,760.82	32.2821549	-103.7171516
2,769.00	3.60	28.80	2,767.03	53.61	-5.15	466,932.92	731,763.21	32.2821694	-103.7171438
2,863.00	3.50	26.80	2,860.85	58.76	-2.44	466,938.07	731,765.92	32.2821835	-103.7171349
2,957.00	3.50	25.90	2,954.67	63.90	0.11	466,943.21	731,768.47	32.2821976	-103.7171265
3,051.00	3.50	25.70	3,048.50	69.07	2.61	466,948.38	731,770.97	32.2822117	-103.7171184
3,146.00	3.50	27.60	3,143.32	74.25	5.21	466,953.56	731,773.57	32.2822259	-103.7171099
3,240.00	3.30	29.60	3,237.15	79.14	7.88	466,958.46	731,776.23	32.2822393	-103.7171011
3,334.00	3.00	31.70	3,331.01	83.59	10.50	466,962.90	731,778.86	32.2822515	-103.7170926
3,429.00	2.60	32.00	3,425.90	87.53	12.95	466,966.84	731,781.31	32.2822623	-103.7170846
3,524.00	2.40	30.30	3,520.81	91.08	15.10	466,970.39	731,783.45	32.2822720	-103.7170775
3,618.00	2.20	29.30	3,614.73	94.35	16.97	466,973.66	731,785.33	32.2822810	-103.7170714
3,712.00	2.10	25.70	3,708.66	97.48	18.60	466,976.79	731,786.96	32.2822896	-103.7170661
3,807.00	2.00	20.80	3,803.60	100.59	19.95	466,979.90	731,788.30	32.2822981	-103.7170617
3,902.00	1.90	39.50	3,898.55	103.36	21.54	466,982.67	731,789.89	32.2823057	-103.7170565
3,996.00	1.70	66.00	3,992.51	105.13	23.80	466,984.44	731,792.16	32.2823105	-103.7170491
4,091.00	1.40	81.30	4,087.47	105.88	26.24	466,985.19	731,794.59	32.2823125	-103.7170412
4,185.00	1.40	47.80	4,181.44	106.82	28.22	466,986.13	731,796.58	32.2823151	-103.7170348
4,279.00	1.50	50.10	4,275.41	108.38	30.02	466,987.69	731,798.37	32.2823194	-103.7170290
4,373.00	1.10	84.20	4,369.39	109.26	31.86	466,988.57	731,800.22	32.2823217	-103.7170230
4,468.00	2.20	3.90	4,464.36	111.17	32.89	466,990.48	731,801.25	32.2823270	-103.7170196
4,562.00	2.90	0.30	4,558.27	115.35	33.03	466,994.66	731,801.38	32.2823385	-103.7170191
4,657.00	2.40	356.60	4,653.16	119.74	32.92	466,999.05	731,801.28	32.2823505	-103.7170193
4,752.00	2.40	356.00	4,748.08	123.71	32.66	467,003.02	731,801.02	32.2823615	-103.7170201
4,846.00	2.30	351.20	4,842.00	127.54	32.24	467,006.85	731,800.59	32.2823720	-103.7170214
4,941.00	2.30	353.60	4,936.93	131.32	31.73	467,010.63	731,800.09	32.2823824	-103.7170230
5,035.00	2.20	349.70	5,030.85	134.97	31.20	467,014.28	731,799.56	32.2823924	-103.7170246
5,130.00	2.30	349.30	5,125.78	138.63	30.52	467,017.94	731,798.88	32.2824025	-103.7170268
5,225.00	2.30	349.80	5,220.70	142.38	29.83	467,021.69	731,798.19	32.2824128	-103.7170289
5,320.00	2.40	345.60	5,315.62	146.18	29.00	467,025.50	731,797.35	32.2824233	-103.7170316
5,414.00	2.40	345.40	5,409.54	150.00	28.01	467,029.31	731,796.37	32.2824338	-103.7170347
Tie-On @ 5414' MD									
5,575.00	6.10	4.00	5,570.08	161.80	27.76	467,041.11	731,796.11	32.2824662	-103.7170353
5,606.00	6.20	5.40	5,600.90	165.11	28.03	467,044.42	731,796.39	32.2824753	-103.7170343
5,700.00	5.90	7.80	5,694.38	174.95	29.16	467,054.26	731,797.52	32.2825023	-103.7170305
5,795.00	5.00	20.10	5,788.95	183.67	31.25	467,062.98	731,799.61	32.2825263	-103.7170236
5,889.00	4.50	29.80	5,882.63	190.72	34.49	467,070.03	731,802.85	32.2825456	-103.7170130
5,983.00	3.50	40.40	5,976.40	196.10	38.18	467,075.41	731,806.54	32.2825604	-103.7170009
6,078.00	2.90	48.50	6,071.25	199.90	41.86	467,079.21	731,810.22	32.2825707	-103.7169889
6,172.00	2.20	63.50	6,165.16	202.28	45.26	467,081.60	731,813.61	32.2825772	-103.7169779

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,266.00	1.50	87.80	6,259.11	203.14	48.10	467,082.45	731,816.46	32.2825795	-103.7169687
6,361.00	1.50	90.60	6,354.08	203.17	50.59	467,082.48	731,818.94	32.2825796	-103.7169606
6,456.00	1.40	100.20	6,449.05	202.95	52.97	467,082.26	731,821.33	32.2825789	-103.7169529
6,550.00	1.30	104.30	6,543.02	202.49	55.14	467,081.80	731,823.49	32.2825776	-103.7169459
6,644.00	1.20	101.50	6,637.00	202.03	57.13	467,081.34	731,825.49	32.2825763	-103.7169395
6,739.00	1.10	100.10	6,731.98	201.67	59.01	467,080.98	731,827.36	32.2825753	-103.7169334
6,833.00	1.00	137.40	6,825.96	200.91	60.45	467,080.22	731,828.81	32.2825732	-103.7169288
6,928.00	1.00	181.00	6,920.95	199.47	61.00	467,078.78	731,829.35	32.2825692	-103.7169270
7,023.00	1.20	192.30	7,015.93	197.67	60.77	467,076.98	731,829.13	32.2825643	-103.7169278
7,117.00	1.10	187.70	7,109.91	195.81	60.44	467,075.12	731,828.80	32.2825592	-103.7169289
7,211.00	1.30	187.10	7,203.89	193.86	60.19	467,073.17	731,828.54	32.2825538	-103.7169297
7,306.00	1.10	184.80	7,298.87	191.88	59.98	467,071.19	731,828.33	32.2825484	-103.7169305
7,400.00	1.10	181.60	7,392.85	190.08	59.88	467,069.39	731,828.23	32.2825435	-103.7169308
7,495.00	1.10	180.20	7,487.84	188.26	59.85	467,067.57	731,828.20	32.2825384	-103.7169309
7,589.00	1.10	180.70	7,581.82	186.45	59.83	467,065.76	731,828.19	32.2825335	-103.7169310
7,684.00	0.80	174.60	7,676.81	184.88	59.89	467,064.19	731,828.24	32.2825292	-103.7169309
7,778.00	0.80	180.30	7,770.80	183.57	59.94	467,062.88	731,828.30	32.2825256	-103.7169307
7,872.00	1.10	181.60	7,864.78	182.01	59.92	467,061.32	731,828.27	32.2825213	-103.7169308
7,967.00	1.20	182.90	7,959.77	180.11	59.84	467,059.42	731,828.20	32.2825160	-103.7169311
8,062.00	1.10	192.40	8,054.75	178.22	59.59	467,057.53	731,827.95	32.2825109	-103.7169320
8,156.00	1.40	204.20	8,148.72	176.29	58.93	467,055.60	731,827.29	32.2825056	-103.7169341
8,251.00	1.40	200.60	8,243.70	174.15	58.04	467,053.46	731,826.40	32.2824997	-103.7169370
8,346.00	1.50	204.20	8,338.67	171.93	57.13	467,051.24	731,825.48	32.2824936	-103.7169401
8,440.00	1.70	202.80	8,432.63	169.52	56.08	467,048.83	731,824.44	32.2824870	-103.7169435
8,535.00	1.90	209.60	8,527.58	166.85	54.76	467,046.16	731,823.11	32.2824797	-103.7169478
8,630.00	1.90	208.60	8,622.53	164.10	53.23	467,043.41	731,821.58	32.2824721	-103.7169528
8,724.00	1.50	209.50	8,716.49	161.66	51.87	467,040.97	731,820.23	32.2824655	-103.7169572
8,819.00	1.30	215.90	8,811.46	159.71	50.63	467,039.02	731,818.99	32.2824601	-103.7169613
8,913.00	1.50	218.70	8,905.43	157.88	49.24	467,037.19	731,817.59	32.2824551	-103.7169658
9,007.00	1.20	219.20	8,999.41	156.16	47.84	467,035.47	731,816.20	32.2824504	-103.7169704
9,102.00	1.60	206.80	9,094.38	154.21	46.62	467,033.52	731,814.97	32.2824451	-103.7169744
9,196.00	1.70	206.00	9,188.34	151.78	45.42	467,031.09	731,813.77	32.2824384	-103.7169783
9,258.34	1.82	196.57	9,250.65	150.00	44.73	467,029.31	731,813.08	32.2824335	-103.7169806
X FTP @ 9258' MD, 100' FNL, 1850' FWL									
9,290.00	1.90	192.30	9,282.29	149.00	44.47	467,028.32	731,812.83	32.2824308	-103.7169814
9,384.00	2.00	187.90	9,376.24	145.86	43.91	467,025.17	731,812.27	32.2824221	-103.7169833
9,479.00	2.30	178.30	9,471.17	142.31	43.74	467,021.62	731,812.10	32.2824124	-103.7169839
9,573.00	1.90	198.00	9,565.11	138.94	43.32	467,018.25	731,811.67	32.2824032	-103.7169854
9,668.00	2.20	207.50	9,660.05	135.83	41.99	467,015.14	731,810.35	32.2823946	-103.7169897
9,763.00	2.20	209.20	9,754.98	132.62	40.26	467,011.93	731,808.61	32.2823858	-103.7169954
9,857.00	2.20	213.80	9,848.91	129.54	38.37	467,008.85	731,806.73	32.2823774	-103.7170015
9,951.00	2.10	218.30	9,942.84	126.69	36.30	467,006.00	731,804.66	32.2823696	-103.7170083
10,046.00	1.90	221.00	10,037.79	124.14	34.19	467,003.45	731,802.55	32.2823626	-103.7170152
10,139.00	1.50	230.00	10,130.74	122.19	32.25	467,001.50	731,800.60	32.2823573	-103.7170215
10,234.00	1.10	248.10	10,225.72	121.05	30.45	467,000.36	731,798.80	32.2823542	-103.7170273
10,328.00	0.90	257.30	10,319.71	120.55	28.89	466,999.87	731,797.25	32.2823528	-103.7170324
10,422.00	1.00	268.90	10,413.69	120.38	27.35	466,999.69	731,795.71	32.2823524	-103.7170374
10,517.00	1.40	257.70	10,508.67	120.11	25.39	466,999.42	731,793.74	32.2823517	-103.7170437
10,611.00	1.70	253.10	10,602.64	119.46	22.93	466,998.77	731,791.29	32.2823499	-103.7170517
10,705.00	1.50	242.30	10,696.60	118.49	20.51	466,997.80	731,788.86	32.2823473	-103.7170595
10,800.00	1.50	244.50	10,791.57	117.37	18.28	466,996.68	731,786.64	32.2823443	-103.7170667
10,894.00	1.90	238.80	10,885.53	116.04	15.84	466,995.35	731,784.20	32.2823406	-103.7170747
10,988.00	2.30	231.30	10,979.46	114.05	13.04	466,993.36	731,781.39	32.2823352	-103.7170838
11,082.00	2.50	242.80	11,073.38	111.93	9.74	466,991.24	731,778.10	32.2823294	-103.7170945
11,176.00	2.40	251.60	11,167.30	110.37	6.05	466,989.69	731,774.41	32.2823252	-103.7171065

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,269.00	2.60	254.80	11,260.21	109.21	2.17	466,988.52	731,770.52	32.2823221	-103.7171191
11,363.00	2.90	259.90	11,354.10	108.23	-2.23	466,987.54	731,766.12	32.2823195	-103.7171333
11,457.00	3.20	269.60	11,447.97	107.80	-7.20	466,987.11	731,761.16	32.2823183	-103.7171494
11,550.00	3.30	273.30	11,540.82	107.93	-12.46	466,987.24	731,755.89	32.2823188	-103.7171664
11,631.00	3.10	270.50	11,621.69	108.08	-16.98	466,987.40	731,751.37	32.2823193	-103.7171810
11,700.00	3.30	233.80	11,690.59	106.93	-20.45	466,986.24	731,747.91	32.2823162	-103.7171923
11,796.00	13.60	187.90	11,785.49	94.07	-24.24	466,973.38	731,744.11	32.2822809	-103.7172048
11,891.00	24.80	185.70	11,875.06	63.09	-27.77	466,942.40	731,740.59	32.2821958	-103.7172168
11,986.00	32.70	190.80	11,958.30	17.97	-34.57	466,897.29	731,733.79	32.2820719	-103.7172396
12,081.00	38.90	193.80	12,035.32	-36.26	-46.50	466,843.05	731,721.85	32.2819230	-103.7172792
12,163.00	45.20	198.80	12,096.19	-88.87	-62.04	466,790.44	731,706.31	32.2817786	-103.7173305
12,258.00	58.90	191.50	12,154.52	-161.03	-81.12	466,718.28	731,687.24	32.2815806	-103.7173936
12,353.00	72.00	178.60	12,194.05	-246.72	-88.18	466,632.59	731,680.18	32.2813451	-103.7174180
12,424.00	83.90	177.40	12,208.84	-315.99	-85.74	466,563.32	731,682.61	32.2811547	-103.7174114
12,519.00	89.50	178.10	12,214.31	-410.72	-82.02	466,468.59	731,686.33	32.2808943	-103.7174011
12,614.00	90.80	177.40	12,214.06	-505.65	-78.29	466,373.66	731,690.06	32.2806333	-103.7173908
12,710.00	91.00	178.30	12,212.55	-601.57	-74.69	466,277.75	731,693.66	32.2803696	-103.7173810
12,805.00	91.10	178.80	12,210.81	-696.52	-72.29	466,182.79	731,696.07	32.2801085	-103.7173749
12,900.00	91.90	179.20	12,208.33	-791.47	-70.63	466,087.84	731,697.72	32.2798475	-103.7173713
12,995.00	91.30	177.90	12,205.67	-886.40	-68.23	465,992.91	731,700.13	32.2795865	-103.7173653
13,091.00	92.20	179.90	12,202.74	-982.33	-66.39	465,896.98	731,701.97	32.2793228	-103.7173612
13,186.00	90.80	178.20	12,200.25	-1,077.28	-64.81	465,802.03	731,703.54	32.2790618	-103.7173578
13,281.00	91.20	179.70	12,198.60	-1,172.25	-63.07	465,707.06	731,705.28	32.2788007	-103.7173540
13,376.00	88.60	178.80	12,198.76	-1,267.23	-61.83	465,612.08	731,706.53	32.2785396	-103.7173517
13,472.00	89.70	177.90	12,200.19	-1,363.18	-59.06	465,516.13	731,709.29	32.2782759	-103.7173445
13,567.00	88.10	175.60	12,202.01	-1,458.00	-53.68	465,421.31	731,714.68	32.2780151	-103.7173289
13,662.00	88.20	175.60	12,205.08	-1,552.67	-46.40	465,326.64	731,721.96	32.2777548	-103.7173071
13,757.00	88.70	173.60	12,207.65	-1,647.21	-37.46	465,232.10	731,730.90	32.2774948	-103.7172799
13,853.00	90.30	175.00	12,208.48	-1,742.72	-27.93	465,136.59	731,740.43	32.2772321	-103.7172508
13,948.00	91.00	176.30	12,207.41	-1,837.44	-20.72	465,041.87	731,747.64	32.2769716	-103.7172293
14,043.00	90.80	176.30	12,205.92	-1,932.23	-14.59	464,947.08	731,753.77	32.2767110	-103.7172112
14,139.00	90.70	177.10	12,204.66	-2,028.06	-9.07	464,851.25	731,759.29	32.2764475	-103.7171951
14,234.00	91.90	177.10	12,202.50	-2,122.92	-4.26	464,756.40	731,764.10	32.2761867	-103.7171813
14,330.00	90.50	175.90	12,200.49	-2,218.71	1.60	464,660.60	731,769.96	32.2759233	-103.7171642
14,425.00	91.30	176.10	12,199.00	-2,313.47	8.23	464,565.84	731,776.58	32.2756627	-103.7171445
14,521.00	86.30	174.40	12,201.01	-2,409.08	16.17	464,470.23	731,784.53	32.2753998	-103.7171206
14,616.00	89.30	173.70	12,204.66	-2,503.49	26.01	464,375.82	731,794.37	32.2751401	-103.7170905
14,712.00	90.20	175.20	12,205.08	-2,599.04	35.29	464,280.28	731,803.65	32.2748773	-103.7170622
14,807.00	88.60	173.70	12,206.07	-2,693.58	44.48	464,185.73	731,812.84	32.2746173	-103.7170342
14,902.00	89.80	174.80	12,207.40	-2,788.09	54.00	464,091.22	731,822.35	32.2743574	-103.7170052
14,996.00	90.90	177.10	12,206.82	-2,881.84	60.63	463,997.47	731,828.99	32.2740996	-103.7169855
15,092.00	92.50	179.50	12,203.97	-2,977.75	63.48	463,901.56	731,831.84	32.2738359	-103.7169780
15,188.00	92.30	180.30	12,199.95	-3,073.66	63.65	463,805.65	731,832.01	32.2735723	-103.7169793
15,283.00	92.30	181.60	12,196.14	-3,168.57	62.08	463,710.74	731,830.43	32.2733114	-103.7169861
15,379.00	93.10	182.10	12,191.62	-3,264.42	58.98	463,614.90	731,827.34	32.2730480	-103.7169979
15,474.00	91.30	182.00	12,187.97	-3,359.28	55.58	463,520.03	731,823.94	32.2727873	-103.7170107
15,570.00	90.90	183.20	12,186.13	-3,455.16	51.23	463,424.15	731,819.59	32.2725238	-103.7170266
15,665.00	90.50	184.60	12,184.97	-3,549.93	44.77	463,329.38	731,813.13	32.2722634	-103.7170492
15,761.00	86.80	183.70	12,187.23	-3,645.64	37.82	463,233.67	731,806.18	32.2720005	-103.7170735
15,856.00	84.70	182.30	12,194.27	-3,740.24	32.87	463,139.07	731,801.22	32.2717405	-103.7170913
15,951.00	86.10	181.10	12,201.89	-3,834.89	30.06	463,044.42	731,798.41	32.2714804	-103.7171021
16,047.00	89.90	176.90	12,205.24	-3,930.77	31.73	462,948.54	731,800.09	32.2712168	-103.7170985
16,142.00	90.00	179.00	12,205.32	-4,025.71	35.13	462,853.60	731,803.49	32.2709558	-103.7170892
16,237.00	88.30	179.70	12,206.73	-4,120.69	36.21	462,758.62	731,804.57	32.2706947	-103.7170875
16,333.00	87.50	179.30	12,210.25	-4,216.62	37.05	462,662.69	731,805.40	32.2704310	-103.7170866

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,428.00	88.50	179.90	12,213.57	-4,311.56	37.71	462,567.75	731,806.07	32.2701700	-103.7170862
16,523.00	94.10	182.50	12,211.41	-4,406.46	35.72	462,472.85	731,804.08	32.2699092	-103.7170944
16,618.00	92.70	183.20	12,205.78	-4,501.18	31.01	462,378.13	731,799.37	32.2696489	-103.7171114
16,713.00	88.70	184.20	12,204.62	-4,595.95	24.88	462,283.36	731,793.24	32.2693885	-103.7171330
16,809.00	87.50	184.40	12,207.80	-4,691.63	17.69	462,187.68	731,786.04	32.2691256	-103.7171580
16,904.00	88.70	183.60	12,210.95	-4,786.34	11.06	462,092.97	731,779.42	32.2688654	-103.7171812
16,999.00	87.80	182.00	12,213.85	-4,881.18	6.42	461,998.13	731,774.78	32.2686048	-103.7171980
17,095.00	85.50	179.50	12,219.46	-4,976.99	5.17	461,902.32	731,773.52	32.2683415	-103.7172038
17,147.07	87.80	179.66	12,222.50	-5,028.97	5.55	461,850.34	731,773.90	32.2681986	-103.7172036
X SEC @ 17147' MD, 0' FNL, 1784' FWL									
17,190.00	89.70	179.80	12,223.44	-5,071.89	5.75	461,807.42	731,774.10	32.2680806	-103.7172037
17,285.00	89.50	176.80	12,224.10	-5,166.83	8.57	461,712.48	731,776.92	32.2678196	-103.7171964
17,381.00	87.40	174.80	12,226.70	-5,262.53	15.59	461,616.78	731,783.95	32.2675564	-103.7171754
17,476.00	93.70	176.20	12,225.79	-5,357.18	23.04	461,522.13	731,791.40	32.2672961	-103.7171531
17,571.00	93.30	179.00	12,219.99	-5,451.91	27.01	461,427.40	731,795.37	32.2670357	-103.7171420
17,666.00	87.50	180.30	12,219.32	-5,546.86	27.59	461,332.45	731,795.95	32.2667747	-103.7171419
17,762.00	92.00	181.50	12,219.74	-5,642.83	26.08	461,236.49	731,794.44	32.2665109	-103.7171486
17,858.00	90.00	181.50	12,218.07	-5,738.77	23.57	461,140.54	731,791.93	32.2662472	-103.7171585
17,953.00	90.70	182.80	12,217.49	-5,833.70	20.01	461,045.61	731,788.36	32.2659864	-103.7171718
18,048.00	94.30	182.60	12,213.34	-5,928.49	15.54	460,950.82	731,783.89	32.2657259	-103.7171880
18,172.00	92.10	182.20	12,206.42	-6,052.18	10.35	460,827.13	731,778.71	32.2653860	-103.7172070
18,267.00	89.80	180.30	12,204.85	-6,147.13	8.28	460,732.18	731,776.64	32.2651250	-103.7172155
18,362.00	89.50	179.80	12,205.43	-6,242.13	8.20	460,637.18	731,776.56	32.2648639	-103.7172175
18,458.00	88.60	179.50	12,207.02	-6,338.12	8.79	460,541.19	731,777.14	32.2646000	-103.7172174
18,554.00	88.00	179.50	12,209.87	-6,434.07	9.62	460,445.24	731,777.98	32.2643363	-103.7172165
18,649.00	88.00	180.10	12,213.18	-6,529.01	9.95	460,350.30	731,778.31	32.2640753	-103.7172172
18,744.00	87.60	180.20	12,216.83	-6,623.94	9.71	460,255.37	731,778.06	32.2638144	-103.7172198
18,839.00	88.40	181.10	12,220.14	-6,718.87	8.63	460,160.44	731,776.98	32.2635534	-103.7172250
18,935.00	89.00	181.90	12,222.32	-6,814.82	6.12	460,064.50	731,774.47	32.2632898	-103.7172349
19,030.00	90.20	179.50	12,222.99	-6,909.80	4.96	459,969.51	731,773.31	32.2630287	-103.7172404
19,126.00	88.20	178.30	12,224.33	-7,005.76	6.80	459,873.55	731,775.15	32.2627649	-103.7172363
19,222.00	87.70	177.90	12,227.76	-7,101.65	9.98	459,777.66	731,778.34	32.2625013	-103.7172277
19,317.00	87.30	178.10	12,231.90	-7,196.50	13.29	459,682.81	731,781.65	32.2622405	-103.7172188
19,412.00	87.30	177.60	12,236.38	-7,291.33	16.85	459,587.98	731,785.21	32.2619798	-103.7172090
19,507.00	90.60	177.40	12,238.12	-7,386.21	20.99	459,493.10	731,789.35	32.2617189	-103.7171974
19,603.00	91.30	177.20	12,236.53	-7,482.09	25.52	459,397.22	731,793.87	32.2614553	-103.7171845
19,698.00	91.30	177.10	12,234.37	-7,576.95	30.24	459,302.36	731,798.59	32.2611945	-103.7171710
19,794.00	90.40	176.70	12,232.95	-7,672.79	35.43	459,206.52	731,803.79	32.2609309	-103.7171560
19,890.00	88.90	176.60	12,233.54	-7,768.63	41.04	459,110.69	731,809.39	32.2606674	-103.7171397
19,985.00	88.40	176.70	12,235.77	-7,863.44	46.59	459,015.87	731,814.94	32.2604067	-103.7171235
20,080.00	91.30	178.10	12,236.02	-7,958.33	50.90	458,920.98	731,819.25	32.2601459	-103.7171113
20,175.00	91.20	177.90	12,233.95	-8,053.25	54.21	458,826.07	731,822.57	32.2598849	-103.7171023
20,271.00	91.20	177.80	12,231.94	-8,149.16	57.81	458,730.15	731,826.17	32.2596212	-103.7170925
20,366.00	91.30	178.60	12,229.87	-8,244.09	60.80	458,635.22	731,829.15	32.2593602	-103.7170846
20,462.00	91.20	178.70	12,227.77	-8,340.04	63.06	458,539.27	731,831.41	32.2590964	-103.7170790
20,556.00	89.40	178.10	12,227.28	-8,433.99	65.68	458,445.32	731,834.04	32.2588381	-103.7170723
20,651.00	89.70	178.20	12,228.03	-8,528.94	68.75	458,350.37	731,837.10	32.2585771	-103.7170641
20,746.00	89.80	178.40	12,228.44	-8,623.90	71.57	458,255.41	731,839.92	32.2583160	-103.7170568
20,840.00	89.10	178.00	12,229.34	-8,717.85	74.52	458,161.46	731,842.88	32.2580578	-103.7170490
20,936.00	89.60	178.70	12,230.43	-8,813.80	77.28	458,065.51	731,845.64	32.2577940	-103.7170418
21,031.00	89.60	179.10	12,231.10	-8,908.78	79.11	457,970.53	731,847.46	32.2575329	-103.7170377
21,126.00	90.10	178.90	12,231.34	-9,003.77	80.76	457,875.54	731,849.12	32.2572717	-103.7170341
21,221.00	90.00	179.30	12,231.26	-9,098.75	82.26	457,780.56	731,850.61	32.2570106	-103.7170310
21,317.00	88.40	178.00	12,232.60	-9,194.71	84.52	457,684.60	731,852.87	32.2567468	-103.7170255
21,412.00	91.00	180.60	12,233.10	-9,289.69	85.68	457,589.62	731,854.03	32.2564857	-103.7170235

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Right Meow 30-31 Fed Com 712H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3616' + KB 30' @ 3646.00usft
Site:	Magic Cat 30-19 Fed Com	MD Reference:	GE 3616' + KB 30' @ 3646.00usft
Well:	Right Meow 30-31 Fed Com 712H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
21,507.00	91.60	181.00	12,230.94	-9,384.65	84.35	457,494.66	731,852.71	32.2562247	-103.7170296
21,603.00	91.60	181.40	12,228.26	-9,480.59	82.34	457,398.72	731,850.70	32.2559610	-103.7170378
21,698.00	92.60	182.00	12,224.78	-9,575.49	79.53	457,303.82	731,847.88	32.2557003	-103.7170487
21,794.00	91.40	182.00	12,221.43	-9,671.37	76.18	457,207.94	731,844.53	32.2554368	-103.7170613
21,888.00	92.30	181.90	12,218.40	-9,765.26	72.98	457,114.05	731,841.34	32.2551787	-103.7170734
21,984.00	92.00	181.90	12,214.80	-9,861.14	69.80	457,018.17	731,838.16	32.2549152	-103.7170855
22,070.00	91.80	182.00	12,211.94	-9,947.05	66.88	456,932.26	731,835.23	32.2546791	-103.7170965
22,130.00	91.80	182.00	12,210.06	-10,006.98	64.78	456,872.33	731,833.14	32.2545144	-103.7171044
PBHL & LTP @ 22130' MD, 303' FSL, 1815' FWL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
5,414.00	5,409.54	150.00	28.01	Tie-On @ 5414' MD	
9,258.34	9,250.65	150.00	44.73	X FTP @ 9258' MD, 100' FNL, 1850' FWL	
17,147.07	12,222.50	-5,028.97	5.55	X SEC @ 17147' MD, 0' FNL, 1784' FWL	
22,130.00	12,210.06	-10,006.98	64.78	PBHL & LTP @ 22130' MD, 303' FSL, 1815' FWL	

Checked By: _____

Approved By: _____

Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-48451
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Right Meow 30-31 Fed Com
8. Well Number	712H
9. OGRID Number	6137
10. Pool name or Wildcat	WC-025 G-08 S243217P; UPR WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>C</u> : <u>250</u> feet from the <u>North</u> line and <u>1805</u> feet from the <u>West</u> line Section <u>30</u> Township <u>23S</u> Range <u>32E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3616'	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: ☐ Completion ☒	
---	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12340' - 22107', total 1474 holes. Frac totals 24,868,000# proppant, 75 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ cement plug 22,118' MD/12,210' TVD. CHC, FWB, ND BOP. Tubing will be run at later date. TOP 5/2/2022.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 5/16/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dv.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-025-48451						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Right Meow 30-31 Fed Com 6. Well Number: 712H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						WC-025 G-08 S243217P; UPR WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	30	23S	32E		250	North	1805	West	Lea
BH:	N	31	23S	32E		306	South	1817	West	Lea
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)			
1/12/22	3/7/22		3/11/22		5/2/22		3616' GL			
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
22130 MD, 12210 TVD			22,118 MD/12,210 TVD			Yes		CMT to SURF, no logs ran		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
12340-22107, UPR WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		1088		17-1/2"		855 sx CIC; circ 378 sx		
8-5/8"		32		11602		9-7/8"		580 sx CIC; circ 0		
5-1/2"		20		22121		6-3/4"		2010 sx CH; circ 181 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12340 - 22107, total 1474 holes						DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12340-22107 Acidize and frac in 42 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
5/2/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
5/10/22	24			3176	54	6227	17.00251889			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
psi	psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Shayda Omoumi		Title		Regulatory Compliance Associate		Date 5/16/2022
E-mail Address		shayda.omoumi@dvn.com								

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 1025			
Salt - 1355			
Base of Salt - 4385			
Lamar - 4385			
Delaware - 4625			
Cherry Canyon - 5565			
Brushy Canyon - 6825			
1st Bone Spring Lime - 8450			
1st Bone Spring Sand - 9585			
2nd Bone Spring Sand - 10175			
3rd Bone Spring Lime - 10725			
3rd Bone Spring Sand - 11475			
Wolfcamp - 11890			
Strawn - 13665			

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

Well Name: RIGHT MEOW 30-31 FED COM	Well Location: T23S / R32E / SEC 30 / NENW / 32.2820219 / -103.7171281	County or Parish/State: LEA / NM
Well Number: 712H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14157	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548451	Well Status: Drilling Well	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Subsequent Report

Sundry ID: 2661768	
Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 03/14/2022	Time Sundry Submitted: 07:57
Date Operation Actually Began: 03/14/2022	

Actual Procedure: DRILL OPS - PROD CASING (2/25/22 – 3/7/22) TD 6-3/4" HOLE @ 22130'. PRODUCTION RIH W/ 526 JTS 5" & 5-1/2" 18#, 20#, & 23# P110 CSG, SET @ 22121'. LEAD W/ 1080 SX CMT, CLASS H, YLD 1.84 CU FT/SK. TAIL W/ 930 SX CMT, CLASS H, YLD 1.49 CU FT/SK. DISP W/ 471 BBLS WATER. CIRC 181 SX CMT TO SURF. PRODUCTION CSG WILL BE TESTED BEFORE COMPLETIONS. RR 3/11/22 @ 00:00.

Received by OCD: 5/17/2022 6:22:43 AM

Page 19 of 21

Well Name: RIGHT MEOW 30-31 FED COM	Well Location: T23S / R32E / SEC 30 / NENW / 32.2820219 / -103.7171281	County or Parish/State: LEA / NM
Well Number: 712H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14157	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548451	Well Status: Drilling Well	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAYDA OMOUMI	Signed on: MAR 14, 2022 07:57 AM
Name: DEVON ENERGY PRODUCTION COMPANY LP	
Title: Regulatory Compliance Associate 3	
Street Address: 333 W SHERIDAN AVE	
City: OKLAHOMA CITY	State: OK
Phone: (405) 235-3611	
Email address: SHAYDA.OMOUMI@DVN.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/16/2022
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 107345

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 107345
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 107345

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 107345
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	7/10/2024