

Well Name: SILVER MEDAL	Well Location: T24N / R10W / SEC 27 / SWSW / 36.27887 / -107.889908	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM21741	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452603400S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2800995

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/16/2024

Time Sundry Submitted: 11:34

Date Operation Actually Began: 06/10/2024

Actual Procedure: Dugan Production P&A'd the well on 6/10/24 - 6/18/24 per the attached procedure.

SR Attachments

Actual Procedure

Silver_Medal_1_SR_PA_formation_tops_20240716090320.pdf

Silver_Medal_1_SR_PA_completed_wellbore_schematic_20240716090256.pdf

Silver_Medal_1_SR_PA_work_20240716090237.pdf

Well Name: SILVER MEDAL

Well Location: T24N / R10W / SEC 27 / SWSW / 36.27887 / -107.889908

County or Parish/State: SAN JUAN / NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM21741

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452603400S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JUL 16, 2024 11:32 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO Box 420

City: Farmington State: NM

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 07/16/2024

Signature: Matthew Kade

Dugan Production P&A'd the well on 06/10/24-06/18/24 per the following procedure:

- MI&RU Aztec Rig 481 and cement equipment. ND WH & NU BOP. Check pressures, Tubing 0 psi, Casing, 0 psi, BH 0 psi.
- PU & tally 2-3/8" workstring. TIH w/4 1/2" string mill to 4500'.
- RIH & set 4 1/2" CIBP @ 4494'. **Gallup perforations @ 4544-4856'.**
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi. Load and circulate hole clean. Attempt to pressure test casing for 650 psi for 30 minutes. Casing won't test, lost 30 psi in 1 minute.
- Run CBL from 4494' to surface. Sent copies of CBL and revised procedure to NMOCD/BLM. Copy of communication attached.
- Spot Plug I inside 4 1/2" casing from 4494' w/18 sks (20.7 cu ft) Class G cement to cover the Gallup perforations. Displaced w/16.5 bbls. Reverse out from 4238'. WOC overnight. Tagged TOC at 4260'. Good tag. **Plug I, inside 4 1/2" casing, 18 sks, 20.7 cu ft, Gallup perforations, 4260'-4494'.**
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- RU wireline and perforate at 4210'. RIH w/4 1/2" cement retainer and set CR at 4176'. Attempt to establish rate below the retainer through squeeze holes. Establish rate at 1.3 bpm @ 650 psi. Swapped to cement. Locked up after pumping 0.5 bbls cement. Pressure locked up at 1200 psi. Sting out. Notified NMOCD/BLM. Got permission to do inside plug above CR inside 4 1/2" casing. Spot Plug II inside 4 1/2" casing from 4176' w/50 sks, 57.5 cu ft Class G neat cement to cover the DV tool, Mancos top & Gallup top. Displaced w/13.6 bbls. WOC 4 hrs. Tagged TOC at 3542'. Good tag. **Plug II, inside 4 1/2" casing, perforations at 4210', CR at 4176', 50 sks, 57.5 cu ft, DV tool-Mancos-Gallup, 3542'-4176'.**
- Spot Plug III inside 4 1/2" casing from 1945' w/44 sks, 50.6 cu ft Class G neat cement to over the Mesaverde & Chacra tops. Displaced w/5.3 bbls. WOC overnight. Tagged TOC at 1384'. Good tag. **Plug III, inside 4 1/2" casing, 44 sks, 50.7 cu ft, Mesaverde-Chacra, 1384'-1945'.**
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Spot Plug IV inside 4 1/2" casing from 1196' w/18 sks, 20.7 cu ft Class G neat cement to cover the Pictured Cliffs tops. WOC 4 hrs. Tagged TOC at 955'. Good tag. **Plug IV, inside 4 1/2" casing, 18 sks, 20.7 cu ft, Pictured Cliffs, 955'-1196'.**
- Spot Plug V inside 4 1/2" casing from 717' to surface w/60 sks (69 cu ft) Class G cement to cover the Fruitland-Kirtland tops, Surface casing shoe and fill up 4 1/2" casing to surface. WOC 4 hrs. Cut wellhead off. Tagged TOC 0' inside 4 1/2" casing and 34' inside annulus. Good tag. **Plug V, inside 4 1/2", 60 sks, 69 cu ft, Fruitland-Kirtland-Surface, 0'-717'.**
- Fill up cellar and top off casing with 25 sks, 28.8 cu ft Class G neat cement and install dry-hole marker.
- Rig down Aztec 481 and clean location. Dustin Porch w/BLM witnessed job.
- **Well P&A'd 06/18/2024.**

Completed P & A Schematic

Silver Medal #1


API: 30-045-26034

Unit 3 Sec 27 T24N R10W

620' FSL & 620' FWL

San Juan County, NM

Lat:36.2789726 Long:-107.8904648



8-5/8", 24# casing @ 201'. Cemented with 205 sks Class B, 242 cu.ft. Circulated cement to surface. **Hole size 12-1/4"**

Plug V, Inside 4 1/2", 60 sks, 69 Cu.ft, Fruitland-Kirtland-Surface, 0'-717'.

Plug IV, Inside 4 1/2" casing, 18 sks, 20.7 Cu.ft, Pictured Cliffs, 955'-1196'

Plug III, Inside 4 1/2" casing, 44 sks, 50.7 Cu.ft, Mesaverde-Chacra, 1384'-1945'

Plug II, Inside 4 1/2" casing, Perforations at 4210', CR at 4176', 50 sks, 57.5 Cu.ft, DV tool-Mancos-Gallup, 3542'-4176'.

Cemented Stage I w/ 170 sks 50-50 poz, 216 cu.ft. DV tool @ 3832'. Stage II w/ 525 sks 65/35/12 & 80 sks 50-50 poz, 1268 Cu.ft. Total volume: 1484 Cu.ft.

CIBP at 4494'. Plug I, Inside 4 1/2" casing, 18 sks, 20.7 Cu.ft, Gallup perforations, 4260'-4494'

4 1/2" 10.5 # K-55 casing @ 4952'

Gallup Perforations @ 4544'-4856'

Silver Medal #1

API: 30-045-26034

Unit 3 Sec 27 T24N R10W

620' FSL & 620' FWL

San Juan County, NM

Lat:36.2789726 Long:-107.8904648

Elevation ASL : 6645'

Formation Tops

- **Surface Casing: 201'**
- **Kirtland - 376'**
- **Fruitland - 643'**
- **Pictured Cliffs - 1142'**
- **Lewis - 1295'**
- **Chacra - 1570'**
- **Mesaverde - 1895'**
- **Mancos - 3773'**
- **DV tool - 3832'**
- **Gallup - 4185'**
- **Gallup Perforations - 4544'-4856'**

Tyra Feil

From: OCDOnline@state.nm.us
Sent: Tuesday, July 16, 2024 11:29 AM
To: Tyra Feil; Tyra Feil
Subject: The Oil Conservation Division (OCD) has received a well log for SILVER MEDAL #001.

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

To whom it may concern,

The Oil Conservation Division (OCD) has received a well log for 30-045-26034 SILVER MEDAL #001.

Please contact us if you have any questions.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 364469

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 364469
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 6/18/24	7/19/2024
mkuehling	log submitted	7/19/2024