

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-49952
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CHEVRON USA, INC.		6. State Oil & Gas Lease No. 334063
3. Address of Operator 6301 DEAUVILLE BLVD., MIDLAND, TEXAS 79706		7. Lease Name or Unit Agreement Name BAILEYS 25 36 STATE COM
4. Well Location Unit Letter <u>N</u> : <u>975</u> feet from the <u>SOUTH</u> line and <u>2311</u> feet from the <u>WEST</u> line Section <u>24</u> Township <u>26S</u> Range <u>27E</u> NMPM County <u>EDDY</u>		8. Well Number <u>403H</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3054'		9. OGRID Number 4323
		10. Pool name or Wildcat HAY HOLLOW; BONE SPRING

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: CHANGE WELL NAME/NUMBER <input checked="" type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

CHEVRON REQUESTS THE FOLLOWING:

CHANGE THE WELL NAME AND NUMBER FROM BAILEYS 25 36 STATE COM 403H TO BAILEYS 25 36 STATE COM 236H (API# 30-015-49952)

PLEASE SEE ATTACHED C-102

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Carol Adler TITLE Sr. HSE Regulatory Affairs Coordinator DATE 6/29/2023

Type or print name Carol Adler E-mail address: caroladler@chevron.com PHONE: (432) 687-7148

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-59952	² Pool Code 30215	³ Pool Name HAY HOLLOW; BONE SPRING
⁴ Property Code 334063	⁵ Property Name BAILEYS 25 36 STATE COM	⁶ Well Number 236H
⁷ OGRID No. 4323	⁸ Operator Name CHEVRON U.S.A. INC.	⁹ Elevation 3054'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	24	26 SOUTH	27 EAST, N.M.P.M.		975'	SOUTH	2311'	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L3	36	26 SOUTH	27 EAST, N.M.P.M.		50'	SOUTH	2310'	WEST	EDDY

¹² Dedicated Acres 448.31	¹³ Joint or Infill INFILL	¹⁴ Consolidation Code	¹⁵ Order No.
---	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p>BAILEYS 25 36 STATE COM 236H WELL X = 558,581' (NAD27 NM E) Y = 372,152' LAT. 32.023020° N (NAD27) LONG. 104.144313° W X = 599,765' (NAD83/86 NM E) Y = 372,209' LAT. 32.023143° N (NAD83/86) LONG. 104.144803° W ELEV. 3054' (NAVD88)</p> <p>PROPOSED FIRST TAKE POINT X = 558,584' (NAD27 NM E) Y = 371,077' LAT. 32.020065° N (NAD27) LONG. 104.144308° W X = 599,769' (NAD83/86 NM E) Y = 371,134' LAT. 32.020188° N (NAD83/86) LONG. 104.144798° W</p> <p>PROPOSED MID POINT @ SECTION LINE X = 558,596' (NAD27 NM E) Y = 365,861' LAT. 32.005723° N (NAD27) LONG. 104.144300° W X = 599,780' (NAD83/86 NM E) Y = 365,917' LAT. 32.005847° N (NAD83/86) LONG. 104.144789° W</p> <p>PROPOSED LAST TAKE POINT X = 558,600' (NAD27 NM E) Y = 363,829' LAT. 32.000138° N (NAD27) LONG. 104.144296° W X = 599,785' (NAD83/86 NM E) Y = 363,885' LAT. 32.000261° N (NAD83/86) LONG. 104.144785° W</p> <p>CORNER COORDINATES TABLE (NAD 27)</p> <table border="1"> <tr><td>A</td><td>Y = 372505.46, X = 557593.61</td></tr> <tr><td>B</td><td>Y = 372506.31, X = 558918.86</td></tr> <tr><td>C</td><td>Y = 371175.65, X = 556273.92</td></tr> <tr><td>D</td><td>Y = 371176.61, X = 557598.99</td></tr> <tr><td>E</td><td>Y = 371177.56, X = 558924.06</td></tr> <tr><td>F</td><td>Y = 368517.37, X = 556279.89</td></tr> <tr><td>G</td><td>Y = 368517.74, X = 557605.46</td></tr> <tr><td>H</td><td>Y = 368518.10, X = 558930.93</td></tr> <tr><td>I</td><td>Y = 365860.83, X = 556285.86</td></tr> <tr><td>J</td><td>Y = 365860.65, X = 557611.83</td></tr> <tr><td>K</td><td>Y = 365860.47, X = 558937.80</td></tr> <tr><td>L</td><td>Y = 363727.24, X = 556290.72</td></tr> <tr><td>M</td><td>Y = 363728.07, X = 557616.71</td></tr> <tr><td>N</td><td>Y = 363728.90, X = 558942.70</td></tr> </table> <p>PROPOSED BOTTOM HOLE LOCATION X = 558,601' (NAD27 NM E) Y = 363,779' LAT. 32.000000° N (NAD27) LONG. 104.144296° W X = 599,785' (NAD83/86 NM E) Y = 363,835' LAT. 32.000124° N (NAD83/86) LONG. 104.144785° W</p>	A	Y = 372505.46, X = 557593.61	B	Y = 372506.31, X = 558918.86	C	Y = 371175.65, X = 556273.92	D	Y = 371176.61, X = 557598.99	E	Y = 371177.56, X = 558924.06	F	Y = 368517.37, X = 556279.89	G	Y = 368517.74, X = 557605.46	H	Y = 368518.10, X = 558930.93	I	Y = 365860.83, X = 556285.86	J	Y = 365860.65, X = 557611.83	K	Y = 365860.47, X = 558937.80	L	Y = 363727.24, X = 556290.72	M	Y = 363728.07, X = 557616.71	N	Y = 363728.90, X = 558942.70	<p>Sec. 24</p> <p>Sec. 25</p> <p>Sec. 36</p> <p>Proposed First Take Point 100' FNL, 2310' FWL</p> <p>Proposed Midpoint @ Section Line 2310' FWL</p> <p>Proposed Last Take Point 100' FSL, 2310' FWL</p> <p>2311'</p> <p>975'</p> <p>S 00°11'12" E 1,074.83'</p> <p>S 00°07'44" E 5,216.81'</p> <p>S 00°07'50" E 2,081.84'</p> <p>2310'</p> <p>50'</p> <p>Culberson Co. Texas</p>	<p>¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><i>Carol Adler</i> 6/29/2023 Signature Date</p> <p>CAROL ADLER Printed Name</p> <p>caroladler@chevron.com E-mail Address</p> <p>¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>06/27/22 Date of Survey</p> <p>Signature and Seal of Professional Surveyor: <i>Robert L. Lastrapes</i> 23006 06/29/2022</p> <p>Certificate Number</p>
A	Y = 372505.46, X = 557593.61																													
B	Y = 372506.31, X = 558918.86																													
C	Y = 371175.65, X = 556273.92																													
D	Y = 371176.61, X = 557598.99																													
E	Y = 371177.56, X = 558924.06																													
F	Y = 368517.37, X = 556279.89																													
G	Y = 368517.74, X = 557605.46																													
H	Y = 368518.10, X = 558930.93																													
I	Y = 365860.83, X = 556285.86																													
J	Y = 365860.65, X = 557611.83																													
K	Y = 365860.47, X = 558937.80																													
L	Y = 363727.24, X = 556290.72																													
M	Y = 363728.07, X = 557616.71																													
N	Y = 363728.90, X = 558942.70																													

CHEVRON REQUESTS THE FOLLOWING:

CHANGE THE WELL NAME AND NUMBER FROM BAILEYS 25 36 STATE COM 403H TO BAILEYS 25 36 STATE COM 236H (API# 30-015-49952)

PLEASE SEE ATTACHED C-102

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 285502

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 285502
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	All original COA's still apply. Additionally, if cement is not circulated to surface during cementing operations, then a CBL is required.	7/23/2024