
Received by OCD. 9/15/2021 3:20:12 PM State of New Mexico	Form C- Page
<u>District I</u> – (575) 393-6161 Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 <u>District II – (575) 748-1283</u>	WELL API NO. 30-015-05081
811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION	5. Indicate Type of Lease
District III – (505) 334-6178 1220 South St. Francis Dr.	STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460 Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	NM-LC-029435-B
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	J L Keel B
PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ - WIW	8. Well Number 19
Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ - WIW Name of Operator	9. OGRID Number
LH Operating	329319
3. Address of Operator	10. Pool name or Wildcat
4809 Cole Ave, Ste 200 Dallas, TX 75205	Grayburg Jackson; SR-Q-G-SA
4. Well Location	
Unit Letter J : 1980 feet from the S line and 1980	feet from the E line
Section 05 Township 17S Range 31I	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
3868' GR	
3000 GR	
12. Check Appropriate Box to Indicate Nature of Notice,	Report or Other Data
NOTICE OF INTENTION TO:	COLUMN DEPORT OF
	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRII	
TEMPORARILY ABANDON	
DOWNHOLE COMMINGLE	30B
CLOSED-LOOP SYSTEM	
OTHER: OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Con	
proposed completion or recompletion.	
Workover existing water injection well as follows: 07/12/2021	
1. Release PKR, TOOH w/ TBG and PKR	
2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL	
3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes	
2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes	
2336-2340', 2412-2415', 2471-2474' w/ w SPF 3038" holes	
4. TIH w/ treating PKR set @ 2033' KB	
5. Acidized perfs 2105-2474' w/ 12,000 gallon 15% HCl acid	
6.TOOH w/pkr and LD workstring	
7.TIH w/ AS-1X nickel plated pkr on 62 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 2046' KB	
8. RAN MIT, held 500 psi 30 mins	
9. RWTI on 07/14/2021	
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge	e and belief.
SIGNATURE ARE	DATE 09/15/2021
SIGNATURE SIGNATURE TITLE Engineer	
Type or print name <u>John Denman</u> E-mail address: <u>john@lhoperating.co</u>	m PHONE: <u>575-909-0149</u>
For State Use Only	
APPROVED BY: TITLE Compliance Officer	A DATE 7/24/24
APPROVED BY:	A DATE 1/27/27

Energy, Minerals and Natural Resources Revised July 18, 2013
Site St, Artesia, MA 88210 Site State Companies
100 Noti Brazos Rd, Arte, NM 87410 Santa Fe, NM 87505 Santa Fe, NM EDGN 70 And Park Park Park Park Park Park Park Park
SUNDRY NOTICES AND REPORTS ON WELLS To Lease Name or Unit Agreement Name
DONOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PRIMIT" (FORM C-101) FOR SUCH PROPOSALS.
RROPOSALS.
2. Name of Operator LH Operating 3. Address of Operator LH Operating 3. Address of Operator 4. Well Location Unit Letter J: 1980 feet from the Section 05 Township 17S Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3868' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850, pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
3. Address of Operator 3. Address of Operator 4. Well Location Unit Letter Unit Letter J: 1980 feet from the Section 05 Township 178 Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3868' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK □ PLUG AND ABANDON □ CHANGE PLANS □ COMMENCE DRILLING OPNS.□ PAND A □ CASING/CEMENT JOB PULL OR ALTER CASING □ MULTIPLE COMPL □ CASING/CEMENT JOB □ CASING/CEMENT JOB 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
4. Well Location Unit Letter J: 1980 feet from the Section 05 Township 178 Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3868' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perfd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
4. Well Location Unit Letter J : 1980 feet from the S line and 1980 feet from the E line Section 05 Township 178 Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3868' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
Section 05 Township 17S Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3868' GR
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3868' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK □ PLUG AND ABANDON □ REMEDIAL WORK □ ALTERING CASING □ COMMENCE DRILLING OPNS.□ P AND A □ CASING/CEMENT JOB □ CLOSED-LOOP SYSTEM □ OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A DULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB TOTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A DOWNHOLE CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB TOTHER:
TEMPORARILY ABANDON
PULL OR ALTER CASING
CLOSED-LOOP SYSTEM OTHER: OTHER: OTHER: OTHER: OTHER: OTHER: OTHER: OTHER: I OTHER: OTHER: OTHER: I OTHER: OTHER: OTHER: I OTHER: OTHER: I OTHER: OTHER: OTHER: I OTHE
OTHER: OTHER:
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
Workover existing water injection well as follows: 07/12/2021 1. Release PKR, TOOH w/ TBG and PKR 2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
2. Set CIBP at 2850', pressure tested csg to 500 psi (held 30 min), Ran CBL 3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
3. Perf'd: 2105-2108', 2142-2146', 2169-2172' w/ 3 SPF 3038" holes 2209-2212', 2256-2260', 2295-2298' w/ 3 SPF 3038" holes
restant to the control of the contro
7.4.46-7.470° 77.17-77.18° 77.71-77.77° 30.30 PERO - 3.32° holes
2336-2340', 2412-2415', 2471-2474' w/ w SPF 3038" holes
4. TIH w/ treating PKR set @ 2033' KB
5. Acidized perfs 2105-2474' w/ 12,000 gallon 15% HCl acid
6.TOOH w/pkr and LD workstring 7.TIH w/ AS-1X nickel plated pkr on 62 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 2046' KB
8. RAN MIT, held 500 psi 30 mins
9. RWTI on 07/14/2021
Spud Date: Rig Release Date:
I hereby certify that the information above is true and complete to the best of my knowledge and belief.
SIGNATURE Alexander TITLE Engineer DATE 09/15/2021
Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149
For State Use Only
APPROVED BY:



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 49242

CONDITIONS

Operator:	OGRID:
LH Operating, LLC	329319
3730 Kirby Drive	Action Number:
Houston, TX 77098	49242
	Action Type:
	[C-103] Sub. Workover (C-103R)

CONDITIONS

Created By		Condition Date
kfortner	None	7/24/2024