
Received by OCD: 8/3/2021 3:18:50 PM	State of New Mex			Form C-Poge
District I - (575) 393-6161	Energy, Minerals and Natura	al Resources		Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283			WELL API NO.	
811 S. First St., Artesia, NM 88210	OIL CONSERVATION I	DIVISION	30-015-21258	CT
<u>District III</u> – (505) 334-6178	1220 South St. Franc	eis Dr.	5. Indicate Type	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 875	505	6. State Oil & G	FEE
1220 S. St. Francis Dr., Santa Fe, NM			NMLC029548 A	A STATE OF THE STA
87505			-03 000 000 000 000 000 000 000 000 000	
	S AND REPORTS ON WELLS	S D L OV TO L	7. Lease Name o	r Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSAL DIFFERENT RESERVOIR. USE "APPLICAT."			0.170	
PROPOSALS.)	(Folding (Folding 101)) Fold	soen	CA Russell	
	s Well 🔲 Other 🖂 - WIW		8. Well Number	11
2. Name of Operator			9. OGRID Numb	per
LH Operating			326266	
3. Address of Operator	5005		10. Pool name or	
4809 Cole Ave, Ste 200 Dallas, TX 7	5205		Grayburg Jackson	n; SR-Q-G-SA
4. Well Location				
Unit LetterC_:	1000 feet from the FNL	line and23:	feet from the	eFWLline
Section 18	Township 17S	Range 311	E NMPM	1 EDDY County
1	1. Elevation (Show whether DR, F	RKB, RT, GR, etc.,		
3'	717' GR			
12. Check App	ropriate Box to Indicate Nat	ure of Notice	Report or Other	Data
12. 0		ane or recite,	report of other	Data
NOTICE OF INTE	NTION TO:	SUB	SEQUENT RE	PORT OF:
PERFORM REMEDIAL WORK P	_UG AND ABANDON ☐ I	REMEDIAL WOR	K 🛛	ALTERING CASING ☐
TEMPORARILY ABANDON C	HANGE PLANS	COMMENCE DRI	LLING OPNS.□	P AND A
PULL OR ALTER CASING M	ULTIPLE COMPL	CASING/CEMENT	ГЈОВ 🔲	
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM	_			
OTHER:		OTHER:		
13. Describe proposed or completed	operations. (Clearly state all per	rtinent details, and	d give pertinent date	es, including estimated date
	SEE RULE 19.15.7.14 NMAC.	For Multiple Cor	npletions: Attach v	vellbore diagram of
proposed completion or recomp Workover existing water injection well a				
1. Release PKR, TOOH w/ tbg and pkr.	s follows: 06/14/2021			
2. Set CIBP at 2600', pressure tested csg	to 500 msi (hold 20 min) man CDI			
3. Perfd: 1956-1960, 1973-1976 w/21 -		_		
1997-2000, 2022-2025 w/18				
2071-2075, 2112-2115 w/21				
2156-2160, 2228-2231, 2327-2				
4. TIH w/ treating pkr set @ 1904'	330 W/3038 Holes			
5. Acidized perfs 1956'-2330' w/ 12,000	gallon 15% HCl acid			
6.TOOH w/pkr and LD Workstring	ganon 1370 Her acid			
7.TIH w/ AS-1X nickel plted prk on 60 j	ts 2-3/8 FIJE 8 RD IPC TBG set	Pkr @ 1 894'		
8. RAN MIT, held 500 psi 30 mins	10 2 3/0 202 0 100 H C 120, 500	7 kg 1,05 i		
9. RWTI on 06/16/2021				
Spud Date:	Rig Release Date	:		
I hereby certify that the information above	ve is true and complete to the best	of my knowledge	and helief	
Thereby certify that the information above	e is true and complete to the best	of my knowledge	and belief.	
1				
SIGNATURE	TITLE End	inger	DA	TE 09/03/2021
Vicar	TITLE Eng			
Type or print nameJohn Denman	E-mail address: john	n@lhoperating.com		575-909-0149
For State Use Only	_			
N 1		- O.C.	Δ.	
APPROVED BY: Conditions of Approval (if any):	TITLE Compl	ance Officer	A DA	TE_7/24/24

5. Acidized perfs 1956'-2330' w/ 12,000 gallon 15% HCl acid 6.TOOH w/pkr and LD Workstring 7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Enginee DATE 09/01/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE	Recentled by OCD: Ap3/2029 3:48:50 P.	M State of New M			Form C-P0g	-
Dashed 1-(375) 748-7128 Jackson Mark 10 J		Energy, Minerals and Nati	ural Resources	WELL APLNO	Revised July 18, 2013	3
South St. Francis Dr. South St. Francis Dr.	<u>District II</u> – (575) 748-1283	OIL CONSERVATION	LDIVICION			
South Branch Rd. Aure. NM 87410 Santia Fe, NM 87505 Santia Fe, NM 87505 State Oil & Gas Lease No. NMLC029548 A State Oil & Gas Well Other				5. Indicate Type of	Lease	7
1200 St. Francis Dc., Stania Ft. NM S1705	1000 Rio Brazos Rd., Aztec, NM 87410					
STATE SUNDRY NOTICES AND REPORTS ON WELLS To Lease Name or Unit Agreement Name CA Russell		Santa re, Nivi 8	/303		Lease No.	
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEFEN OR PLUG BACK TO A DEFERENT RESERVOIR. USE "APPLICATIONS FOR PERMIT (FORM C-101) FOR SUCII Note of the property of the proposal	87505					_
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH CAR RUSSEI				7. Lease Name or U	nit Agreement Name	
Type of Well: Oil Well Gas Well Other -WIW S. Well Number 11	DIFFERENT RESERVOIR. USE "APPLICA	TION FOR PERMIT" (FORM C-101) F	OR SUCH	CA Russell		
2. Name of Operator		as Well Other 🛇 - WIW			11	
LH Operating 32,0266		tas wen _ one		9. OGRID Number		-
AWOLL Ocation	LH Operating					
4. Well Location		75205				
Unit Letter C: 1000 feet from the FNL line and 2350 feet from the FWL line Section 18 Township 178 Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB OTHER: OTHER: OTHER: THERE CASING OTHER: THER		75205		Grayburg Jackson; S	R-Q-G-SA	
Section 18 Township 17S Range 31E NMPM EDDY County 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	The Mark Mark Mark Mark Mark Mark Mark Mark	1000 6 (6 4 5)	1' 1 005	0 0 0 1	DIII	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3717' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB COMMENCE OF REMEDIAL WORK ALTERING CASING CASING/CEMENT JOB CASING/CEMENT J						18
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK □ PLUG AND ABANDON □ CHANGE PLANS □ COMMENCE DRILLING OPNS □ PAND A □ CHANGE PLANS □ CHANG				NMPM	EDDY County	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON			, KKB, K1, GK, etc.)			
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING CHANGE PLANS CHANGE PLANS COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB CASING/CEMENT JOB PAND A CASING/CEMENT JOB CASING/CEMENT JOB PAND A CASING/CEMENT JOB C	-					
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING CHANGE PLANS CHANGE PLANS COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB CASING/CEMENT JOB PAND A CASING/CEMENT JOB CASING/CEMENT JOB PAND A CASING/CEMENT JOB C	12. Check Ap	propriate Box to Indicate N	lature of Notice, F	Report or Other Da	ata	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A P AND A P AND A P AND A DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM DOWNHOLE COMMINGLE OTHER: OTH			1	•		
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: OTHER:		12. P. P. P. B.				
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB COMMINGLE CLOSED-LOOP SYSTEM OTHER:			DOORS AND SECTION TWO STATES AND SECRET SECTIONS	VI		
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM TITLE OTHER:					AND A	
CLOSED-LOOP SYSTEM OTHER: OTHE			or tour or or miner			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 06/14/2021 1. Release PKR, TOOH w/ tbg and pkr. 2. Set CIBP at 2600′; pressure tested esg to 500 psi (held 30 min), ran CBL 3. Perf'd: 1956-1960, 1973-1976 w/2138" holes						
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Workover existing water injection well as follows: 06/14/2021 1. Release PKR, TOOH w/ tbg and pkr. 2. Set CIBP at 2600', pressure tested csg to 500 psi (held 30 min), ran CBL 3. Perf'd: 1956-1960, 1973-1976 w/2138" holes						_
proposed completion or recompletion. Workover existing water injection well as follows: 06/14/2021 1. Release PKR, TOOH w/ tbg and pkr. 2. Set CIBP at 2600', pressure tested esg to 500 psi (held 30 min), ran CBL 3. Perfd: 1956-1960, 1973-1976 w/2138" holes	13. Describe proposed or complet	ed operations. (Clearly state all	pertinent details, and	give pertinent dates,	including estimated dat	te
Workover existing water injection well as follows: 06/14/2021 1. Release PKR, TOOH w/ tbg and pkr. 2. Set CIBP at 2600', pressure tested csg to 500 psi (held 30 min), ran CBL 3. Perf'd: 1956-1960, 1973-1976 w/2138" holes	of starting any proposed work	.). SEE RULE 19.15.7.14 NMAG	C. For Multiple Com	pletions: Attach well	bore diagram of	
1. Release PKR, TOOH w/tbg and pkr. 2. Set CIBP at 2600°, pressure tested esg to 500 psi (held 30 min), ran CBL 3. Perfd: 1956-1960, 1973-1976 w/2138" holes						
2. Set CIBP at 2600', pressure tested csg to 500 psi (held 30 min), ran CBL 3. Perf d: 1956-1960, 1973-1976 w/2138" holes						
3. Perfd: 1956-1960, 1973-1976 w/2138" holes			RI			
1997-2000, 2022-2025 w/1838" holes 2071-2075, 2112-2115 w/2138" holes 2156-2160, 2228-2231, 2327-2330 w/3038" holes 4. TIH w/ treating pkr set @ 1904' 5. Acidized perfs 1956'-2330' w/ 12,000 gallon 15% HCl acid 6.TOOH w/pkr and LD Workstring 7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: Rig Release Date:			BL			
2071-2075, 2112-2115 w/2138" holes 2156-2160, 2228-2231, 2327-2330 w/3038" holes 4. TIH w/ treating pkr set @ 1904' 5. Acidized perfs 1956'-2330' w/ 12,000 gallon 15% HCl acid 6.TOOH w/pkr and LD Workstring 7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: Rig Release Date: DATE 09/01/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE	A STATE OF THE PROPERTY OF THE					
4. TIH w/ treating pkr set @ 1904' 5. Acidized perfs 1956'-2330' w/ 12,000 gallon 15% HCl acid 6.TOOH w/pkr and LD Workstring 7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Enginee DATE 09/01/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE						
5. Acidized perfs 1956'-2330' w/ 12,000 gallon 15% HCl acid 6.TOOH w/pkr and LD Workstring 7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Enginee DATE 08/03/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE	2156-2160, 2228-2231, 2327-	-2330 w/3038" holes				
6.TOOH w/pkr and LD Workstring 7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Engineer DATE Oq/01/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE	4. TIH w/ treating pkr set @ 1904'					
7.TIH w/ AS-1X nickel plted prk on 60 jts 2-3/8 EUE 8 RD IPC TBG, set Pkr @ 1,894' 8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Enginee DATE oq/o3/202(Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE		0 gallon 15% HCl acid				
8. RAN MIT, held 500 psi 30 mins 9. RWTI on 06/16/2021 Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE TITLE Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE						
9. RWTI on 06/16/2021 Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE TITLE Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE) jts 2-3/8 EUE 8 RD IPC TBG, s	set Pkr @ 1,894'			
Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE TITLE Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 APPROVED BY: TITLE DATE						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE DATE OR/03/2021 DATE OR/03/2021 DATE OR/03/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE	7. RW 11 011 00/10/2021				ī	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE DATE OR/03/2021 DATE OR/03/2021 DATE OR/03/2021 DATE OR/03/2021 Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY: TITLE DATE	Spud Date:	Rig Release Da	nte:			
SIGNATURE]	
SIGNATURE						
Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY:	I hereby certify that the information ab	ove is true and complete to the be	est of my knowledge	and belief.		
Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY:						
Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY:	SIGNATURE	TITLE F	son (DATI		
Type or print name John Denman E-mail address: john@lhoperating.com PHONE: 575-909-0149 For State Use Only APPROVED BY:	John John	TILLE E	nginoer	DATE	01/03/2051	_
For State Use Only APPROVED BY: DATE	Type or print name <u>John Denman</u>	E-mail address: jo	hn@lhoperating.com	PHONE: 5	575-909-0149	
	For State Use Only					
	APPROVED BY:	TITLE		D.A. (TID		
	Conditions of Approval (if any):	IIILE		DATE		_



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 39708

CONDITIONS

Operator:	OGRID:
LH Operating, LLC	329319
3730 Kirby Drive	Action Number:
Houston, TX 77098	39708
	Action Type:
	[C-103] Sub. Workover (C-103R)

CONDITIONS

Created By		Condition Date
kfortner	None	7/24/2024