

State of New Mexico
Energy, Minerals and Natural Resources

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-03159
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No. B-7596
7. Lease Name or Unit Agreement Name Robinson State
8. Well Number #2
9. OGRID Number 371484
10. Pool name or Wildcat GRAYBURG JACKSON; SR-Q-G-SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator Rover Operating, LLC
3. Address of Operator 1255 W 15th St., Ste 700 Plano, TX 75075
4. Well Location Unit Letter D : 660 feet from the North line and 660 feet from the West line
Section: 27 Township: 17S Range: 29E NMPM County: Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3541' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [X]
CASING/CEMENT JOB [] PNR
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1. 4/8/2024 - MIRU. POOH pump & rods. ND WH. NU BOP. POOH w/tbg. RIH w/7" CIBP & set @ 2165'. SWI.
2. 4/9/2024 - Circ P&A mud press to 500psi. Run CBL. Spot 17sx cmt on CIBP @ 2165'. WOC & tag @ 2020'. Spot 40sx cmt @ 1740'. SWI. WOC.
3. 4/10/2024 - Tag TOC @ 1490'. Perf 1120'. Press to 1100psi. Drop to 1170' & spot 40sx cmt. WOC & tag @ 935'. Perf 670'. Press to 1100psi. Drop to 720' & spot 40sx cmt. SWI. WOC.
4. 4/11/2024 - Tag TOC @ 455'. Per NMOCD, perf 270'. Sqz 85sx cmt to surface. WOC. ND BOP. CO WH. Verify cmt. RD MO. Install DHM.

P&A mud between all plugs. Closed loop all fluid to licensed facility.

CBL is on file

Spud Date: 5/8/1950 Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Brooks Terrell TITLE Geologist DATE 5/29/2024

Type or print name Brooks Terrell E-mail address: bterrell@roverpetro.com PHONE: 214-234-9115

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/12/24

Robinson State #2 Plugging Report

4/8/2024 – MIRU. POOH pump & rods. ND WH. NU BOP. POOH w/tbg. RIH w/7" CIBP & set @ 2165'. SWI.

4/9/2024 – Circ P&A mud press to 500psi. Run CBL. Spot 17sx cmt on CIBP @ 2165'. WOC & tag @ 2020'. Spot 40sx cmt @ 1740'. SWI. WOC.

4/10/2024 – Tag TOC @ 1490'. Perf 1120'. Press to 1100psi. Drop to 1170' & spot 40sx cmt. WOC & tag @ 935'. Perf 670'. Press to 1100psi. Drop to 720' & spot 40sx cmt. SWI. WOC.

4/11/2024 – Tag TOC @ 455'. Per NMOCD, perf 270'. Sqz 85sx cmt to surface. WOC. ND BOP. CO WH. Verify cmt. RD MO. Install DHM.

P&A mud between all plugs. Closed loop all fluid to licensed facility.

ROVER OPERATING, LLC WELLBORE DIAGRAM

Lease/Well No.	Robinson State #2 P&A	ELEVATION, GL: 3541'
Location	660' FNL & 660' FWL D, SEC 27, T17S, R29E EDDY CO, NM	FIELD: GRAYBURG JACKSON;SR-Q-G-SA
LEASE NO	B-7596	Spudded: 5/8/1950
API No.	30-015-03159	Completed: 12/31/1950
		LAT: 32.8109932
		LONG: -104.0690765

Drilled with cable tools

10" HOLE


Surface Csg:

8-5/8" 24#
Csg set @ 272'
CSG W/ 50SX
TOC @ surf

8" HOLE

Production Csg:

7" 20#
Csg Set @ 2213'
CSGW/37SX
TOC @ 1360'



P.S. 85sx cmt @ 270'
Circ. to surf

P.S. 40sx cmt @ 670'
Tag TOC @ 455'

P.S. 40sx cmt @ 1120'
Tag TOC @ 935'

Spot 40sx cmt @ 1740'
Tag TOC @ 1490'

Set CIBP @ 2165'
Spot 17sx cmt
Tag TOC @ 2020'

PERFS:
2213'-2726' (OH)

<u>TOPS</u>	<u>DEPTH, ft</u>
T. SALT	245'
B. SALT	620'
SVN RIVERS	1070'
QUEEN	1690'
GRAYBURG	2175'
SAN ANDRES	2403'

<u>Zone</u>	<u>Date</u>
2213'-2726' (OH)	Grayburg/SA
	10/9/1946

2726' TD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 348761

CONDITIONS

Operator: ROVER OPERATING, LLC 2024 W. 15th St. Plano, TX 75075	OGRID: 371484
	Action Number: 348761
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL is in files	8/12/2024