

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code; Effective Date New Well; 3/18/23
⁴ API Number 30-025-47738	⁵ Pool Name Bell Lake; Wolfcamp, South	
⁶ Pool Code 98266		
⁷ Property Code 316706	⁸ Property Name Bell Lake Unit South	⁹ Well Number 426H

II. ¹⁰ Surface Location

UI or lot no. 6	Section 6	Township 24S	Range 34E	Lot Idn	Feet from the 2110	North/South Line South	Feet from the 310	East/West line West	County Lea
--------------------	--------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. C	Section 31	Township 23S	Range 33E	Lot Idn	Feet from the 92	North/South line North	Feet from the 1999	East/West line West	County Lea
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/11/23	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC	G
	1515 Araphoe St., Suite 1600 Denver, CO 80202	
	Plains Pipeline LP	O
	333 Clay St., #1600 Houston, TX 77002	

IV. Well Completion Data

²¹ Spud Date 6/29/2021	²² Ready Date 3/14/23	²³ TD 19786’ MD/ 11645’ TVD	²⁴ PBDT 19624’ MD/ 11648’ TVD	²⁵ Perforations 12091’-19590’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement	
17 ½”		13 ¾”	1344’	1060	
12 ¼”		10 ¾”	5042’	860	
9 ⅞”		7 ⅝”	11230’	780	
6 ¾”		5 ½”	19767’	1200	

V. Well Test Data

³¹ Date New Oil 3/19/23	³² Gas Delivery Date 3/17/23	³³ Test Date 3/19/23	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 165
³⁷ Choke Size 64/64”	³⁸ Oil 371	³⁹ Water 1,328	⁴⁰ Gas 1,209		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Christina Opfer			OIL CONSERVATION DIVISION		
Printed name: Christina Opfer			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Manager			Title: PETROLEUM SPECIALIST		
E-mail Address: ChristinaO@kfoc.net			Approval Date: 10/25/2024		
Date: 3/22/2023		Phone: 918-491-4468			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47738	² Pool Code 98266	³ Pool Name Bell Lake; Wolfcamp, South
⁴ Property Code 316706	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 426H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3622.6

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
6	6	24 S	34 E		2110	SOUTH	310	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	31	23 S	33 E		92	NORTH	1999	WEST	LEA

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14601
---	-------------------------------	----------------------------------	---

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Christina Opfer 4/19/23 Signature Date Christina Opfer Printed Name ChristinaO@kfoc.net E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. APRIL 18, 2023 Date of Survey NEW MEXICO PROFESSIONAL SURVEYOR 12797 Signature and Seal of Professional Surveyor: IMON F. JARAMILLO Certificate Number: 12797 SURV. NO. 8430
--	--

Intent ☐ As Drilled ☒

API # 30-025-47738		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT SOUTH	Well Number 426H

Kick Off Point (KOP)

UL K	Section 6	Township 24S	Range 34E	Lot	Feet 2320	From N/S SOUTH	Feet 1782	From E/W WEST	County LEA
Latitude 32.2457127					Longitude 103.5117590			NAD 83	

First Take Point (FTP)

UL F	Section 6	Township 24S	Range 34E	Lot	Feet 2482	From N/S NORTH	Feet 1806	From E/W WEST	County LEA
Latitude 32.2470170					Longitude 103.5116840			NAD 83	

Last Take Point (LTP)

UL C	Section 31	Township 23S	Range 34E	Lot	Feet 286	From N/S NORTH	Feet 1991	From E/W WEST	County LEA
Latitude 32.2675702					Longitude 103.5110853			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-47735		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit South	Well Number 425H

KZ 06/29/2018

REPORT METADATA:
Presented by SB Directional Services
System: COMPASS 5000.16
Created: 2022-09-01 @ 03:52:10 PM

WELL REFERENCE INFORMATION:
Customer: KAISER FRANCIS OIL CO.
Project: LEA COUNTY, N.M. 27
Site: SEC 6-T24S-R34E
Well: BELL LAKE UNIT S. 426H
Wellbore: HORIZONTAL
Design: HORIZONTAL

ELEVATIONS:
System: Mean Sea Level
Ground: 3622.6 (ft)
Rig: 3646.1 (ft)

GEODETICS:
System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS) (Clarke 1866)
Map Zone: New Mexico East 3001

SURFACE LOCATION:
Northing: 453815.1 (ft)
Easting: 752683.7 (ft)
Latitude: 32.24501 (°)
Longitude: -103.516 (°)

MAGNETICS:
North Ref: Grid
Model: IGRF2020 (6/1/2021)
Declination 6.53 (°)
Dip Angle: 59.93 (°)
Field Strength 47514.41 (nT)

SURVEY PROGRAM:
H 134 - 19786 SURVEY #1 : MWD

WELLPATH:

MD	Incl.	Azim.	Sub-Sea	TVD	Local N	Local E	Global N	Global E
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
	0	0	0	-3646.1	0	0	0	453815.1 752683.7

134	0.53	188.11	-3512.1	134	-0.61	-0.09	453814.5	752683.6
221	0.79	182.57	-3425.11	220.99	-1.61	-0.17	453813.5	752683.5
336	0.62	178	-3310.12	335.98	-3.02	-0.18	453812.1	752683.5
431	0.7	201.21	-3215.12	430.98	-4.08	-0.38	453811	752683.3
526	0.53	185.65	-3120.13	525.97	-5.06	-0.63	453810	752683
620	0.4	212.98	-3026.13	619.97	-5.77	-0.85	453809.3	752682.8
715	0.35	218.96	-2931.13	714.97	-6.27	-1.21	453808.8	752682.5
810	0.13	257.28	-2836.13	809.97	-6.52	-1.5	453808.6	752682.2
904	0.13	303.25	-2742.13	903.97	-6.48	-1.7	453808.6	752682
999	0.31	5.91	-2647.13	998.97	-6.17	-1.76	453808.9	752681.9
1093	0.35	39.4	-2553.14	1092.96	-5.69	-1.55	453809.4	752682.1
1188	0.48	18.31	-2458.14	1187.96	-5.09	-1.24	453810	752682.4
1289	0.48	30.44	-2357.14	1288.96	-4.33	-0.89	453810.8	752682.8
1362	0.57	83.35	-2284.14	1361.96	-4.02	-0.38	453811.1	752683.3
1457	0.57	18.83	-2189.15	1456.95	-3.52	0.24	453811.6	752683.9
1647	0.48	76.84	-1999.16	1646.94	-2.44	1.32	453812.6	752685
1741	0.62	39.4	-1905.16	1740.94	-1.96	2.03	453813.1	752685.7
1836	2.51	63.57	-1810.2	1835.9	-0.64	4.22	453814.4	752687.9
1931	3.56	60.32	-1715.33	1930.77	1.75	8.64	453816.8	752692.3
2026	6.46	65.42	-1620.71	2025.39	5.43	16.07	453820.5	752699.7
2121	8.44	66.38	-1526.51	2119.59	10.45	27.32	453825.5	752711
2215	9.58	70.51	-1433.67	2212.43	15.82	41.01	453830.9	752724.7
2310	12.09	73.06	-1340.37	2305.73	21.36	57.98	453836.4	752741.7
2405	14.64	74.56	-1247.95	2398.15	27.46	79.08	453842.5	752762.8
2500	15.56	85.73	-1156.21	2489.89	31.6	103.36	453846.7	752787
2595	15.47	86.95	-1064.68	2581.42	33.23	128.72	453848.3	752812.4
2690	15.12	86.07	-973.04	2673.06	34.75	153.73	453849.8	752837.4
2784	14.46	86.6	-882.16	2763.94	36.29	177.68	453851.4	752861.4
2879	14.37	86.86	-790.15	2855.95	37.64	201.29	453852.7	752885
2974	13.8	88	-698	2948.1	38.68	224.38	453853.8	752908.1
3069	13.45	87.74	-605.68	3040.42	39.51	246.75	453854.6	752930.4
3164	13.19	85.98	-513.23	3132.87	40.7	268.6	453855.8	752952.3
3259	12.79	85.54	-420.66	3225.44	42.28	289.89	453857.4	752973.6
3354	12.62	84.4	-327.99	3318.11	44.11	310.71	453859.2	752994.4
3448	12.48	83.26	-236.24	3409.86	46.31	331.01	453861.4	753014.7
3543	12.35	80.71	-143.46	3502.64	49.15	351.23	453864.2	753034.9
3638	12.22	79.83	-50.63	3595.47	52.57	371.16	453867.7	753054.8
3733	11.96	79.65	42.26	3688.36	56.11	390.74	453871.2	753074.4
3828	13.14	87.65	135	3781.1	58.32	411.21	453873.4	753094.9
3923	12.18	87.65	227.69	3873.79	59.17	432.01	453874.3	753115.7
4018	11.74	87.04	320.62	3966.72	60.08	451.68	453875.2	753135.4
4113	11.38	87.39	413.7	4059.8	61.01	470.69	453876.1	753154.4
4207	10.64	87.74	505.97	4152.07	61.77	488.63	453876.9	753172.3
4302	10.64	83.96	599.33	4245.43	63.04	506.11	453878.1	753189.8

4397	12.35	78.95	692.43	4338.53	65.91	524.81	453881	753208.5
4492	12	79.92	785.29	4431.39	69.59	544.5	453884.7	753228.2
4587	11.69	80.45	878.27	4524.37	72.91	563.72	453888	753247.4
4682	11.08	82.2	971.4	4617.5	75.75	582.25	453890.8	753265.9
4777	11.3	82.29	1064.59	4710.69	78.24	600.52	453893.3	753284.2
4871	13.45	87.83	1156.41	4802.51	79.89	620.57	453895	753304.2
4966	13.19	88.88	1248.85	4894.95	80.52	642.45	453895.6	753326.1
4986	13.23	88.62	1268.32	4914.42	80.62	647.02	453895.7	753330.7
5058	12.44	89.32	1338.52	4984.62	80.91	663.01	453896	753346.7
5153	11.65	87.39	1431.43	5077.53	81.47	682.82	453896.6	753366.5
5248	12.48	86.33	1524.33	5170.43	82.56	702.65	453897.6	753386.3
5343	12.7	85.89	1617.05	5263.15	83.97	723.31	453899.1	753407
5438	12.44	85.37	1709.77	5355.87	85.54	743.92	453900.6	753427.6
5533	12.35	82.99	1802.56	5448.66	87.61	764.21	453902.7	753447.9
5628	12.26	81.41	1895.37	5541.47	90.35	784.26	453905.4	753467.9
5722	12.18	80.62	1987.24	5633.34	93.46	803.92	453908.5	753487.6
5817	12.4	79.13	2080.07	5726.17	97.02	823.82	453912.1	753507.5
5912	13.32	82.73	2172.68	5818.78	100.32	844.69	453915.4	753528.4
6007	13.41	84.84	2265.11	5911.21	102.7	866.52	453917.8	753550.2
6102	12.88	83.61	2357.62	6003.72	104.87	888.02	453920	753571.7
6197	12.7	81.41	2450.27	6096.37	107.61	908.86	453922.7	753592.5
6292	12.66	79.83	2542.95	6189.05	111.01	929.44	453926.1	753613.1
6386	12.53	81.5	2634.69	6280.79	114.33	949.66	453929.4	753633.3
6481	13.32	86.6	2727.28	6373.38	116.5	970.78	453931.6	753654.5
6576	13.71	85.63	2819.65	6465.75	118.01	992.93	453933.1	753676.6
6671	13.85	84.84	2911.92	6558.02	119.89	1015.48	453935	753699.2
6766	13.71	83.08	3004.18	6650.28	122.27	1037.98	453937.4	753721.7
6861	13.36	81.15	3096.55	6742.65	125.32	1060	453940.4	753743.7
6956	13.1	81.41	3189.02	6835.12	128.61	1081.49	453943.7	753765.2
7051	12.18	87.13	3281.72	6927.82	130.72	1102.14	453945.8	753785.8
7146	12.22	86.86	3374.58	7020.68	131.77	1122.19	453946.9	753805.9
7240	12.09	85.37	3466.47	7112.57	133.11	1141.94	453948.2	753825.6
7335	12.31	84.75	3559.33	7205.43	134.84	1161.94	453949.9	753845.6
7430	12.04	84.14	3652.19	7298.29	136.78	1181.88	453951.9	753865.6
7525	11.82	82.2	3745.14	7391.24	139.11	1201.38	453954.2	753885.1
7620	11.08	80.18	3838.25	7484.35	141.99	1220.01	453957.1	753903.7
7715	10.55	78.51	3931.56	7577.66	145.28	1237.53	453960.4	753921.2
7810	10.59	78.07	4024.95	7671.05	148.82	1254.59	453963.9	753938.3
7904	10.29	77.11	4117.39	7763.49	152.48	1271.23	453967.6	753954.9
7999	9.89	80.97	4210.92	7857.02	155.65	1287.56	453970.7	753971.2
8094	9.45	83.17	4304.57	7950.67	157.86	1303.36	453972.9	753987
8189	9.1	80.97	4398.33	8044.43	159.96	1318.52	453975	754002.2
8284	8.57	78.34	4492.2	8138.3	162.57	1332.87	453977.7	754016.5
8378	8.09	75.61	4585.21	8231.31	165.63	1346.14	453980.7	754029.8

8473	7.6	74.64	4679.32	8325.42	168.96	1358.67	453984	754042.3
8568	7.25	70.25	4773.53	8419.63	172.65	1370.37	453987.7	754054
8663	6.68	75.52	4867.83	8513.93	176.06	1381.36	453991.1	754065
8758	5.8	82.2	4962.26	8608.36	178.09	1391.47	453993.2	754075.1
8853	5.19	78.51	5056.83	8702.93	179.6	1400.43	453994.7	754084.1
8948	5.01	77.98	5151.45	8797.55	181.32	1408.7	453996.4	754092.4
9042	4.48	74.29	5245.13	8891.23	183.16	1416.25	453998.2	754099.9
9137	3.52	70.34	5339.9	8986	185.15	1422.57	454000.2	754106.2
9232	2.81	61.55	5434.75	9080.85	187.24	1427.36	454002.3	754111
9327	2.51	55.48	5529.65	9175.75	189.53	1431.12	454004.6	754114.8
9422	2.15	57.77	5624.57	9270.67	191.66	1434.35	454006.7	754118
9516	2.68	51.62	5718.49	9364.59	193.96	1437.56	454009	754121.2
9611	3.03	40.63	5813.37	9459.47	197.25	1440.94	454012.3	754124.6
9706	3.25	42.3	5908.23	9554.33	201.14	1444.38	454016.2	754128.1
9801	2.51	46.26	6003.11	9649.21	204.57	1447.7	454019.7	754131.4
9896	1.89	39.05	6098.04	9744.14	207.23	1450.19	454022.3	754133.9
9991	1.71	45.64	6192.99	9839.09	209.44	1452.19	454024.5	754135.9
10085	1.32	63.66	6286.96	9933.06	210.9	1454.16	454026	754137.8
10180	1.54	56.54	6381.93	10028.03	212.09	1456.21	454027.2	754139.9
10275	0.88	96.27	6476.91	10123.01	212.71	1458	454027.8	754141.7
10370	0.48	81.76	6571.9	10218	212.69	1459.12	454027.8	754142.8
10465	0.22	35.53	6666.9	10313	212.89	1459.62	454028	754143.3
10560	0.57	40.19	6761.9	10408	213.4	1460.03	454028.5	754143.7
10655	0.62	47.75	6856.89	10502.99	214.11	1460.71	454029.2	754144.4
10749	0.88	55.4	6950.88	10596.98	214.86	1461.68	454029.9	754145.4
10844	1.14	71.74	7045.87	10691.97	215.57	1463.18	454030.7	754146.9
10939	1.27	70.16	7140.85	10786.95	216.23	1465.07	454031.3	754148.7
11034	0.92	71.74	7235.83	10881.93	216.82	1466.78	454031.9	754150.5
11129	0.92	72.54	7330.82	10976.92	217.29	1468.24	454032.4	754151.9
11189	0.92	61.64	7390.81	11036.91	217.66	1469.12	454032.7	754152.8
11332	1.05	24.72	7533.79	11179.89	219.4	1470.68	454034.5	754154.4
11427	11.16	0.82	7628.13	11274.23	229.41	1471.17	454044.5	754154.8
11522	22.29	359.41	7718.97	11365.07	256.7	1471.12	454071.8	754154.8
11616	31.43	357.39	7802.74	11448.84	299.1	1469.82	454114.2	754153.5
11711	39.03	1.17	7880.3	11526.4	353.84	1469.3	454168.9	754153
11806	55.96	5.12	7944.26	11590.36	423.47	1473.45	454238.6	754157.1
11901	71.6	6.79	7986.11	11632.21	507.96	1482.35	454323	754166
11996	93.98	2.4	7997.96	11644.06	601.29	1489.76	454416.4	754173.4
12091	93.54	358.27	7991.73	11637.83	696.07	1490.32	454511.2	754174
12186	92.88	356.86	7986.41	11632.51	790.83	1486.29	454605.9	754170
12281	92.31	357.74	7982.11	11628.21	885.62	1481.82	454700.7	754165.5
12376	92.31	357.21	7978.28	11624.38	980.45	1477.63	454795.5	754161.3
12470	92.75	356.25	7974.13	11620.23	1074.21	1472.28	454889.3	754156
12565	86.59	356.25	7974.68	11620.78	1168.96	1466.07	454984	754149.7

12660	90.33	0.99	7977.23	11623.33	1263.85	1463.78	455078.9	754147.5
12755	93.89	7.23	7973.73	11619.83	1358.48	1470.58	455173.6	754154.3
12850	91.43	8.11	7969.32	11615.42	1452.52	1483.24	455267.6	754166.9
12945	92.79	7.32	7965.82	11611.92	1546.6	1495.99	455361.7	754179.7
13040	94.59	7.67	7959.71	11605.81	1640.59	1508.35	455455.7	754192
13135	96.97	5.47	7950.14	11596.24	1734.47	1519.17	455549.6	754202.8
13230	95.56	6	7939.78	11585.88	1828.43	1528.61	455643.5	754212.3
13324	92.48	6.97	7933.19	11579.29	1921.58	1539.2	455736.7	754222.9
13419	90.99	3.45	7930.31	11576.41	2016.13	1547.82	455831.2	754231.5
13514	93.1	0.64	7926.92	11573.02	2110.99	1551.21	455926.1	754234.9
13644	88	356.25	7925.67	11571.77	2240.86	1547.68	456055.9	754231.4
13739	89.63	359.59	7927.64	11573.74	2335.76	1544.23	456150.8	754227.9
13834	89.63	359.41	7928.25	11574.35	2430.76	1543.4	456245.8	754227.1
13929	89.14	0.9	7929.27	11575.37	2525.75	1543.66	456340.8	754227.3
14024	89.54	1.26	7930.36	11576.46	2620.73	1545.45	456435.8	754229.1
14119	89.93	1.08	7930.8	11576.9	2715.71	1547.39	456530.8	754231.1
14214	89.19	1.96	7931.53	11577.63	2810.67	1549.91	456625.8	754233.6
14308	88.53	2.13	7933.4	11579.5	2904.59	1553.26	456719.7	754236.9
14403	88.18	1.61	7936.13	11582.23	2999.5	1556.36	456814.6	754240
14498	88.53	2.22	7938.86	11584.96	3094.41	1559.54	456909.5	754243.2
14569.7	88.36	2.62	7940.8	11586.9	3166.02	1562.56	456981.1	754246.2
14593	88.31	2.75	7941.48	11587.58	3189.28	1563.65	457004.4	754247.3
14688	87.25	3.1	7945.16	11591.26	3284.08	1568.5	457099.2	754252.2
14783	87.34	3.89	7949.64	11595.74	3378.8	1574.28	457193.9	754258
14878	88.09	4.24	7953.43	11599.53	3473.49	1581.01	457288.6	754264.7
14973	86.33	4.77	7958.05	11604.15	3568.08	1588.46	457383.2	754272.1
15067	85.27	4.86	7964.94	11611.04	3661.49	1596.33	457476.6	754280
15162	86.73	5.21	7971.56	11617.66	3755.89	1604.65	457571	754288.3
15257	87.12	5.04	7976.66	11622.76	3850.37	1613.12	457665.5	754296.8
15352	87.91	4.51	7980.78	11626.88	3944.95	1621.02	457760	754304.7
15447	87.91	2.57	7984.24	11630.34	4039.71	1626.89	457854.8	754310.6
15542	87.69	1.17	7987.89	11633.99	4134.58	1629.98	457949.7	754313.7
15637	87.43	1.08	7991.93	11638.03	4229.48	1631.85	458044.6	754315.5
15732	87.74	1.52	7995.94	11642.04	4324.37	1634	458139.5	754317.7
15826	87.12	0.64	8000.15	11646.25	4418.26	1635.77	458233.3	754319.4
15921	87.12	1.08	8004.92	11651.02	4513.13	1637.2	458328.2	754320.9
16016	86.51	1.34	8010.2	11656.3	4607.96	1639.2	458423	754322.9
16111	86.37	1.52	8016.1	11662.2	4702.74	1641.56	458517.8	754325.2
16206	86.11	2.49	8022.33	11668.43	4797.48	1644.88	458612.6	754328.6
16301	89.19	5.65	8026.23	11672.33	4892.14	1651.62	458707.2	754335.3
16395	89.32	4.24	8027.45	11673.55	4985.78	1659.72	458800.9	754343.4
16490	91.56	3.19	8026.72	11672.82	5080.57	1665.88	458895.7	754349.6
16585	88.26	1.52	8026.87	11672.97	5175.47	1669.78	458990.6	754353.5
16680	88.31	1.08	8029.71	11675.81	5270.4	1671.93	459085.5	754355.6

16775	87.87	0.03	8032.88	11678.98	5365.34	1672.85	459180.4	754356.5
16869	84.97	358.62	8038.75	11684.85	5459.14	1671.75	459274.2	754355.4
16964	82.68	358	8048.97	11695.07	5553.54	1668.97	459368.6	754352.6
17059	83.56	357.74	8060.35	11706.45	5647.79	1665.46	459462.9	754349.1
17154	84.31	357.39	8070.38	11716.48	5742.18	1661.45	459557.3	754345.1
17249	86.86	357.04	8077.7	11723.8	5836.77	1656.84	459651.9	754340.5
17344	90.02	357.48	8080.28	11726.38	5931.62	1652.31	459746.7	754336
17438	91.78	358.44	8078.81	11724.91	6025.54	1648.96	459840.6	754332.6
17533	92.13	356.69	8075.56	11721.66	6120.4	1644.93	459935.5	754328.6
17628	90.81	354.84	8073.13	11719.23	6215.1	1637.91	460030.2	754321.6
17723	94.59	357.13	8068.65	11714.75	6309.74	1631.27	460124.8	754314.9
17817	96.62	359.59	8059.47	11705.57	6403.24	1628.59	460218.3	754312.3
17912	94.95	0.11	8049.9	11696	6497.75	1628.34	460312.8	754312
18007	93.23	0.03	8043.12	11689.22	6592.5	1628.46	460407.6	754312.1
18102	92.92	359.76	8038.02	11684.12	6687.37	1628.28	460502.5	754312
18197	92.22	0.2	8033.76	11679.86	6782.27	1628.25	460597.4	754311.9
18292	92.35	359.59	8029.98	11676.08	6877.19	1628.07	460692.3	754311.7
18386	90.24	359.94	8027.85	11673.95	6971.16	1627.69	460786.2	754311.4
18481	90.15	0.55	8027.53	11673.63	7066.16	1628.1	460881.2	754311.8
18576	89.01	359.15	8028.23	11674.33	7161.16	1627.85	460976.2	754311.5
18671	88.62	359.23	8030.19	11676.29	7256.13	1626.5	461071.2	754310.2
18766	88.31	358.53	8032.73	11678.83	7351.07	1624.65	461166.2	754308.3
18861	90.46	359.59	8033.75	11679.85	7446.05	1623.09	461261.1	754306.8
18956	93.14	359.85	8030.77	11676.87	7540.99	1622.63	461356.1	754306.3
19050	93.67	358.88	8025.19	11671.29	7634.82	1621.59	461449.9	754305.3
19145	93.85	358.53	8018.96	11665.06	7729.59	1619.44	461544.7	754303.1
19240	92.44	359.15	8013.75	11659.85	7824.42	1617.52	461639.5	754301.2
19335	91.87	359.32	8010.17	11656.27	7919.35	1616.26	461734.4	754299.9
19429	92.62	0.11	8006.49	11652.59	8013.27	1615.79	461828.4	754299.5
19524	90.99	0.9	8003.5	11649.6	8108.22	1616.63	461923.3	754300.3
19618	90.77	1.7	8002.06	11648.16	8202.18	1618.76	462017.3	754302.4
19713	91.47	2.05	8000.2	11646.3	8297.11	1621.87	462112.2	754305.5
19730	91.3	2.31	7999.79	11645.89	8314.09	1622.51	462129.2	754306.2
19786	91.3	2.31	7998.52	11644.62	8370.03	1624.77	462185.1	754308.4

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.
Vertical depths are relative to GE+23.5. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.
Vertical Section is from Slot and calculated along an Azimuth of 0.005° (Grid).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East
Central meridian is -104.333°.

Grid Convergence at Surface is 0.436° .

Based upon Minimum Curvature type calculations, at a Measured Depth of 19786.00ft., the Bottom Hole Displacement is 8526.27ft., in the Direction of 0.005° (Grid).

Latitude (°)	Longitude (°)	VS (ft)	DLS (°/100ft)	Tool (IPM)	Comment -----
32.24501	-103.516		0	0 UNDEFIN	

32.24501	-103.516	-0.61	0.4 MWD (1)
32.24501	-103.516	-1.61	0.31 MWD (1)
32.245	-103.516	-3.02	0.16 MWD (1)
32.245	-103.516	-4.08	0.29 MWD (1)
32.245	-103.516	-5.06	0.25 MWD (1)
32.245	-103.516	-5.77	0.27 MWD (1)
32.24499	-103.516	-6.27	0.07 MWD (1)
32.24499	-103.516	-6.52	0.27 MWD (1)
32.24499	-103.516	-6.48	0.11 MWD (1)
32.24499	-103.516	-6.17	0.29 MWD (1)
32.245	-103.516	-5.69	0.21 MWD (1)
32.245	-103.516	-5.09	0.21 MWD (1)
32.245	-103.516	-4.33	0.1 MWD (1)
32.245	-103.516	-4.02	0.65 MWD (1)
32.245	-103.516	-3.52	0.64 MWD (1)
32.245	-103.516	-2.44	0.27 MWD (1)
32.24501	-103.516	-1.96	0.4 MWD (1)
32.24501	-103.516	-0.64	2.06 MWD (1)
32.24502	-103.516	1.75	1.12 MWD (1)
32.24503	-103.516	5.44	3.09 MWD (1)
32.24504	-103.516	10.45	2.09 MWD (1)
32.24505	-103.516	15.83	1.39 MWD (1)
32.24507	-103.516	21.37	2.69 MWD (1)
32.24509	-103.516	27.46	2.71 MWD (1)
32.2451	-103.516	31.61	3.21 MWD (1)
32.2451	-103.516	33.24	0.36 MWD (1)
32.2451	-103.516	34.76	0.44 MWD (1)
32.24511	-103.515	36.3	0.72 MWD (1)
32.24511	-103.515	37.65	0.12 MWD (1)
32.24511	-103.515	38.7	0.67 MWD (1)
32.24511	-103.515	39.53	0.37 MWD (1)
32.24512	-103.515	40.73	0.51 MWD (1)
32.24512	-103.515	42.31	0.43 MWD (1)
32.24513	-103.515	44.14	0.32 MWD (1)
32.24513	-103.515	46.33	0.3 MWD (1)
32.24514	-103.515	49.18	0.59 MWD (1)
32.24515	-103.515	52.6	0.24 MWD (1)
32.24516	-103.515	56.14	0.28 MWD (1)
32.24516	-103.515	58.36	2.21 MWD (1)
32.24516	-103.515	59.21	1.01 MWD (1)
32.24517	-103.515	60.12	0.48 MWD (1)
32.24517	-103.515	61.05	0.39 MWD (1)
32.24517	-103.514	61.82	0.79 MWD (1)
32.24517	-103.514	63.09	0.73 MWD (1)

32.24518	-103.514	65.96	2.08 MWD (1)
32.24519	-103.514	69.64	0.43 MWD (1)
32.2452	-103.514	72.96	0.35 MWD (1)
32.24521	-103.514	75.8	0.74 MWD (1)
32.24521	-103.514	78.29	0.23 MWD (1)
32.24522	-103.514	79.94	2.61 MWD (1)
32.24522	-103.514	80.57	0.37 MWD (1)
32.24522	-103.514	80.67	0.36 MWD (1)
32.24522	-103.514	80.97	1.12 MWD (1)
32.24522	-103.514	81.53	0.93 MWD (1)
32.24522	-103.514	82.62	0.9 MWD (1)
32.24523	-103.514	84.03	0.25 MWD (1)
32.24523	-103.514	85.6	0.3 MWD (1)
32.24524	-103.514	87.67	0.55 MWD (1)
32.24524	-103.514	90.42	0.37 MWD (1)
32.24525	-103.513	93.53	0.2 MWD (1)
32.24526	-103.513	97.09	0.41 MWD (1)
32.24527	-103.513	100.4	1.28 MWD (1)
32.24528	-103.513	102.78	0.52 MWD (1)
32.24528	-103.513	104.95	0.63 MWD (1)
32.24529	-103.513	107.69	0.55 MWD (1)
32.2453	-103.513	111.09	0.37 MWD (1)
32.24531	-103.513	114.41	0.41 MWD (1)
32.24531	-103.513	116.59	1.46 MWD (1)
32.24531	-103.513	118.1	0.47 MWD (1)
32.24532	-103.513	119.98	0.25 MWD (1)
32.24533	-103.513	122.36	0.47 MWD (1)
32.24533	-103.513	125.41	0.6 MWD (1)
32.24534	-103.513	128.71	0.28 MWD (1)
32.24535	-103.512	130.82	1.63 MWD (1)
32.24535	-103.512	131.87	0.07 MWD (1)
32.24535	-103.512	133.21	0.36 MWD (1)
32.24536	-103.512	134.94	0.27 MWD (1)
32.24536	-103.512	136.88	0.31 MWD (1)
32.24537	-103.512	139.22	0.48 MWD (1)
32.24538	-103.512	142.1	0.89 MWD (1)
32.24538	-103.512	145.39	0.65 MWD (1)
32.24539	-103.512	148.93	0.09 MWD (1)
32.2454	-103.512	152.59	0.37 MWD (1)
32.24541	-103.512	155.76	0.83 MWD (1)
32.24542	-103.512	157.97	0.6 MWD (1)
32.24542	-103.512	160.08	0.52 MWD (1)
32.24543	-103.512	162.69	0.7 MWD (1)
32.24544	-103.512	165.75	0.66 MWD (1)

32.24545	-103.512	169.08	0.53 MWD (1)
32.24546	-103.512	172.77	0.7 MWD (1)
32.24547	-103.512	176.18	0.9 MWD (1)
32.24547	-103.512	178.21	1.2 MWD (1)
32.24548	-103.512	179.72	0.74 MWD (1)
32.24548	-103.511	181.44	0.2 MWD (1)
32.24549	-103.511	183.29	0.65 MWD (1)
32.24549	-103.511	185.27	1.05 MWD (1)
32.2455	-103.511	187.37	0.9 MWD (1)
32.2455	-103.511	189.65	0.43 MWD (1)
32.24551	-103.511	191.78	0.39 MWD (1)
32.24551	-103.511	194.09	0.63 MWD (1)
32.24552	-103.511	197.37	0.68 MWD (1)
32.24553	-103.511	201.27	0.25 MWD (1)
32.24554	-103.511	204.7	0.81 MWD (1)
32.24555	-103.511	207.36	0.71 MWD (1)
32.24556	-103.511	209.56	0.29 MWD (1)
32.24556	-103.511	211.03	0.65 MWD (1)
32.24556	-103.511	212.21	0.3 MWD (1)
32.24557	-103.511	212.84	1.08 MWD (1)
32.24557	-103.511	212.82	0.46 MWD (1)
32.24557	-103.511	213.02	0.38 MWD (1)
32.24557	-103.511	213.53	0.37 MWD (1)
32.24557	-103.511	214.24	0.1 MWD (1)
32.24557	-103.511	214.99	0.3 MWD (1)
32.24557	-103.511	215.7	0.41 MWD (1)
32.24557	-103.511	216.35	0.14 MWD (1)
32.24558	-103.511	216.95	0.37 MWD (1)
32.24558	-103.511	217.42	0.01 MWD (1)
32.24558	-103.511	217.79	0.29 MWD (1)
32.24558	-103.511	219.53	0.44 MWD (1)
32.24561	-103.511	229.54	10.75 MWD (1)
32.24569	-103.511	256.83	11.72 MWD (1)
32.2458	-103.511	299.23	9.77 MWD (1)
32.24595	-103.511	353.97	8.32 MWD (1)
32.24614	-103.511	423.6	18.08 MWD (1)
32.24638	-103.511	508.09	16.54 MWD (1)
32.24663	-103.511	601.42	23.99 MWD (1)
32.24689	-103.511	696.2	4.36 MWD (1)
32.24715	-103.511	790.96	1.64 MWD (1)
32.24741	-103.511	885.75	1.1 MWD (1)
32.24768	-103.511	980.58	0.56 MWD (1)
32.24793	-103.511	1074.34	1.12 MWD (1)
32.24819	-103.511	1169.09	6.48 MWD (1)

32.24845	-103.511	1263.98	6.35 MWD (1)	
32.24871	-103.511	1358.61	7.56 MWD (1)	
32.24897	-103.511	1452.65	2.75 MWD (1)	
32.24923	-103.511	1546.73	1.66 MWD (1)	
32.24949	-103.511	1640.72	1.93 MWD (1)	
32.24975	-103.511	1734.6	3.4 MWD (1)	
32.25001	-103.511	1828.56	1.58 MWD (1)	
32.25026	-103.511	1921.72	3.43 MWD (1)	
32.25052	-103.511	2016.26	4.02 MWD (1)	
32.25078	-103.511	2111.13	3.7 MWD (1)	
32.25114	-103.511	2241	5.18 MWD (1)	
32.2514	-103.511	2335.9	3.91 MWD (1)	
32.25166	-103.511	2430.89	0.19 MWD (1)	
32.25192	-103.511	2525.88	1.65 MWD (1)	
32.25218	-103.511	2620.86	0.57 MWD (1)	
32.25244	-103.511	2715.84	0.45 MWD (1)	
32.2527	-103.511	2810.8	1.21 MWD (1)	
32.25296	-103.511	2904.72	0.73 MWD (1)	
32.25322	-103.511	2999.63	0.66 MWD (1)	
32.25348	-103.511	3094.54	0.74 MWD (1)	
32.25368	-103.511	3166.15	0.6 MWD (1)	X SEC LINE: 14569.7' MD 11586.9' TVD
32.25374	-103.511	3189.42	0.6 MWD (1)	
32.25401	-103.511	3284.22	1.17 MWD (1)	
32.25427	-103.511	3378.94	0.84 MWD (1)	
32.25453	-103.511	3473.62	0.87 MWD (1)	
32.25479	-103.511	3568.21	1.93 MWD (1)	
32.25504	-103.511	3661.63	1.13 MWD (1)	
32.2553	-103.511	3756.03	1.58 MWD (1)	
32.25556	-103.511	3850.52	0.45 MWD (1)	
32.25582	-103.511	3945.1	1 MWD (1)	
32.25608	-103.511	4039.85	2.04 MWD (1)	
32.25634	-103.511	4134.73	1.49 MWD (1)	
32.2566	-103.511	4229.62	0.29 MWD (1)	
32.25686	-103.511	4324.51	0.57 MWD (1)	
32.25712	-103.511	4418.4	1.14 MWD (1)	
32.25738	-103.511	4513.27	0.46 MWD (1)	
32.25764	-103.511	4608.1	0.7 MWD (1)	
32.2579	-103.511	4702.89	0.24 MWD (1)	
32.25816	-103.511	4797.62	1.05 MWD (1)	
32.25842	-103.511	4892.28	4.64 MWD (1)	
32.25868	-103.511	4985.92	1.51 MWD (1)	
32.25894	-103.511	5080.71	2.6 MWD (1)	
32.2592	-103.511	5175.62	3.89 MWD (1)	
32.25946	-103.511	5270.55	0.47 MWD (1)	

32.25972	-103.51	5365.49	1.2 MWD (1)	
32.25998	-103.511	5459.29	3.43 MWD (1)	
32.26024	-103.511	5553.69	2.5 MWD (1)	
32.2605	-103.511	5647.94	0.97 MWD (1)	
32.26076	-103.511	5742.32	0.87 MWD (1)	
32.26102	-103.511	5836.92	2.71 MWD (1)	
32.26128	-103.511	5931.76	3.36 MWD (1)	
32.26154	-103.511	6025.69	2.13 MWD (1)	
32.2618	-103.511	6120.54	1.88 MWD (1)	
32.26206	-103.511	6215.24	2.39 MWD (1)	
32.26232	-103.511	6309.88	4.65 MWD (1)	
32.26258	-103.511	6403.38	3.38 MWD (1)	
32.26284	-103.511	6497.89	1.84 MWD (1)	
32.2631	-103.511	6592.65	1.81 MWD (1)	
32.26336	-103.511	6687.51	0.43 MWD (1)	
32.26362	-103.511	6782.41	0.87 MWD (1)	
32.26388	-103.511	6877.34	0.66 MWD (1)	
32.26414	-103.511	6971.31	2.28 MWD (1)	
32.2644	-103.511	7066.3	0.65 MWD (1)	
32.26466	-103.511	7161.3	1.9 MWD (1)	
32.26492	-103.511	7256.27	0.42 MWD (1)	
32.26518	-103.511	7351.21	0.81 MWD (1)	
32.26544	-103.511	7446.19	2.52 MWD (1)	
32.26571	-103.511	7541.13	2.83 MWD (1)	
32.26596	-103.511	7634.96	1.17 MWD (1)	
32.26622	-103.511	7729.73	0.41 MWD (1)	
32.26648	-103.511	7824.56	1.62 MWD (1)	
32.26675	-103.511	7919.49	0.63 MWD (1)	
32.267	-103.511	8013.41	1.16 MWD (1)	
32.26726	-103.511	8108.36	1.91 MWD (1)	
32.26752	-103.511	8202.32	0.88 MWD (1)	
32.26778	-103.511	8297.25	0.82 MWD (1)	
32.26783	-103.511	8314.24	1.83 MWD (1)	LS 19730.00' MD & 11645.89' TVD
32.26798	-103.511	8370.18	0 MWD (1)	PTB 19786.00' MD & 11644.62' TVD

ast 3001.

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		WELL API NO. 30-025-47738
2. Name of Operator Kaiser-Francis Oil Company		5. Indicate Type of Lease STATE ☒ FEE ☐
3. Address of Operator P.O. Box 21468, Tulsa, OK 74121		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>6</u> : <u>2110</u> feet from the <u>South</u> line and <u>310</u> feet from the <u>West</u> line Section <u>6</u> Township <u>24S</u> Range <u>34E</u> NMPM County <u>Lea</u>		7. Lease Name or Unit Agreement Name Bell Lake Unit South
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3622.6' GR		8. Well Number 426H
9. OGRID Number 12361		10. Pool name or Wildcat Bell Lake; Wolfcamp, South

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒
--	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/7/22: Test 5 1/2" X 7 5/8" annulus to 1000#
 12/9/22: Open toe sleeve. Drop ball and test casing to 13,000# for 30 min.
 12/13/22: Pump down plug and guns. Set CBP @ 19,594' and perf stage 1: 19470-19590' OA
 1/23: Stage frac lateral 12,091-19590' OA in 43 stages w/ 1,851,270# 100 mesh & 19,526,270# 40/70
 2/23: Clean out well w/ 4.5" bit to 14135'. Workstring parted. Left fish in hole. Put well on production.

Spud Date: 6/29/2021 Rig Release Date: 7/15/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: *Christina Opfer* TITLE: Regulatory Manager DATE: 3/22/2023
 Type or print name: Christina Opfer E-mail address: ChristinaO@kfoc.net PHONE: 918-491-4468

For State Use Only

APPROVED BY: _____ TITLE: _____ DATE: _____
 Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
		1. WELL API NO.				30-025-47738				
		2. Type of Lease				☒ STATE ☐ FEE ☐ FED/INDIAN				
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing:						5. Lease Name or Unit Agreement Name				
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						Bell Lake Unit South				
7. Type of Completion:						6. Well Number:				
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____						426H				
8. Name of Operator						9. OGRID				
Kaiser-Francis Oil Company						12361				
10. Address of Operator						11. Pool name or Wildcat				
P.O. Box 21468 Tulsa, OK 74121-1468						Bell Lake; Wolfcamp, South				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	6	6	24S	34E		2110	S	310	W	Lea
BH:	C	31	23S	33E		92	N	1999	W	Lea
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)				
6/29/21	7/14/21	7/15/21		3/14/23		3,649' GR				
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run				
19786' MD		19624' MD		YES		GR				
22. Producing Interval(s), of this completion - Top, Bottom, Name										
12091'-19590'; Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5#		1344'		17 1/2"		1060		
10 3/4"		45.5#		5042'		12 1/4"		860		
7 5/8"		29.7#		11230'		9 7/8"		780		
5 1/2"		23#		19767'		6 3/4"		1200		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
none	-	-	-	-		SIZE		DEPTH SET		PACKER SET
						none		-		-
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12091'-19590', 0.41", 1935 holes										
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12091'-19590'		1,851,270# 100 mesh & 19,526,270# 40/70		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
3/18/23		Flowing				Prod				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
3/19/23	24	64/64"		371	1,209	1,328	3,256			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	165					48				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
C-104 NW, C-102 As-Drilled w/HSU, C-103 Completion, Final Svy., WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date: 6/29/21			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Christina Opfer</u>		Printed Name <u>Christina Opfer</u>		Title <u>Regulatory Manager</u>		Date <u>3/22/2023</u>				
E-mail Address <u>ChristinaO@kfoc.net</u>										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon_____	T. Ojo Alamo_____	T. Penn A"_____
T. Salt_____	T. Strawn_____	T. Kirtland_____	T. Penn. "B"_____
B. Salt_____	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite_____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand_____	T. Morrison_____	
T. Drinkard_____	T. Bone Springs_____	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_____	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR
ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
MD							
1,279			Rustler, sand				
1,604			Top Salt, salt				
4,953			Base Salt, salt				
5,253			Delaware, sand				
6,398			Cherry Canyon, sand				
7,540			Brushy Canyon, sand				
8,854			Avalon, sand				
9,880			Bone Spring 1 st , sand				
10,390			Bone Spring 2 nd , lime & sand				
10,909			Bone Spring 3 rd , lime & sand				
11,662			Wolfcamp, sand				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 209274

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 209274
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 209274

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 209274
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	10/25/2024