

Well Name: WEST BRUSHY FEDERAL 33	Well Location: T25S / R29E / SEC 33 / SESW / 32.080516 / -103.992791	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM100554	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001536971	Operator: XTO ENERGY INCORPORATED	

Subsequent Report

Sundry ID: 2818917

Type of Submission: Subsequent Report

Type of Action: Temporary Abandonment

Date Sundry Submitted: 10/25/2024

Time Sundry Submitted: 02:24

Date Operation Actually Began: 10/12/2024

Actual Procedure: XTO Energy Inc., has Temporarily Abandoned the above mentioned well per the attached TA Summary Report, WBD and witnessed MIT.

SR Attachments

Actual Procedure

West_Brushy_Federal_33_001_TA_Summary_Rpt_WBD_MIT_20241025142304.pdf

SR Conditions of Approval

Specialist Review

TA_COA_20241101130030.pdf

Well Name: WEST BRUSHY FEDERAL 33

Well Location: T25S / R29E / SEC 33 / SESW / 32.080516 / -103.992791

County or Parish/State: EDDY / NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM100554

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001536971

Operator: XTO ENERGY INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHERRY MORROW

Signed on: OCT 25, 2024 02:24 PM

Name: XTO ENERGY INCORPORATED

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 218-3671

Email address: SHERRY.MORROW@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 11/01/2024

Signature: Jonathon Shepard

West Brushy Federal 33 001
API Number 3001536971
Temporary Abandonment Summary Report

10/12/24: MIRU. SDFN.

10/13/24: POH LD rods. LD pump. Secured well. SDFN.

10/14/24: Pumped 70 bbls of heated TFW down tbg @ 1.5 bpm heated to 230 degrees. Well loaded up after 3 bbls pumped. Shut csg. Pumped a total of 70 bbls down tbg @ 1.5 bpm w/250 psi pump pressure. Shut down pump. (vacuum) Pumped 70 bbls of TFW down csg at 2.5 bpm @ 450 psi. (paraffin or tight formation). Shut down pump. Pressure slowly dropped to 0. Monitored well. ND wellhead. NU 7 1/16" 5k dual BOP w/blinds on bottom & 2 3/8" pipe rams on top. PT BOPE to 250/low/5min & 4500/high/5min. Good charted test. TOH w/155 jts of 2 3/8" 4.70# J55 EUE tbg. LD BHA. SDFN.

10/15/24: MIRU WLU. Ran 4.48" GRJB to 5070' Verified perfs at 5060'. POH. Inspected tools. Tools clean. RIH w/4.44" CIBP to 5006'. Set plug. PU off bottom. RIH. Tagged plug. Plug in place. POH. Mixed 7 kits of 16 ppg class C cement equaling 35-gallon slurry. Made 3 runs to dump bail 35.4' of same 16 ppg class C cement on top of plug. Calculated TOC @ 4971'. RDMO WLU. TIH w/2500' of 2 3/8" 4.7# J55 EUE tbg. Secured well. SDFN.


10/16/24: TIH with a total of 158 jts of 2 3/8" 4.7# J55 eue Original Hole tbg. Tagged TOC 14' in on jt #158. TOC @ 4971'. Tag was witnessed by BLM rep Roberta Thompson. LD 1 jt. Total of 157 jts of tbg in well. Circulated 140 bbls of 10# PKR fluid. Good clean returns. WO sonic torque & test. Installed tbg hanger. Landed hanger in wellhead. Ran in hanger lockdown pins. ND 7 1/16" 5k dual BOP. NU 7 1/16" 5k B! flange. NU recommended surface equipment. (dual 5k ball valves w/bull plug, needle valve & guage.) Ensured well was loaded. Initiated MIT test. Tested csg to 500 psi on a 1000# chart recorder for 30 minutes. Good charted test. MIT was witnessed by BLM rep Roberta Thompson. RDMO WOR & equipment. Cleaned up location. Secured well.



Schematic - Vertical with Perfs

Well Name: West Brushy Federal 33 001

API/UWI 3001536971	SAP Cost Center ID 1138911001	Permit Number	State/Province New Mexico	County Eddy
Surface Location T25S-R29E-S33	Spud Date 5/26/2009 00:00	Original KB Elevation (ft) 3,009.00	Ground Elevation (ft) 2,990.00	KB-Ground Distance (ft) 19.00



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 398691

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 398691
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Federal well follow BLM guidelines	11/4/2024