

C-104 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
--	---	----------------------

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: OXY USA INC	OGRID: 16696
Property Name and Well Number: OLIVE WON UNIT 132H	Property Code: 336102
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-54747
Pool Name: WC 22S31E13; Wolfcamp	Pool Code: 98351

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
N	25	22S	31E		655'FSL	2087'FWL	32.35701399	-103.73328646	EDDY

Section 3 – Completion Information

Producing Method	Ready Date	Perforations MD	Perforations TVD
Flowing	07/02/24	11962-21948'MD	11654-11681'TVD

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW):	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 336282	Unit: ☒ Yes ☐ No, Order No. NMNM106319137
Intermediate 1 Casing Action ID: 336283	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID: NA	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 336283	Surface Commingling: ☒ Yes ☐ No, Order No. PLC-844-D
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID: NA	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Jana Mendiola	<i>Jana Mendiola</i>
Title Regulatory Advisor	Date 09/17/24

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals, & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
	Submittal Type: ☐ Initial Submittal ☐ Amended Report ☒ As Drilled	

WELL LOCATION INFORMATION

API Number 30-015-54747	Pool Code 98351	Pool Name WC 22S31E13; Wolfcamp
Property Code 336102	Property Name OLIVE WON UNIT	Well Number 132H
OGRID No. 16696	Operator Name OXY USA INC.	Ground Level Elevation 3499'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL N	Section 25	Township 22S	Range 31E	Lot	Ft. from N/S 655' FSL	Ft. from E/W 2087' FWL	Latitude (NAD83) 32.35701399	Longitude (NAD83) -103.73328646	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	---------------------------	---------------------------------	------------------------------------	----------------

Bottom Hole Location

UL D	Section 24	Township 22S	Range 31E	Lot	Ft. from N/S 51' FNL	Ft. from E/W 908' FWL	Latitude (NAD83) 32.38410562	Longitude (NAD83) -103.73713030	County EDDY
---------	---------------	-----------------	--------------	-----	-------------------------	--------------------------	---------------------------------	------------------------------------	----------------

Dedicated Acres 320.00	Infill or Defining Well	Defining Well API	Overlapping Spacing Unit (Y/N)	Consolidation Code
Order Numbers:			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL M	Section 25	Township 22S	Range 31E	Lot	Ft. from N/S 30' FSL	Ft. from E/W 977' FWL	Latitude (NAD83) 32.35530861	Longitude (NAD83) -103.73687555	County EDDY
---------	---------------	-----------------	--------------	-----	-------------------------	--------------------------	---------------------------------	------------------------------------	----------------

First Take Point (FTP)

UL M	Section 25	Township 22S	Range 31E	Lot	Ft. from N/S 367' FSL	Ft. from E/W 977' FWL	Latitude (NAD83) 32.35623596	Longitude (NAD83) -103.73687850	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	--------------------------	---------------------------------	------------------------------------	----------------

Last Take Point (LTP)

UL D	Section 24	Township 22S	Range 31E	Lot	Ft. from N/S 255' FNL	Ft. from E/W 936' FWL	Latitude (NAD83) 32.38354476	Longitude (NAD83) -103.73703868	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	--------------------------	---------------------------------	------------------------------------	----------------

Unitized Area or Area of Uniform Interest	Spacing Unit Type: ☒ Horizontal ☐ Vertical	Ground Floor Elevation 3499'
---	---	---------------------------------

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Jana Mendiola 09/17/24
Signature Date

Jana Mendiola
Printed Name

janalyn_mendiola@oxy.com
Email Address

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by Delta Field Services



Signature and Seal of Professional Surveyor

Certificate Number 21653	Date of Survey AUGUST 09, 2024
------------------------------------	--

ACREAGE DEDICATION PLATS

NOW I WON 25_24 FED COM 32H

BHL (NAD83)
X:725380.13' / Y:503982.00'
LAT:32.38410562 / LON:-103.73713030

BHL (NAD27)
X:684197.78' / Y:503921.59'
LAT:32.38398300 / LON:-103.73664138

LTP (NAD83)
X:725409.55' / Y:503778.12'
LAT:32.38354476 / LON:-103.73703868

LTP (NAD27)
X:684227.19' / Y:503717.71'
LAT:32.38342214 / LON:-103.73654978

PPP-1 (NAD83)
X:725496.86' / Y:498757.75'
LAT:32.36974399 / LON:-103.73684653

PPP-1 (NAD27)
X:684314.35' / Y:498697.48'
LAT:32.36962130 / LON:-103.73635819

FTP (NAD83)
X:725514.37' / Y:493843.51'
LAT:32.35623596 / LON:-103.73687850

FTP (NAD27)
X:684331.72' / Y:493783.37'
LAT:32.35611319 / LON:-103.73639070


KOP (NAD83)
X:725517.16' / Y:493506.15'
LAT:32.35530861 / LON:-103.73687555

KOP (NAD27)
X:684334.50' / Y:493446.01'
LAT:32.35518585 / LON:-103.73638778

SHL (NAD83)
X:726621.97' / Y:494132.76'
LAT:32.35701399 / LON:-103.73328646

SHL (NAD27)
X:685439.33' / Y:494072.60'
LAT:32.35689122 / LON:-103.73279872

CORNER COORDINATES NAD 83, SPCS NM EAST	CORNER COORDINATES NAD 27, SPCS NM EAST
A - X: 725793.20' / Y: 504035.44'	A - X: 684610.84' / Y: 503975.02'
B - X: 725825.43' / Y: 498759.15'	B - X: 684642.92' / Y: 498698.88'
C - X: 725861.00' / Y: 493476.80'	C - X: 684678.33' / Y: 493416.66'
D - X: 724539.94' / Y: 493474.89'	D - X: 683357.28' / Y: 493414.76'
E - X: 724517.84' / Y: 496116.14'	E - X: 683335.27' / Y: 496055.94'
F - X: 724504.95' / Y: 498753.54'	F - X: 683322.45' / Y: 498693.27'
G - X: 724471.63' / Y: 504028.35'	G - X: 683289.28' / Y: 503967.93'



*FTP TO LTP LEASE DISTANCES

FEDERAL LEASE ID	LENGTH
NMNM025365	4926.02'
NMNM025876	5023.55'
TOTAL	9949.57'



○ Drill Line Events ● Section Corners — Drill Line — Dimension Lines — Federal Leases — HSU ○ HSU Corners
All bearings and coordinates refer to New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet.

JOB No. OXY_0008_NW
REV 1 NDS 8/6/2024


Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99978405 and a Convergence Angle: 0.31759444°



Project: Eddy County, NM (NAD83-NME)
Site: Now I Won 25_24
Well: Now I Won 25_24 Fed Com 32H
Wellbore: OH / 74273
Design: Plan 5 03-15-24
Rig: H&P 620




PHOENIX
TECHNOLOGY SERVICES









Azimuths to Grid North
True North: -0.32°
Magnetic North: 6.28°

Magnetic Field
Strength: 47591.8nT
Dip Angle: 60.00°
Date: 3/30/2024
Model: IFR



RKB @ 3529.50usft (H&P 620)

Ground Level: 3499.00





OXY USA INC.

Eddy County, NM (NAD83-NME)

Now I Won 25_24

Now I Won 25_24 Fed Com 32H

3001554747

OH / 74273

Design: Surveys (H&P 620)

Standard Survey Report

15 April, 2024





Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Project	Eddy County, NM (NAD83-NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Now I Won 25_24		
Site Position:		Northing:	494,132.79 usft
From:	Map	Easting:	726,591.88 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 21' 25.252377 N
		Longitude:	103° 44' 0.182082 W

Well	Now I Won 25_24 Fed Com 32H		
Well Position	+N/-S	0.00 usft	Northing: 494,132.76 usft
	+E/-W	0.00 usft	Easting: 726,621.97 usft
Position Uncertainty	2.00 usft	Wellhead Elevation:	usft
Grid Convergence:	0.321 °	Ground Level:	3,499.00 usft

Wellbore	OH / 74273				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IFR	3/30/2024	6.599	60.002	47,591.80000000

Design	Surveys (H&P 620)				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	353.30	

Survey Program	Date	4/15/2024			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
30.50	1,003.50	SDT MWD Surveys - Adj Surface (OH / 74	SQC_C712Mb_MWD+HR MWD+HRGM+Sag+FDIR		
1,154.00	22,154.00	Phoenix MWD Surveys - SQC R3 (OH / 74	SQC_C705Mb_MWD+IFF MWD+IFR1+Sag+FDIR		

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
30.50	0.00	0.00	30.50	0.00	0.00	0.00	0.00	0.00	0.00	
179.50	0.82	180.02	179.49	-1.07	0.00	-1.06	0.55	0.55	0.00	
264.50	1.04	184.15	264.48	-2.44	-0.06	-2.42	0.27	0.26	4.86	
351.50	0.92	175.67	351.47	-3.93	-0.06	-3.89	0.22	-0.14	-9.75	
438.50	0.60	174.25	438.46	-5.08	0.04	-5.05	0.37	-0.37	-1.63	
524.50	0.33	190.06	524.46	-5.77	0.04	-5.73	0.34	-0.31	18.38	
611.50	0.29	168.43	611.46	-6.23	0.04	-6.19	0.14	-0.05	-24.86	
698.50	0.37	197.81	698.46	-6.71	0.00	-6.67	0.21	0.09	33.77	



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
785.50	0.36	200.47	785.46	-7.24	-0.18	-7.17	0.02	-0.01	3.06
871.50	0.42	175.30	871.45	-7.81	-0.25	-7.72	0.21	0.07	-29.27
958.50	0.35	171.89	958.45	-8.39	-0.19	-8.31	0.08	-0.08	-3.92
1,003.50	0.39	197.74	1,003.45	-8.67	-0.22	-8.58	0.38	0.09	57.44
Tie In									
1,154.00	0.86	216.53	1,153.94	-10.06	-1.04	-9.87	0.34	0.31	12.49
First Phoenix MWD Survey									
1,248.00	0.92	210.15	1,247.93	-11.28	-1.84	-10.99	0.12	0.06	-6.79
1,341.00	0.92	212.73	1,340.92	-12.56	-2.62	-12.17	0.04	0.00	2.77
1,435.00	1.01	215.32	1,434.91	-13.87	-3.51	-13.36	0.11	0.10	2.76
1,529.00	1.13	224.66	1,528.89	-15.20	-4.64	-14.56	0.22	0.13	9.94
1,624.00	1.28	226.70	1,623.87	-16.60	-6.07	-15.78	0.16	0.16	2.15
1,719.00	1.35	239.74	1,718.84	-17.89	-7.81	-16.86	0.32	0.07	13.73
1,814.00	1.26	238.84	1,813.82	-18.99	-9.67	-17.74	0.10	-0.09	-0.95
1,909.00	0.50	21.34	1,908.81	-19.15	-10.41	-17.80	1.77	-0.80	150.00
2,003.00	0.99	33.27	2,002.80	-18.09	-9.82	-16.82	0.54	0.52	12.69
2,098.00	1.06	27.21	2,097.79	-16.62	-8.97	-15.46	0.14	0.07	-6.38
2,192.00	1.08	27.52	2,191.77	-15.06	-8.16	-14.01	0.02	0.02	0.33
2,287.00	1.14	29.38	2,286.75	-13.44	-7.28	-12.50	0.07	0.06	1.96
2,382.00	1.10	27.29	2,381.74	-11.81	-6.40	-10.98	0.06	-0.04	-2.20
2,476.00	1.16	28.05	2,475.72	-10.17	-5.54	-9.45	0.07	0.06	0.81
2,571.00	1.25	30.23	2,570.70	-8.42	-4.56	-7.83	0.11	0.09	2.29
2,666.00	1.36	32.07	2,665.67	-6.57	-3.44	-6.13	0.12	0.12	1.94
2,760.00	1.43	29.91	2,759.64	-4.61	-2.27	-4.31	0.09	0.07	-2.30
2,855.00	1.45	30.42	2,854.61	-2.55	-1.07	-2.40	0.03	0.02	0.54
2,949.00	1.49	25.96	2,948.58	-0.42	0.07	-0.43	0.13	0.04	-4.74
3,044.00	1.67	25.67	3,043.55	1.94	1.21	1.78	0.19	0.19	-0.31
3,139.00	1.74	27.02	3,138.51	4.47	2.47	4.15	0.08	0.07	1.42
3,233.00	1.09	52.03	3,232.48	6.29	3.82	5.80	0.94	-0.69	26.61
3,328.00	1.69	141.58	3,327.46	5.75	5.40	5.08	2.11	0.63	94.26
3,423.00	1.71	137.77	3,422.42	3.60	7.22	2.73	0.12	0.02	-4.01
3,517.00	1.77	131.24	3,516.37	1.61	9.26	0.52	0.22	0.06	-6.95
3,612.00	2.67	125.40	3,611.30	-0.64	12.17	-2.06	0.98	0.95	-6.15
3,706.00	2.45	125.96	3,705.21	-3.09	15.58	-4.89	0.24	-0.23	0.60
3,801.00	2.13	117.00	3,800.13	-5.08	18.79	-7.24	0.50	-0.34	-9.43
3,896.00	1.71	120.96	3,895.08	-6.62	21.58	-9.09	0.46	-0.44	4.17
3,991.00	2.40	130.55	3,990.02	-8.64	24.31	-11.41	0.81	0.73	10.09
4,085.00	2.53	163.82	4,083.93	-11.91	26.38	-14.91	1.51	0.14	35.39
4,180.00	3.17	174.66	4,178.82	-16.54	27.21	-19.60	0.88	0.67	11.41
4,275.00	1.73	154.09	4,273.73	-20.44	28.08	-23.58	1.75	-1.52	-21.65
4,369.00	1.23	327.18	4,367.72	-20.87	28.16	-24.01	3.14	-0.53	184.14
4,464.00	1.13	318.83	4,462.70	-19.31	26.99	-22.33	0.21	-0.11	-8.79
4,559.00	0.87	305.83	4,557.68	-18.18	25.78	-21.07	0.36	-0.27	-13.68



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,654.00	2.41	273.38	4,652.64	-17.64	23.21	-20.23	1.83	1.62	-34.16
4,748.00	5.60	262.60	4,746.40	-18.12	16.68	-19.94	3.47	3.39	-11.47
4,843.00	9.43	243.19	4,840.58	-22.23	5.13	-22.67	4.78	4.03	-20.43
4,937.00	12.25	243.71	4,932.90	-30.12	-10.68	-28.67	3.00	3.00	0.55
5,032.00	15.00	242.12	5,025.21	-40.33	-30.59	-36.49	2.92	2.89	-1.67
5,127.00	16.40	239.87	5,116.67	-52.82	-53.06	-46.27	1.61	1.47	-2.37
5,222.00	16.82	238.08	5,207.70	-66.82	-76.32	-57.46	0.70	0.44	-1.88
5,316.00	16.72	236.64	5,297.71	-81.44	-99.16	-69.32	0.45	-0.11	-1.53
5,411.00	16.30	235.49	5,388.79	-96.51	-121.56	-81.67	0.56	-0.44	-1.21
5,506.00	16.65	234.51	5,479.89	-111.96	-143.63	-94.45	0.47	0.37	-1.03
5,600.00	16.96	239.07	5,569.88	-126.83	-166.35	-106.56	1.44	0.33	4.85
5,695.00	17.27	243.43	5,660.68	-140.26	-190.85	-117.05	1.39	0.33	4.59
5,790.00	18.17	242.72	5,751.17	-153.36	-216.63	-127.05	0.97	0.95	-0.75
5,884.00	18.66	241.45	5,840.36	-167.26	-242.87	-137.80	0.67	0.52	-1.35
5,979.00	16.43	247.81	5,930.94	-179.60	-268.66	-147.04	3.09	-2.35	6.69
6,073.00	15.58	252.21	6,021.30	-188.48	-292.99	-153.02	1.58	-0.90	4.68
6,168.00	15.71	251.81	6,112.78	-196.39	-317.36	-158.04	0.18	0.14	-0.42
6,262.00	15.68	251.28	6,203.27	-204.44	-341.48	-163.22	0.16	-0.03	-0.56
6,357.00	16.34	250.38	6,294.59	-213.05	-366.22	-168.89	0.74	0.69	-0.95
6,452.00	17.00	249.91	6,385.59	-222.31	-391.86	-175.09	0.71	0.69	-0.49
6,546.00	17.48	249.85	6,475.37	-231.89	-418.01	-181.56	0.51	0.51	-0.06
6,641.00	18.02	249.37	6,565.85	-241.98	-445.16	-188.42	0.59	0.57	-0.51
6,736.00	18.22	248.84	6,656.14	-252.52	-472.76	-195.66	0.27	0.21	-0.56
6,830.00	18.89	248.31	6,745.25	-263.45	-500.61	-203.27	0.73	0.71	-0.56
7,020.00	19.53	247.11	6,924.67	-287.17	-558.44	-220.08	0.40	0.34	-0.63
7,114.00	20.37	246.73	7,013.03	-299.74	-587.95	-229.13	0.90	0.89	-0.40
7,208.00	20.88	246.16	7,101.00	-312.98	-618.30	-238.74	0.58	0.54	-0.61
7,303.00	20.95	245.65	7,189.75	-326.82	-649.26	-248.88	0.21	0.07	-0.54
7,398.00	19.50	245.37	7,278.89	-340.43	-679.15	-258.91	1.53	-1.53	-0.29
7,492.00	18.89	244.70	7,367.66	-353.48	-707.16	-268.59	0.69	-0.65	-0.71
7,587.00	16.92	246.35	7,458.05	-365.60	-733.73	-277.53	2.14	-2.07	1.74
7,681.00	16.51	246.60	7,548.08	-376.39	-758.52	-285.36	0.44	-0.44	0.27
7,776.00	14.49	245.38	7,639.62	-386.70	-781.72	-292.90	2.15	-2.13	-1.28
7,870.00	14.03	243.61	7,730.73	-396.66	-802.61	-300.36	0.67	-0.49	-1.88
7,965.00	14.15	243.21	7,822.87	-407.02	-823.30	-308.23	0.16	0.13	-0.42
8,154.00	15.02	242.52	8,005.78	-428.73	-865.65	-324.85	0.47	0.46	-0.37
8,248.00	15.02	241.93	8,096.56	-440.08	-887.20	-333.61	0.16	0.00	-0.63
8,437.00	15.40	240.37	8,278.94	-464.01	-930.62	-352.32	0.30	0.20	-0.83
8,531.00	13.43	244.32	8,369.98	-474.91	-951.31	-360.73	2.34	-2.10	4.20
8,626.00	11.45	246.40	8,462.75	-483.47	-969.90	-367.06	2.14	-2.08	2.19
8,721.00	10.50	244.81	8,556.01	-490.93	-986.37	-372.55	1.05	-1.00	-1.67
8,815.00	9.17	243.42	8,648.63	-497.93	-1,000.82	-377.81	1.44	-1.41	-1.48
8,910.00	8.65	242.98	8,742.48	-504.56	-1,013.96	-382.87	0.55	-0.55	-0.46
9,004.00	7.63	239.33	8,835.53	-510.96	-1,025.62	-387.86	1.22	-1.09	-3.88



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,099.00	6.32	234.70	8,929.83	-517.19	-1,035.31	-392.93	1.50	-1.38	-4.87
9,194.00	5.29	233.81	9,024.34	-522.80	-1,043.12	-397.59	1.09	-1.08	-0.94
9,288.00	5.16	226.38	9,117.95	-528.28	-1,049.67	-402.26	0.73	-0.14	-7.90
9,383.00	4.42	217.94	9,212.62	-534.11	-1,055.02	-407.43	1.07	-0.78	-8.88
9,477.00	4.22	212.97	9,306.35	-539.87	-1,059.13	-412.67	0.45	-0.21	-5.29
9,572.00	4.39	210.18	9,401.08	-545.95	-1,062.86	-418.27	0.28	0.18	-2.94
9,666.00	4.66	205.43	9,494.79	-552.50	-1,066.30	-424.38	0.49	0.29	-5.05
9,761.00	4.70	202.90	9,589.47	-559.57	-1,069.47	-431.03	0.22	0.04	-2.66
9,855.00	4.67	201.82	9,683.16	-566.67	-1,072.40	-437.74	0.10	-0.03	-1.15
9,950.00	4.76	200.16	9,777.84	-573.96	-1,075.19	-444.66	0.17	0.09	-1.75
10,045.00	4.46	201.93	9,872.53	-581.09	-1,077.93	-451.42	0.35	-0.32	1.86
10,139.00	3.84	206.12	9,966.29	-587.31	-1,080.68	-457.27	0.73	-0.66	4.46
10,233.00	3.06	205.50	10,060.11	-592.40	-1,083.15	-462.04	0.83	-0.83	-0.66
10,328.00	3.06	208.39	10,154.98	-596.92	-1,085.44	-466.26	0.16	0.00	3.04
10,423.00	3.05	208.84	10,249.84	-601.36	-1,087.87	-470.39	0.03	-0.01	0.47
10,517.00	2.80	212.40	10,343.72	-605.49	-1,090.30	-474.21	0.33	-0.27	3.79
10,612.00	1.99	206.84	10,438.64	-608.92	-1,092.29	-477.38	0.89	-0.85	-5.85
10,707.00	1.87	210.26	10,533.58	-611.73	-1,093.82	-480.00	0.18	-0.13	3.60
10,801.00	1.96	214.75	10,627.53	-614.38	-1,095.51	-482.43	0.19	0.10	4.78
10,896.00	1.47	200.57	10,722.49	-616.85	-1,096.86	-484.73	0.68	-0.52	-14.93
10,990.00	1.10	221.49	10,816.47	-618.66	-1,097.88	-486.40	0.63	-0.39	22.26
11,085.00	1.52	227.68	10,911.44	-620.19	-1,099.42	-487.74	0.47	0.44	6.52
11,166.00	2.21	221.89	10,992.40	-622.08	-1,101.26	-489.40	0.88	0.85	-7.15
11,288.00	3.21	215.44	11,114.26	-626.61	-1,104.81	-493.49	0.86	0.82	-5.29
11,382.00	6.71	356.07	11,208.07	-623.27	-1,106.71	-489.95	10.01	3.72	149.61
11,477.00	22.38	11.30	11,299.77	-599.84	-1,103.53	-467.06	16.84	16.49	16.03
11,572.00	31.12	9.61	11,384.52	-557.82	-1,095.87	-426.21	9.23	9.20	-1.78
11,574.70	31.29	9.45	11,386.83	-556.44	-1,095.64	-424.87	6.88	6.19	-5.79
FTP: 11574.70' MD, 31.29° Inc									
11,666.00	37.03	4.92	11,462.36	-505.62	-1,089.38	-375.12	6.88	6.29	-4.97
11,761.00	42.89	356.29	11,535.20	-444.75	-1,089.02	-314.72	8.48	6.17	-9.08
11,856.00	52.80	353.72	11,598.89	-374.70	-1,095.27	-244.42	10.62	10.43	-2.71
11,951.00	56.01	350.36	11,654.18	-298.23	-1,106.01	-167.22	4.44	3.38	-3.54
12,046.00	55.96	349.55	11,707.33	-220.70	-1,119.74	-88.61	0.71	-0.05	-0.85
12,140.00	63.98	350.58	11,754.33	-140.60	-1,133.74	-7.42	8.58	8.53	1.10
12,235.00	75.20	349.39	11,787.41	-53.07	-1,149.23	81.32	11.87	11.81	-1.25
12,330.00	90.71	349.72	11,799.03	39.37	-1,166.27	175.11	16.33	16.33	0.35
12,424.00	95.65	350.95	11,793.82	131.86	-1,182.02	268.81	5.42	5.26	1.31
12,519.00	92.05	352.50	11,787.44	225.64	-1,195.66	363.54	4.12	-3.79	1.63
12,533.00	91.88	352.62	11,786.96	239.52	-1,197.47	377.53	1.49	-1.21	0.86
12,627.00	91.93	351.65	11,783.83	332.58	-1,210.33	471.46	1.03	0.05	-1.03
12,722.00	91.88	355.57	11,780.67	426.92	-1,220.89	566.39	4.12	-0.05	4.13
12,816.00	91.87	0.10	11,777.60	520.78	-1,224.44	660.02	4.82	-0.01	4.82



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
12,911.00	91.40	4.44	11,774.88	615.64	-1,220.68	753.80	4.59	-0.49	4.57
13,006.00	91.60	6.57	11,772.40	710.17	-1,211.57	846.61	2.25	0.21	2.24
13,100.00	91.30	3.65	11,770.02	803.75	-1,203.20	938.59	3.12	-0.32	-3.11
13,194.00	91.28	3.99	11,767.90	897.52	-1,196.94	1,030.98	0.36	-0.02	0.36
13,288.00	90.05	2.45	11,766.81	991.36	-1,191.66	1,123.57	2.10	-1.31	-1.64
13,383.00	90.32	1.07	11,766.50	1,086.31	-1,188.74	1,217.53	1.48	0.28	-1.45
13,477.00	90.08	1.53	11,766.18	1,180.29	-1,186.61	1,310.62	0.55	-0.26	0.49
13,572.00	90.23	1.76	11,765.92	1,275.25	-1,183.88	1,404.61	0.29	0.16	0.24
13,667.00	90.32	3.22	11,765.46	1,370.16	-1,179.76	1,498.39	1.54	0.09	1.54
13,761.00	90.06	3.31	11,765.15	1,464.00	-1,174.40	1,590.97	0.29	-0.28	0.10
13,855.00	90.60	3.40	11,764.61	1,557.84	-1,168.90	1,683.53	0.58	0.57	0.10
13,950.00	90.39	0.29	11,763.79	1,652.77	-1,165.84	1,777.46	3.28	-0.22	-3.27
14,044.00	90.44	2.74	11,763.11	1,746.73	-1,163.36	1,870.48	2.61	0.05	2.61
14,138.00	91.29	2.11	11,761.69	1,840.64	-1,159.38	1,963.28	1.13	0.90	-0.67
14,233.00	90.36	2.91	11,760.32	1,935.53	-1,155.22	2,057.05	1.29	-0.98	0.84
14,327.00	90.80	1.63	11,759.37	2,029.45	-1,151.50	2,149.89	1.44	0.47	-1.36
14,422.00	90.74	2.04	11,758.09	2,124.39	-1,148.46	2,243.83	0.44	-0.06	0.43
14,516.00	90.45	1.79	11,757.12	2,218.34	-1,145.32	2,336.77	0.41	-0.31	-0.27
14,611.00	90.75	0.36	11,756.12	2,313.31	-1,143.53	2,430.89	1.54	0.32	-1.51
14,705.00	91.64	0.30	11,754.16	2,407.29	-1,142.99	2,524.16	0.95	0.95	-0.06
14,800.00	91.18	359.40	11,751.82	2,502.26	-1,143.24	2,618.51	1.06	-0.48	-0.95
14,895.00	91.18	359.76	11,749.87	2,597.24	-1,143.94	2,712.92	0.38	0.00	0.38
14,990.00	91.34	359.90	11,747.78	2,692.21	-1,144.22	2,807.28	0.22	0.17	0.15
15,084.00	91.27	0.61	11,745.64	2,786.19	-1,143.80	2,900.57	0.76	-0.07	0.76
15,274.00	91.21	359.41	11,741.53	2,976.14	-1,143.77	3,089.22	0.63	-0.03	-0.63
15,368.00	91.00	1.10	11,739.71	3,070.12	-1,143.35	3,182.51	1.81	-0.22	1.80
15,463.00	91.33	0.02	11,737.78	3,165.09	-1,142.42	3,276.72	1.19	0.35	-1.14
15,557.00	91.01	359.05	11,735.86	3,259.07	-1,143.18	3,370.15	1.09	-0.34	-1.03
15,651.00	91.07	359.51	11,734.16	3,353.04	-1,144.37	3,463.62	0.49	0.06	0.49
15,746.00	91.12	359.95	11,732.34	3,448.03	-1,144.81	3,558.01	0.47	0.05	0.46
15,840.00	90.97	359.02	11,730.63	3,542.01	-1,145.66	3,651.44	1.00	-0.16	-0.99
15,935.00	91.18	1.00	11,728.84	3,636.98	-1,145.64	3,745.77	2.10	0.22	2.08
16,029.00	91.80	2.07	11,726.40	3,730.92	-1,143.12	3,838.77	1.32	0.66	1.14
16,123.00	91.89	1.78	11,723.37	3,824.81	-1,139.97	3,931.66	0.32	0.10	-0.31
16,218.00	90.61	2.17	11,721.30	3,919.73	-1,136.70	4,025.55	1.41	-1.35	0.41
16,313.00	88.02	2.61	11,722.44	4,014.64	-1,132.73	4,119.34	2.77	-2.73	0.46
16,503.00	88.17	1.74	11,728.75	4,204.39	-1,125.53	4,306.96	0.46	0.08	-0.46
16,597.00	88.26	359.66	11,731.68	4,298.33	-1,124.38	4,400.13	2.21	0.10	-2.21
16,692.00	88.25	0.48	11,734.57	4,393.29	-1,124.26	4,494.42	0.86	-0.01	0.86
16,787.00	90.40	359.79	11,735.69	4,488.28	-1,124.04	4,588.74	2.38	2.26	-0.73
16,882.00	90.16	359.23	11,735.23	4,583.27	-1,124.85	4,683.18	0.64	-0.25	-0.59
16,977.00	90.37	0.05	11,734.79	4,678.27	-1,125.45	4,777.60	0.89	0.22	0.86
17,071.00	90.50	0.08	11,734.07	4,772.26	-1,125.34	4,870.94	0.14	0.14	0.03
17,166.00	90.58	359.32	11,733.18	4,867.26	-1,125.84	4,965.34	0.80	0.08	-0.80



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,261.00	90.18	0.00	11,732.55	4,962.25	-1,126.40	5,059.76	0.83	-0.42	0.72
17,355.00	90.31	359.96	11,732.15	5,056.25	-1,126.44	5,153.12	0.14	0.14	-0.04
17,449.00	90.19	0.04	11,731.74	5,150.25	-1,126.44	5,246.48	0.15	-0.13	0.09
17,544.00	90.17	0.89	11,731.44	5,245.25	-1,125.67	5,340.73	0.89	-0.02	0.89
17,639.00	91.23	359.32	11,730.28	5,340.24	-1,125.49	5,435.05	1.99	1.12	-1.65
17,733.00	90.94	358.85	11,728.50	5,434.21	-1,126.99	5,528.56	0.59	-0.31	-0.50
17,922.00	91.24	0.19	11,724.90	5,623.16	-1,128.58	5,716.41	0.73	0.16	0.71
18,017.00	90.99	359.66	11,723.05	5,718.14	-1,128.70	5,810.76	0.62	-0.26	-0.56
18,112.00	91.31	0.20	11,721.15	5,813.12	-1,128.82	5,905.10	0.66	0.34	0.57
18,206.00	91.21	1.70	11,719.08	5,907.09	-1,127.26	5,998.24	1.60	-0.11	1.60
18,301.00	91.40	1.18	11,716.92	6,002.03	-1,124.87	6,092.26	0.58	0.20	-0.55
18,395.00	90.97	358.40	11,714.97	6,096.00	-1,125.22	6,185.63	2.99	-0.46	-2.96
18,490.00	92.14	1.52	11,712.39	6,190.95	-1,125.28	6,279.94	3.51	1.23	3.28
18,584.00	90.96	0.53	11,709.85	6,284.90	-1,123.60	6,373.05	1.64	-1.26	-1.05
18,774.00	91.41	0.15	11,705.92	6,474.85	-1,122.47	6,561.58	0.31	0.24	-0.20
18,869.00	91.06	359.61	11,703.87	6,569.83	-1,122.67	6,655.93	0.68	-0.37	-0.57
18,963.00	91.18	359.62	11,702.04	6,663.81	-1,123.31	6,749.34	0.13	0.13	0.01
19,058.00	91.50	0.21	11,699.82	6,758.78	-1,123.45	6,843.68	0.71	0.34	0.62
19,153.00	90.96	359.13	11,697.78	6,853.76	-1,123.99	6,938.07	1.27	-0.57	-1.14
19,247.00	91.20	359.55	11,696.00	6,947.74	-1,125.08	7,031.54	0.51	0.26	0.45
19,342.00	89.48	359.52	11,695.44	7,042.73	-1,125.85	7,125.97	1.81	-1.81	-0.03
19,437.00	89.61	359.35	11,696.19	7,137.72	-1,126.78	7,220.42	0.23	0.14	-0.18
19,531.00	89.79	0.00	11,696.69	7,231.72	-1,127.32	7,313.84	0.72	0.19	0.69
19,626.00	89.47	0.01	11,697.30	7,326.72	-1,127.31	7,408.19	0.34	-0.34	0.01
19,721.00	89.69	0.10	11,698.00	7,421.71	-1,127.22	7,502.53	0.25	0.23	0.09
19,815.00	89.96	0.50	11,698.28	7,515.71	-1,126.73	7,595.83	0.51	0.29	0.43
19,910.00	89.74	359.65	11,698.53	7,610.71	-1,126.60	7,690.16	0.92	-0.23	-0.89
20,004.00	90.02	0.31	11,698.73	7,704.71	-1,126.63	7,783.52	0.76	0.30	0.70
20,099.00	91.19	2.18	11,697.73	7,799.67	-1,124.57	7,877.60	2.32	1.23	1.97
20,194.00	90.51	2.16	11,696.32	7,894.60	-1,120.97	7,971.46	0.72	-0.72	-0.02
20,288.00	89.42	359.30	11,696.37	7,988.58	-1,119.78	8,064.66	3.26	-1.16	-3.04
20,383.00	88.59	358.11	11,698.02	8,083.54	-1,121.92	8,159.22	1.53	-0.87	-1.25
20,477.00	90.56	357.60	11,698.72	8,177.46	-1,125.44	8,252.91	2.16	2.10	-0.54
20,572.00	90.87	357.33	11,697.54	8,272.36	-1,129.64	8,347.65	0.43	0.33	-0.28
20,666.00	89.96	356.83	11,696.86	8,366.24	-1,134.43	8,441.45	1.10	-0.97	-0.53
20,856.00	90.70	356.92	11,695.76	8,555.95	-1,144.79	8,631.07	0.39	0.39	0.05
20,950.00	91.03	357.99	11,694.34	8,649.84	-1,148.96	8,724.81	1.19	0.35	1.14
21,045.00	90.78	356.44	11,692.84	8,744.72	-1,153.58	8,819.58	1.65	-0.26	-1.63
21,139.00	89.90	356.93	11,692.28	8,838.56	-1,159.01	8,913.41	1.07	-0.94	0.52
21,233.00	92.22	357.11	11,690.54	8,932.41	-1,163.90	9,007.19	2.48	2.47	0.19
21,328.00	89.66	355.46	11,688.99	9,027.18	-1,170.05	9,102.04	3.21	-2.69	-1.74
21,423.00	90.31	357.19	11,689.01	9,121.98	-1,176.14	9,196.90	1.95	0.68	1.82
21,518.00	90.42	356.62	11,688.41	9,216.84	-1,181.27	9,291.71	0.61	0.12	-0.60



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 32H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3529.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3529.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 32H	North Reference:	Grid
Wellbore:	OH / 74273	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
21,612.00	90.86	357.15	11,687.36	9,310.70	-1,186.38	9,385.52	0.73	0.47	0.56
21,707.00	92.45	358.55	11,684.61	9,405.59	-1,189.94	9,480.18	2.23	1.67	1.47
21,801.00	90.00	354.84	11,682.60	9,499.38	-1,195.36	9,573.97	4.73	-2.61	-3.95
21,896.00	91.17	352.93	11,681.63	9,593.83	-1,205.48	9,668.95	2.36	1.23	-2.01
21,991.00	90.12	351.73	11,680.56	9,687.97	-1,218.16	9,763.93	1.68	-1.11	-1.26
22,035.00	90.33	351.63	11,680.39	9,731.51	-1,224.52	9,807.91	0.53	0.48	-0.23
Final Phoenix MWD Survey									
22,104.73	90.33	351.63	11,679.99	9,800.50	-1,234.67	9,877.61	0.00	0.00	0.00
LTP: 22104.73' MD									
22,154.00	90.33	351.63	11,679.70	9,849.24	-1,241.84	9,926.86	0.00	0.00	0.00
Projection to TD									

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
1,003.50	1,003.45	-8.67	-0.22	Tie In
1,154.00	1,153.94	-10.06	-1.04	First Phoenix MWD Survey
11,574.70	11,386.83	-556.44	-1,095.64	FTP: 11574.70' MD, 31.29° Inc
22,035.00	11,680.39	9,731.51	-1,224.52	Final Phoenix MWD Survey
22,104.73	11,679.99	9,800.50	-1,234.67	LTP: 22104.73' MD
22,154.00	11,679.70	9,849.24	-1,241.84	Projection to TD

C-105	State of New Mexico	Revised July 9, 2024
Submit Electronically Via OCD Permitting	Energy, Minerals & Natural Resources Department	
OIL CONSERVATION DIVISION		

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: OXY USA INC	OGRID: 16696
Property Name and Well Number: OLIVE WON UNIT 132H	Property Code: 336102
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-54747
Pool Name: WC 22S31E13; Wolfcamp	Pool Code: 98351

Section 2 – Well Location

	UI or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	N	25	22S	31E		655'	S	2087'	W	EDDY
BHL	D	24	22S	31E		51'	N	908'	W	EDDY

Section 3 – Completion Information

Date T.D. Reached 04/07/24	Total Measured Depth of Well 22154'MD	Acid Volume (bbls)	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 04/09/24	Plug-Back Measured Depth 22109'MD	Completion Fluid Used (bbls) 367344 bbls	Were Logs Ran (Y/N) Y
Completion Date 07/02/24	Perforations (MD and TVD) 11962-21948'MD/11654-11681'TVD	Completion Proppant Used (lbs) 25203662#	List Type of Logs Ran if applicable: CBL

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 336282	UIC Permit/Order (UIC wells only) ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 336283	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID: NA	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 336283	Cement Squeeze Action ID (if applicable):
Tubing Action ID: NA	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID: NA	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production 07/06/24	Production Method Flowing	Well Status Producing	Gas – Oil Ratio 2198
Date of Test 08/24/24	Choke Size 91	Flowing Tubing Pressure	Casing Pressure 1056
24 hr Oil (bbls) 3271	24 hr Gas (MCF) 7190	24 hr Water (bbls) 4330	Oil Gravity - API
Disposition of Gas: sold			

Section 6 – Pits


☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: LONG:

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Jana Mendiola	
Title Regulatory Advisor	Date 09/17/24

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy	848'	848'	W	T. San Jose			
T. Salt	1160'	1160'		T. Nacimiento			
B. Salt	2642'	2642'		T. Ojo Alamo			
T. Yates				T. Kirtland			
T. 7 Rivers				T. Fruitland			
T. Queen				T. Pictured Cliffs			
T. Grayburg				T. Lewis Shale			
T. San Andres				T. Chacra			
T. Glorieta				T. Cliff House			
T. Yeso				T. Menefee			
T. Paddock				T. Point Lookout			
T. Blinebry				T. Mancos			
T.Tubb				T. Gallup			
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp	11941'	11648'	o/g	T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T.Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime	4497'	4496'	o/g				
T. Bell Canyon	4541'	4540'	o/g				
T. Cherry Canyon	5371'	5350'	o/g				
T. Brushy Canyon	6652'	6577'	o/g				
T. Bone Springs	8505'	8345'	o/g				
T. 1st BS Sand	9579'	9408'	o/g				
T. 2nd BS Carbonate							
T. 2nd BS Sand	10200'	10027'	o/g				
T. 3rd BS Carbonate							
T. 3rd BS Sand	11400'	11226'	o/g				

OXY USA Inc.
OLIVE WON UNIT 132H
API No. 30-015-54747



Perfs @ 11962-21948' TD- 22154'M 11680'V

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 384364

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 384364
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 384364

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 384364
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM Approval.	12/4/2024