

Santa Fe Main Office Phone: (505) 476-3441 Fax: (505) 476-3462 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-104 Revised July 9, 2024 Submit Electronically Via OCD Permitting
---	--	---

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: DJR OPERATING LLC	OGRID: 371838
Property Name and Well Number: NAGEEZI UNIT 216H	Property Code: 325268
Mineral Owner: ☐ State ☐ Fee ☒ Tribal ☒ Federal	API Number: 30-045-38296
Pool Name: NAGEEZI UNIT MANCOS OIL	Pool Code: 98080

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	26	24N	9W		1742 SOUTH	769 WEST	36.282740	-107.765282	SAN JUAN

Section 3 – Completion Information

Producing Method FLOWING	Ready Date 10/26/2024	Perforations MD 6016-16470	Perforations TVD 5281-5319
-----------------------------	--------------------------	-------------------------------	-------------------------------

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required/needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW): 389600	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 349711	Unit: ☒ Yes ☐ No, Order No. R-13856 / R-13856A
Intermediate 1 Casing Action ID: 360488	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 373814	Surface Commingling: ☐ Yes ☒ No, Order No.
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID: 373814	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Shaw-Marie Ford	
Title Regulatory Specialist	Date 12/11/2024

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal ☐ Amended Report ☒ As Drilled

WELL LOCATION INFORMATION

API Number 30-045-38296	Pool Code 98080	Pool Name NAGEEZI UNIT MANCOS OIL POOL
Property Code 325268	Property Name NAGEEZI UNIT	Well Number 216H
OGRID No. 371838	Operator Name DJR OPERATING, LLC	Ground Level Elevation 6826'
Surface Owner: ☐ State ☐ Fee ☒ Tribal ☐ Federal		Mineral Owner: ☐ State ☐ Fee ☒ Tribal ☒ Federal

Surface Location (SHL)

UL L	Section 26	Township 24N	Range 9W	Lot	Ft from the N/S 1742' SOUTH	Ft from the E/W 769' WEST	Latitude 36.282740° N	Longitude 107.765282° W	County SAN JUAN
---------	---------------	-----------------	-------------	-----	--------------------------------	------------------------------	--------------------------	----------------------------	--------------------

Bottom Hole Location (BHL)

UL L	Section 21	Township 24N	Range 9W	Lot	Ft from the N/S 2161' SOUTH	Ft from the E/W 177' WEST	Latitude 36.298289° N	Longitude 107.802947° W	County SAN JUAN
---------	---------------	-----------------	-------------	-----	--------------------------------	------------------------------	--------------------------	----------------------------	--------------------

Dedicated Acres PENETRATED SPACING UNIT: SEC 27: NE/SE, NW/SE, SW/NE, NE/SW, SE/NW, SW/NW & NW/NW (280 AC.); SEC 28: SE/NE, NE/NE & NW/NE (120 AC.); SEC 21: SE/SE, SW/SE & SW/4 (240 AC.) = 640 ACRES	Infill or Defining Well	Defining Well API	Overlapping Spacing Unit (Y/N) N	Consolidation Code Unit
Order Numbers: R-13856 R-13856A	Well Setbacks are under Common Ownership: ☒ Yes ☐ No			

Kick Off Point (KOP)

UL I	Section 27	Township 24N	Range 9W	Lot	Ft from the N/S 1637' SOUTH	Ft from the E/W 831' EAST	Latitude 36.282360° N	Longitude 107.770764° W	County SAN JUAN
---------	---------------	-----------------	-------------	-----	--------------------------------	------------------------------	--------------------------	----------------------------	--------------------

Fist Take Point (FTP)

UL I	Section 27	Township 24N	Range 9W	Lot	Ft from the N/S 1752' SOUTH	Ft from the E/W 1195' EAST	Latitude 36.282678° N	Longitude 107.771997° W	County SAN JUAN
---------	---------------	-----------------	-------------	-----	--------------------------------	-------------------------------	--------------------------	----------------------------	--------------------

Last Take Point (LTP)

UL L	Section 21	Township 24N	Range 9W	Lot	Ft from the N/S 2150' SOUTH	Ft from the E/W 190' WEST	Latitude 36.298262° N	Longitude 107.802893° W	County SAN JUAN
---------	---------------	-----------------	-------------	-----	--------------------------------	------------------------------	--------------------------	----------------------------	--------------------

Unitized Area or Area of Uniform Interest NAGEEZI	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation
--	--	------------------------

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Shaw-Marie Ford
Signature


10/9/2024
Date

Shaw-Marie Ford
Printed Name

sford@enduringresources.com
E-mail Address

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.



Signature and Seal of Professional Surveyor:

Certificate Number


11393

Date of Survey

AUGUST 26, 2024

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FND 2 1/2" BC
GLO 1933



- SURFACE LOCATION (SHL) ●
1742' FSL 769' FWL
SEC. 26, T24N, R9W
LAT. 36.282740° N (NAD83)
LONG. 107.765282° W (NAD83)
- KICK OFF POINT (KOP) ▲
1637' FSL 831' FEL
SEC. 27, T24N, R9W
LAT. 36.282360° N (NAD83)
LONG. 107.770764° W (NAD83)
- FIRST TAKE POINT (FTP) ◇
1752' FSL 1195' FEL
SEC. 27, T24N, R9W
LAT. 36.282678° N (NAD83)
LONG. 107.771997° W (NAD83)
- LAST TAKE POINT (LTP) □
2150' FSL 190' FWL
SEC. 21, T24N, R9W
LAT. 36.298262° N (NAD83)
LONG. 107.802893° W (NAD83)
- BOTTOM HOLE LOCATION (BHL) ○
2161' FSL 177' FWL
SEC. 21, T24N, R9W
LAT. 36.298289° N (NAD83)
LONG. 107.802947° W (NAD83)



Well: Nageezi Unit 216H
Site: Nageezi Unit (213, 214, 215, 216, 217 & 218)
Project: San Juan County, New Mexico NAD83 NM W
Design: MWD surveys
Rig: Ensign 140

ANNOTATIONS SURVEYS

MD	Inc	Azi	TVD	+N/-S	+E/-W	VSec	Annotation
485.00	1.25	91.530	484.96	-0.14	5.29	-4.56	MWD surveys
5757.95	69.99	296.951	5237.50	-24.08	-1978.96	1665.30	FTP @ 5757.95 MD 5237.50 TVD
5985.60	85.54	299.614	5279.01	86.71	-2172.48	1888.13	9 5/8" Casing @ 5985.60 MD 5279.01 TVD
16412.00	89.51	301.810	5318.81	5600.89	-11016.05	12309.97	Survey @ 16412.00 MD 5318.81 TVD
16495.30	89.51	301.810	5319.52	5644.80	-11086.83	12393.26	LTP @ 16495.30 MD 5319.52 TVD
16514.00	89.51	301.810	5319.68	5654.65	-11102.72	12411.96	330 ppd @ 16514.00 MD 5319.68 TVD
16540.00	89.51	301.810	5319.90	5668.36	-11124.82	12437.96	Survey proj. to 16540 MD 5319.90 TVD 455 FNL 151 FWL

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Western Zone
System Datum: Mean Sea Level
Depth Reference: RKB=6826+23.5 @ 6849.50ft (Ensign 140)


Surface location:
Northing 1922223.70 Easting 2743148.30 Latitude 36.28274000 Longitude -107.76528200

Total Corr (M=>G): To convert a Magnetic Direction to a Grid Direction, Add 8.454°



Azimuths to Grid North
True North: -0.04°
Magnetic North: 8.45°

Magnetic Field
Strength: 49030.0nT
Dip Angle: 62.72°
Date: 6/16/2024
Model: IGRF2020



14:56, August 08 2024



Survey Report



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Project	San Juan County, New Mexico NAD83 NM W		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	Nageezi Unit (213, 214, 215, 216, 217 & 218)		
Site Position:		Northing:	1,922,205.14 usft
From:	Lat/Long	Easting:	2,743,140.65 usft
Position Uncertainty:	0.00 ft	Slot Radius:	13-3/16 "
		Latitude:	36.28268900
		Longitude:	-107.76530800

Well	Nageezi Unit 216H, Surf loc: 1742 FSL 769 FWL Section 26-T24N-R09W		
Well Position	+N/-S	0.00 ft	Northing: 1,922,223.71 usft
	+E/-W	0.00 ft	Easting: 2,743,148.30 usft
Position Uncertainty	0.00 ft	Wellhead Elevation:	ft
Grid Convergence:	0.040 °	Ground Level:	6,826.00 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	6/16/2024	8.494	62.722	49,030.02867629

Design	MWD surveys				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	302.010	

Survey Program	Date	8/8/2024			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
485.00	5,933.00	MWD int (Original Hole)	MWD	OWSG MWD - Standard	
6,048.00	16,412.00	MWD (Original Hole)	MWD	OWSG MWD - Standard	
16,540.00	16,540.00	Projection (Original Hole)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00
485.00	1.25	91.530	484.96	-0.14	5.29	-4.56	0.26	0.26	0.00
MWD surveys									
574.00	0.40	317.980	573.96	0.06	6.05	-5.10	1.74	-0.96	-150.06
664.00	0.44	336.780	663.95	0.61	5.70	-4.51	0.16	0.04	20.89
753.00	0.44	17.630	752.95	1.25	5.67	-4.15	0.35	0.00	45.90
842.00	0.46	8.270	841.95	1.93	5.83	-3.92	0.09	0.02	-10.52
932.00	0.19	19.300	931.95	2.43	5.93	-3.74	0.31	-0.30	12.26



Survey Report



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
1,022.00	2.26	271.840	1,021.92	2.63	4.20	-2.17	2.58	2.30	-119.40	
1,113.00	7.18	271.300	1,112.59	2.82	-3.28	4.27	5.41	5.41	-0.59	
1,209.00	10.21	263.300	1,207.48	1.96	-17.73	16.07	3.39	3.16	-8.33	
1,302.00	11.60	264.180	1,298.79	0.05	-35.22	29.89	1.51	1.49	0.95	
1,397.00	12.15	260.950	1,391.76	-2.49	-54.59	44.97	0.91	0.58	-3.40	
1,489.00	14.57	262.170	1,481.27	-5.59	-75.62	61.16	2.65	2.63	1.33	
1,582.00	17.60	261.770	1,570.61	-9.20	-101.13	80.88	3.26	3.26	-0.43	
1,673.00	20.91	264.680	1,656.51	-12.67	-130.93	104.30	3.79	3.64	3.20	
1,765.00	22.61	263.840	1,741.96	-16.09	-164.86	131.26	1.88	1.85	-0.91	
1,856.00	23.08	263.680	1,825.82	-19.94	-199.98	159.01	0.52	0.52	-0.18	
1,949.00	24.26	264.740	1,910.99	-23.69	-237.12	188.51	1.35	1.27	1.14	
2,039.00	25.61	263.220	1,992.60	-27.69	-274.85	218.39	1.66	1.50	-1.69	
2,128.00	25.09	260.810	2,073.03	-32.97	-312.58	247.58	1.30	-0.58	-2.71	
2,218.00	25.39	265.570	2,154.45	-37.51	-350.66	277.46	2.28	0.33	5.29	
2,307.00	25.61	269.130	2,234.79	-39.27	-388.92	308.97	1.74	0.25	4.00	
2,397.00	24.96	268.200	2,316.16	-40.17	-427.35	341.08	0.85	-0.72	-1.03	
2,486.00	23.78	267.150	2,397.23	-41.65	-464.04	371.41	1.41	-1.33	-1.18	
2,576.00	26.00	266.710	2,478.87	-43.68	-501.86	402.40	2.48	2.47	-0.49	
2,665.00	25.75	265.920	2,558.94	-46.18	-540.62	433.95	0.48	-0.28	-0.89	
2,755.00	25.60	264.580	2,640.06	-49.41	-579.48	465.18	0.67	-0.17	-1.49	
2,844.00	26.01	265.060	2,720.18	-52.90	-618.06	496.05	0.52	0.46	0.54	
2,934.00	25.79	264.500	2,801.14	-56.48	-657.21	527.35	0.37	-0.24	-0.62	
3,023.00	25.34	266.290	2,881.43	-59.57	-695.49	558.17	1.00	-0.51	2.01	
3,113.00	23.32	264.760	2,963.44	-62.44	-732.45	587.99	2.35	-2.24	-1.70	
3,202.00	24.09	264.220	3,044.93	-65.88	-768.07	616.37	0.90	0.87	-0.61	
3,292.00	28.28	266.400	3,125.67	-69.07	-807.64	648.23	4.78	4.66	2.42	
3,381.00	26.02	264.610	3,204.86	-72.23	-848.12	680.88	2.70	-2.54	-2.01	
3,470.00	26.42	266.520	3,284.71	-75.26	-887.32	712.52	1.05	0.45	2.15	
3,560.00	25.04	265.350	3,365.78	-78.02	-926.29	744.10	1.63	-1.53	-1.30	
3,650.00	25.97	264.170	3,447.01	-81.57	-964.88	774.94	1.18	1.03	-1.31	
3,739.00	25.22	263.310	3,527.28	-85.75	-1,003.10	805.13	0.94	-0.84	-0.97	
3,828.00	26.07	267.320	3,607.52	-88.88	-1,041.47	836.01	2.17	0.96	4.51	
3,918.00	28.01	269.210	3,687.67	-90.09	-1,082.36	870.04	2.36	2.16	2.10	
4,008.00	26.01	266.860	3,767.86	-91.47	-1,123.20	903.94	2.52	-2.22	-2.61	
4,097.00	25.24	265.500	3,848.10	-94.02	-1,161.60	935.15	1.09	-0.87	-1.53	
4,186.00	24.91	265.220	3,928.72	-97.08	-1,199.20	965.41	0.39	-0.37	-0.31	
4,276.00	24.14	263.450	4,010.60	-100.75	-1,236.37	994.98	1.18	-0.86	-1.97	
4,366.00	26.23	265.290	4,092.04	-104.49	-1,274.48	1,025.32	2.48	2.32	2.04	
4,455.00	27.89	266.040	4,171.29	-107.54	-1,314.85	1,057.93	1.90	1.87	0.84	
4,545.00	24.85	263.640	4,251.92	-111.09	-1,354.66	1,089.80	3.58	-3.38	-2.67	
4,635.00	24.94	263.090	4,333.56	-115.47	-1,392.29	1,119.39	0.28	0.10	-0.61	
4,725.00	24.67	263.410	4,415.25	-119.91	-1,429.78	1,148.84	0.34	-0.30	0.36	
4,814.00	21.92	261.860	4,496.99	-124.39	-1,464.69	1,176.05	3.17	-3.09	-1.74	



Survey Report



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
4,904.00	23.89	262.640	4,579.89	-129.10	-1,499.39	1,202.99	2.21	2.19	0.87	
4,993.00	24.65	262.420	4,661.02	-133.86	-1,535.67	1,231.22	0.86	0.85	-0.25	
5,083.00	27.52	266.000	4,741.85	-137.79	-1,575.02	1,262.51	3.64	3.19	3.98	
5,172.00	26.90	269.880	4,821.01	-139.26	-1,615.67	1,296.20	2.11	-0.70	4.36	
5,217.00	26.13	275.030	4,861.28	-138.42	-1,635.73	1,313.65	5.39	-1.71	11.44	
5,262.00	23.09	274.320	4,902.19	-136.88	-1,654.40	1,330.30	6.79	-6.76	-1.58	
5,306.00	26.23	275.410	4,942.17	-135.32	-1,672.69	1,346.64	7.21	7.14	2.48	
5,352.00	30.54	276.710	4,982.63	-132.99	-1,694.43	1,366.30	9.46	9.37	2.83	
5,396.00	35.18	280.440	5,019.59	-129.39	-1,718.01	1,388.21	11.50	10.55	8.48	
5,441.00	39.33	284.170	5,055.40	-123.54	-1,744.60	1,413.86	10.50	9.22	8.29	
5,486.00	43.92	287.420	5,089.03	-115.37	-1,773.34	1,442.55	11.27	10.20	7.22	
5,531.00	48.38	290.430	5,120.20	-104.82	-1,804.01	1,474.15	11.02	9.91	6.69	
5,575.00	52.62	292.990	5,148.19	-92.25	-1,835.53	1,507.55	10.63	9.64	5.82	
5,620.00	56.06	294.240	5,174.42	-77.60	-1,869.02	1,543.72	7.97	7.64	2.78	
5,665.00	59.85	295.620	5,198.29	-61.51	-1,903.60	1,581.56	8.81	8.42	3.07	
5,709.00	64.84	296.490	5,218.71	-44.39	-1,938.60	1,620.31	11.48	11.34	1.98	
5,754.00	69.58	296.910	5,236.13	-25.76	-1,975.65	1,661.61	10.57	10.53	0.93	
5,757.95	69.99	296.951	5,237.50	-24.08	-1,978.96	1,665.30	10.52	10.48	1.05	
FTP @ 5757.95 MD 5237.50 TVD										
5,798.00	74.19	297.360	5,249.81	-6.69	-2,012.85	1,703.27	10.52	10.48	1.02	
5,843.00	78.08	299.960	5,260.59	14.27	-2,051.17	1,746.87	10.30	8.64	5.78	
5,888.00	81.43	301.260	5,268.60	36.81	-2,089.28	1,791.13	7.97	7.44	2.89	
5,933.00	84.10	301.530	5,274.26	60.07	-2,127.38	1,835.77	5.96	5.93	0.60	
5,985.60	85.54	299.614	5,279.01	86.71	-2,172.48	1,888.13	4.54	2.73	-3.64	
9 5/8" Casing @ 5985.60 MD 5279.01 TVD										
6,048.00	87.25	297.350	5,282.94	116.40	-2,227.22	1,950.28	4.54	2.74	-3.63	
6,136.00	87.32	297.940	5,287.11	157.19	-2,305.08	2,037.93	0.67	0.08	0.67	
6,224.00	86.29	301.390	5,292.01	200.67	-2,381.42	2,125.70	4.09	-1.17	3.92	
6,312.00	89.66	303.350	5,295.12	247.74	-2,455.68	2,213.63	4.43	3.83	2.23	
6,400.00	89.94	303.760	5,295.43	296.38	-2,529.02	2,301.60	0.56	0.32	0.47	
6,487.00	89.83	303.500	5,295.61	344.57	-2,601.45	2,388.56	0.32	-0.13	-0.30	
6,575.00	89.70	303.370	5,295.97	393.05	-2,674.89	2,476.53	0.21	-0.15	-0.15	
6,662.00	89.33	303.560	5,296.70	441.03	-2,747.47	2,563.50	0.48	-0.43	0.22	
6,749.00	88.78	302.840	5,298.14	488.66	-2,820.25	2,650.47	1.04	-0.63	-0.83	
6,836.00	89.13	303.390	5,299.72	536.18	-2,893.11	2,737.44	0.75	0.40	0.63	
6,924.00	87.82	301.650	5,302.07	583.47	-2,967.28	2,825.40	2.47	-1.49	-1.98	
7,011.00	90.82	302.780	5,303.10	629.84	-3,040.87	2,912.38	3.68	3.45	1.30	
7,099.00	91.09	302.800	5,301.63	677.49	-3,114.84	3,000.36	0.31	0.31	0.02	
7,187.00	89.36	299.590	5,301.29	723.06	-3,190.10	3,088.34	4.14	-1.97	-3.65	
7,275.00	87.00	296.890	5,304.08	764.67	-3,267.58	3,176.09	4.07	-2.68	-3.07	
7,362.00	90.45	299.930	5,306.02	806.05	-3,344.06	3,262.87	5.28	3.97	3.49	
7,450.00	91.07	302.030	5,304.85	851.34	-3,419.49	3,350.84	2.49	0.70	2.39	
7,538.00	91.98	302.390	5,302.51	898.22	-3,493.92	3,438.81	1.11	1.03	0.41	
7,624.00	91.86	303.760	5,299.63	945.13	-3,565.95	3,524.75	1.60	-0.14	1.59	



Survey Report



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
7,712.00	89.62	302.890	5,298.49	993.47	-3,639.46	3,612.71	2.73	-2.55	-0.99
7,800.00	89.70	303.090	5,299.01	1,041.38	-3,713.27	3,700.69	0.24	0.09	0.23
7,888.00	89.74	302.300	5,299.44	1,088.92	-3,787.33	3,788.69	0.90	0.05	-0.90
7,976.00	89.41	301.880	5,300.10	1,135.67	-3,861.88	3,876.68	0.61	-0.38	-0.48
8,064.00	89.67	302.100	5,300.80	1,182.28	-3,936.52	3,964.68	0.39	0.30	0.25
8,151.00	89.42	300.760	5,301.49	1,227.65	-4,010.75	4,051.67	1.57	-0.29	-1.54
8,239.00	89.50	299.600	5,302.32	1,271.88	-4,086.81	4,139.62	1.32	0.09	-1.32
8,326.00	90.35	303.300	5,302.44	1,317.27	-4,161.02	4,226.60	4.36	0.98	4.25
8,414.00	90.67	302.930	5,301.65	1,365.34	-4,234.72	4,314.58	0.56	0.36	-0.42
8,500.00	90.62	302.220	5,300.68	1,411.64	-4,307.19	4,400.57	0.83	-0.06	-0.83
8,588.00	90.26	300.790	5,300.01	1,457.63	-4,382.21	4,488.56	1.68	-0.41	-1.63
8,675.00	90.65	300.570	5,299.32	1,502.02	-4,457.03	4,575.54	0.51	0.45	-0.25
8,763.00	90.61	300.500	5,298.35	1,546.72	-4,532.82	4,663.50	0.09	-0.05	-0.08
8,851.00	90.02	302.260	5,297.87	1,592.54	-4,607.95	4,751.49	2.11	-0.67	2.00
8,939.00	90.80	303.840	5,297.24	1,640.53	-4,681.71	4,839.47	2.00	0.89	1.80
9,026.00	89.27	302.890	5,297.18	1,688.38	-4,754.36	4,926.44	2.07	-1.76	-1.09
9,114.00	88.84	302.210	5,298.64	1,735.72	-4,828.53	5,014.43	0.91	-0.49	-0.77
9,202.00	90.78	304.200	5,298.93	1,783.91	-4,902.15	5,102.40	3.16	2.20	2.26
9,290.00	87.51	303.720	5,300.24	1,833.05	-4,975.12	5,190.32	3.76	-3.72	-0.55
9,377.00	87.15	302.920	5,304.29	1,880.79	-5,047.74	5,277.21	1.01	-0.41	-0.92
9,465.00	89.26	303.490	5,307.05	1,928.95	-5,121.33	5,365.14	2.48	2.40	0.65
9,553.00	88.80	301.650	5,308.54	1,976.32	-5,195.48	5,453.12	2.15	-0.52	-2.09
9,641.00	88.51	301.210	5,310.60	2,022.19	-5,270.55	5,541.09	0.60	-0.33	-0.50
9,729.00	88.22	300.600	5,313.12	2,067.37	-5,346.02	5,629.04	0.77	-0.33	-0.69
9,817.00	90.74	303.340	5,313.91	2,113.96	-5,420.66	5,717.02	4.23	2.86	3.11
9,904.00	90.54	302.030	5,312.94	2,160.94	-5,493.88	5,804.00	1.52	-0.23	-1.51
9,992.00	90.19	301.270	5,312.38	2,207.11	-5,568.79	5,892.00	0.95	-0.40	-0.86
10,080.00	90.39	301.120	5,311.94	2,252.69	-5,644.06	5,979.99	0.28	0.23	-0.17
10,167.00	89.89	300.150	5,311.72	2,297.02	-5,718.92	6,066.96	1.25	-0.57	-1.11
10,254.00	89.37	299.330	5,312.29	2,340.18	-5,794.46	6,153.89	1.12	-0.60	-0.94
10,342.00	89.87	299.980	5,312.87	2,383.72	-5,870.93	6,241.81	0.93	0.57	0.74
10,430.00	89.60	302.700	5,313.28	2,429.48	-5,946.08	6,329.80	3.11	-0.31	3.09
10,518.00	89.47	301.640	5,313.99	2,476.33	-6,020.57	6,417.80	1.21	-0.15	-1.20
10,605.00	89.24	301.360	5,314.97	2,521.79	-6,094.74	6,504.79	0.42	-0.26	-0.32
10,693.00	92.24	304.170	5,313.83	2,569.40	-6,168.72	6,592.75	4.67	3.41	3.19
10,779.00	92.24	303.590	5,310.47	2,617.30	-6,240.06	6,678.64	0.67	0.00	-0.67
10,867.00	91.06	304.350	5,307.94	2,666.45	-6,313.01	6,766.55	1.59	-1.34	0.86
10,954.00	91.02	303.950	5,306.36	2,715.28	-6,385.00	6,853.48	0.46	-0.05	-0.46
11,042.00	89.23	303.930	5,306.17	2,764.41	-6,458.00	6,941.42	2.03	-2.03	-0.02
11,129.00	89.17	303.660	5,307.38	2,812.80	-6,530.29	7,028.37	0.32	-0.07	-0.31
11,216.00	89.36	303.910	5,308.50	2,861.17	-6,602.59	7,115.32	0.36	0.22	0.29
11,304.00	89.30	303.410	5,309.53	2,909.95	-6,675.84	7,203.28	0.57	-0.07	-0.57
11,392.00	88.62	302.750	5,311.12	2,957.97	-6,749.56	7,291.25	1.08	-0.77	-0.75



Survey Report



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
11,479.00	88.47	302.380	5,313.33	3,004.78	-6,822.86	7,378.22	0.46	-0.17	-0.43
11,567.00	88.02	301.600	5,316.03	3,051.38	-6,897.46	7,466.17	1.02	-0.51	-0.89
11,655.00	86.80	300.480	5,320.00	3,096.71	-6,972.78	7,554.07	1.88	-1.39	-1.27
11,742.00	89.92	300.460	5,322.49	3,140.80	-7,047.72	7,640.99	3.59	3.59	-0.02
11,829.00	88.39	298.760	5,323.78	3,183.78	-7,123.35	7,727.90	2.63	-1.76	-1.95
11,917.00	89.22	300.540	5,325.61	3,227.30	-7,199.80	7,815.80	2.23	0.94	2.02
12,007.00	90.76	301.410	5,325.63	3,273.62	-7,276.97	7,905.78	1.97	1.71	0.97
12,095.00	90.92	301.430	5,324.34	3,319.49	-7,352.05	7,993.77	0.18	0.18	0.02
12,183.00	90.65	301.060	5,323.13	3,365.13	-7,427.28	8,081.75	0.52	-0.31	-0.42
12,272.00	89.98	301.910	5,322.64	3,411.61	-7,503.18	8,170.75	1.22	-0.75	0.96
12,359.00	89.35	302.190	5,323.15	3,457.78	-7,576.92	8,257.74	0.79	-0.72	0.32
12,447.00	89.44	301.870	5,324.08	3,504.45	-7,651.52	8,345.74	0.38	0.10	-0.36
12,535.00	88.49	300.920	5,325.67	3,550.28	-7,726.62	8,433.72	1.53	-1.08	-1.08
12,623.00	88.96	301.840	5,327.63	3,596.09	-7,801.73	8,521.69	1.17	0.53	1.05
12,717.00	90.31	303.250	5,328.23	3,646.66	-7,880.96	8,615.68	2.08	1.44	1.50
12,809.00	90.50	302.760	5,327.58	3,696.77	-7,958.11	8,707.66	0.57	0.21	-0.53
12,901.00	89.94	302.120	5,327.22	3,746.12	-8,035.75	8,799.66	0.92	-0.61	-0.70
12,993.00	89.82	301.390	5,327.42	3,794.54	-8,113.98	8,891.66	0.80	-0.13	-0.79
13,086.00	89.49	301.280	5,327.98	3,842.90	-8,193.41	8,984.65	0.37	-0.35	-0.12
13,178.00	90.19	301.920	5,328.23	3,891.11	-8,271.77	9,076.64	1.03	0.76	0.70
13,271.00	89.38	301.100	5,328.58	3,939.71	-8,351.06	9,169.64	1.24	-0.87	-0.88
13,363.00	89.97	301.270	5,329.10	3,987.35	-8,429.76	9,261.63	0.67	0.64	0.18
13,456.00	89.74	300.350	5,329.34	4,034.98	-8,509.64	9,354.60	1.02	-0.25	-0.99
13,548.00	90.56	301.160	5,329.10	4,082.03	-8,588.70	9,446.58	1.25	0.89	0.88
13,640.00	90.29	303.060	5,328.42	4,130.92	-8,666.62	9,538.57	2.09	-0.29	2.07
13,732.00	90.27	302.880	5,327.97	4,180.99	-8,743.80	9,630.56	0.20	-0.02	-0.20
13,825.00	89.60	301.930	5,328.07	4,230.83	-8,822.32	9,723.56	1.25	-0.72	-1.02
13,917.00	89.80	302.520	5,328.55	4,279.89	-8,900.14	9,815.55	0.68	0.22	0.64
14,009.00	90.13	302.800	5,328.61	4,329.53	-8,977.60	9,907.55	0.47	0.36	0.30
14,101.00	89.80	302.220	5,328.67	4,378.98	-9,055.18	9,999.54	0.73	-0.36	-0.63
14,286.00	89.00	301.420	5,330.60	4,476.51	-9,212.36	10,184.53	0.61	-0.43	-0.43
14,379.00	88.21	300.250	5,332.87	4,524.17	-9,292.19	10,277.48	1.52	-0.85	-1.26
14,470.00	89.78	301.920	5,334.46	4,571.14	-9,370.11	10,368.45	2.52	1.73	1.84
14,562.00	91.77	303.150	5,333.22	4,620.61	-9,447.66	10,460.43	2.54	2.16	1.34
14,655.00	90.99	301.950	5,330.98	4,670.63	-9,526.02	10,553.40	1.54	-0.84	-1.29
14,748.00	90.68	301.630	5,329.62	4,719.62	-9,605.06	10,646.38	0.48	-0.33	-0.34
14,841.00	90.01	301.150	5,329.06	4,768.06	-9,684.45	10,739.38	0.89	-0.72	-0.52
14,933.00	90.99	302.640	5,328.26	4,816.67	-9,762.55	10,831.37	1.94	1.07	1.62
15,026.00	90.47	302.460	5,327.08	4,866.70	-9,840.94	10,924.36	0.59	-0.56	-0.19
15,118.00	89.96	302.040	5,326.73	4,915.79	-9,918.75	11,016.36	0.72	-0.55	-0.46
15,211.00	91.17	303.160	5,325.81	4,965.89	-9,997.09	11,109.34	1.77	1.30	1.20
15,303.00	90.69	302.370	5,324.32	5,015.67	-10,074.44	11,201.32	1.00	-0.52	-0.86
15,395.00	89.72	300.490	5,323.99	5,063.65	-10,152.94	11,293.31	2.30	-1.05	-2.04
15,488.00	91.62	302.100	5,322.90	5,111.95	-10,232.39	11,386.29	2.68	2.04	1.73



Survey Report



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
15,580.00	90.81	300.950	5,320.95	5,160.04	-10,310.80	11,478.26	1.53	-0.88	-1.25	
15,673.00	90.66	300.950	5,319.76	5,207.86	-10,390.55	11,571.24	0.16	-0.16	0.00	
15,765.00	89.10	298.690	5,319.95	5,253.61	-10,470.36	11,663.16	2.98	-1.70	-2.46	
15,857.00	89.34	301.540	5,321.21	5,299.76	-10,549.92	11,755.10	3.11	0.26	3.10	
15,949.00	89.75	302.940	5,321.94	5,348.84	-10,627.73	11,847.09	1.59	0.45	1.52	
16,042.00	89.85	304.250	5,322.26	5,400.29	-10,705.20	11,940.05	1.41	0.11	1.41	
16,132.00	91.16	302.920	5,321.47	5,450.07	-10,780.17	12,030.01	2.07	1.46	-1.48	
16,227.00	90.83	303.000	5,319.82	5,501.75	-10,859.87	12,124.98	0.36	-0.35	0.08	
16,319.00	90.46	302.410	5,318.78	5,551.46	-10,937.28	12,216.97	0.76	-0.40	-0.64	
16,412.00	89.51	301.810	5,318.81	5,600.89	-11,016.05	12,309.97	1.21	-1.02	-0.65	
Survey @ 16412.00 MD 5318.81 TVD										
16,495.30	89.51	301.810	5,319.52	5,644.80	-11,086.83	12,393.26	0.00	0.00	0.00	
LTP @ 16495.30 MD 5319.52 TVD										
16,514.00	89.51	301.810	5,319.68	5,654.65	-11,102.72	12,411.96	0.00	0.00	0.00	
330 ppd @ 16514.00 MD 5319.68 TVD										
16,540.00	89.51	301.810	5,319.90	5,668.36	-11,124.82	12,437.96	0.00	0.00	0.00	
Survey proj. to 16540 MD 5319.90 TVD 455 FNL 151 FWL										

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
485.00	484.96	-0.14	5.29	MWD surveys	
5,757.95	5,237.50	-24.08	-1,978.96	FTP @ 5757.95 MD 5237.50 TVD	
5,985.60	5,279.01	86.71	-2,172.48	9 5/8" Casing @ 5985.60 MD 5279.01 TVD	
16,412.00	5,318.81	5,600.89	-11,016.05	Survey @ 16412.00 MD 5318.81 TVD	
16,495.30	5,319.52	5,644.80	-11,086.83	LTP @ 16495.30 MD 5319.52 TVD	
16,514.00	5,319.68	5,654.65	-11,102.72	330 ppd @ 16514.00 MD 5319.68 TVD	
16,540.00	5,319.90	5,668.36	-11,124.82	Survey proj. to 16540 MD 5319.90 TVD 455 FNL 151 FWL	



Survey Report - Geographic



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Project	San Juan County, New Mexico NAD83 NM W		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	Nageezi Unit (213, 214, 215, 216, 217 & 218)				
Site Position:		Northing:	1,922,205.14 usft	Latitude:	36.28268900
From:	Lat/Long	Easting:	2,743,140.65 usft	Longitude:	-107.76530800
Position Uncertainty:	0.00 ft	Slot Radius:	13-3/16 "	Grid Convergence:	0.040 °

Well	Nageezi Unit 216H, Surf loc: 1742 FSL 769 FWL Section 26-T24N-R09W					
Well Position	+N/-S	0.00 ft	Northing:	1,922,223.71 usft	Latitude:	36.28274000
	+E/-W	0.00 ft	Easting:	2,743,148.30 usft	Longitude:	-107.76528200
Position Uncertainty		0.00 ft	Wellhead Elevation:	ft	Ground Level:	6,826.00 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	6/16/2024	8.494	62.722	49,030.02867629

Design	MWD surveys				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	302.010	

Survey Program	Date	8/8/2024			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
485.00	5,933.00	MWD int (Original Hole)	MWD	OWSG MWD - Standard	
6,048.00	16,412.00	MWD (Original Hole)	MWD	OWSG MWD - Standard	
16,540.00	16,540.00	Projection (Original Hole)	MWD	OWSG MWD - Standard	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
0.00	0.00	0.000	0.00	0.00	0.00	1,922,223.71	2,743,148.30	36.28274000	-107.76528200	
485.00	1.25	91.530	484.96	-0.14	5.29	1,922,223.56	2,743,153.59	36.28273960	-107.76526406	
MWD surveys										
574.00	0.40	317.980	573.96	0.06	6.05	1,922,223.77	2,743,154.35	36.28274016	-107.76526147	
664.00	0.44	336.780	663.95	0.61	5.70	1,922,224.32	2,743,154.00	36.28274168	-107.76526265	
753.00	0.44	17.630	752.95	1.25	5.67	1,922,224.96	2,743,153.97	36.28274344	-107.76526275	
842.00	0.46	8.270	841.95	1.93	5.83	1,922,225.64	2,743,154.13	36.28274530	-107.76526223	
932.00	0.19	19.300	931.95	2.43	5.93	1,922,226.14	2,743,154.23	36.28274667	-107.76526188	
1,022.00	2.26	271.840	1,021.92	2.63	4.20	1,922,226.34	2,743,152.50	36.28274722	-107.76526773	
1,113.00	7.18	271.300	1,112.59	2.82	-3.28	1,922,226.52	2,743,145.02	36.28274774	-107.76529312	



Survey Report - Geographic



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,209.00	10.21	263.300	1,207.48	1.96	-17.73	1,922,225.67	2,743,130.57	36.28274542	-107.76534216
1,302.00	11.60	264.180	1,298.79	0.05	-35.22	1,922,223.76	2,743,113.08	36.28274021	-107.76540150
1,397.00	12.15	260.950	1,391.76	-2.49	-54.59	1,922,221.21	2,743,093.70	36.28273326	-107.76546725
1,489.00	14.57	262.170	1,481.27	-5.59	-75.62	1,922,218.11	2,743,072.68	36.28272479	-107.76553860
1,582.00	17.60	261.770	1,570.61	-9.20	-101.13	1,922,214.51	2,743,047.17	36.28271493	-107.76562517
1,673.00	20.91	264.680	1,656.51	-12.67	-130.93	1,922,211.03	2,743,017.37	36.28270544	-107.76572626
1,765.00	22.61	263.840	1,741.96	-16.09	-164.86	1,922,207.61	2,742,983.44	36.28269610	-107.76584140
1,856.00	23.08	263.680	1,825.82	-19.94	-199.98	1,922,203.77	2,742,948.32	36.28268562	-107.76596057
1,949.00	24.26	264.740	1,910.99	-23.69	-237.12	1,922,200.01	2,742,911.18	36.28267537	-107.76608661
2,039.00	25.61	263.220	1,992.60	-27.69	-274.85	1,922,196.02	2,742,873.45	36.28266448	-107.76621463
2,128.00	25.09	260.810	2,073.03	-32.97	-312.58	1,922,190.74	2,742,835.72	36.28265003	-107.76634266
2,218.00	25.39	265.570	2,154.45	-37.51	-350.66	1,922,186.20	2,742,797.64	36.28263763	-107.76647187
2,307.00	25.61	269.130	2,234.79	-39.27	-388.92	1,922,184.43	2,742,759.38	36.28263286	-107.76660168
2,397.00	24.96	268.200	2,316.16	-40.17	-427.35	1,922,183.54	2,742,720.95	36.28263048	-107.76673207
2,486.00	23.78	267.150	2,397.23	-41.65	-464.04	1,922,182.06	2,742,684.26	36.28262648	-107.76685657
2,576.00	26.00	266.710	2,478.87	-43.68	-501.86	1,922,180.02	2,742,646.44	36.28262096	-107.76698490
2,665.00	25.75	265.920	2,558.94	-46.18	-540.62	1,922,177.53	2,742,607.68	36.28261418	-107.76711641
2,755.00	25.60	264.580	2,640.06	-49.41	-579.48	1,922,174.30	2,742,568.82	36.28260538	-107.76724826
2,844.00	26.01	265.060	2,720.18	-52.90	-618.06	1,922,170.80	2,742,530.24	36.28259585	-107.76737919
2,934.00	25.79	264.500	2,801.14	-56.48	-657.21	1,922,167.23	2,742,491.09	36.28258610	-107.76751202
3,023.00	25.34	266.290	2,881.43	-59.57	-695.49	1,922,164.14	2,742,452.81	36.28257769	-107.76764191
3,113.00	23.32	264.760	2,963.44	-62.44	-732.45	1,922,161.27	2,742,415.85	36.28256986	-107.76776732
3,202.00	24.09	264.220	3,044.93	-65.88	-768.07	1,922,157.83	2,742,380.23	36.28256049	-107.76788817
3,292.00	28.28	266.400	3,125.67	-69.07	-807.64	1,922,154.64	2,742,340.66	36.28255180	-107.76802244
3,381.00	26.02	264.610	3,204.86	-72.23	-848.12	1,922,151.48	2,742,300.18	36.28254320	-107.76815980
3,470.00	26.42	266.520	3,284.71	-75.26	-887.32	1,922,148.45	2,742,260.98	36.28253493	-107.76829281
3,560.00	25.04	265.350	3,365.78	-78.02	-926.29	1,922,145.69	2,742,222.01	36.28252742	-107.76842505
3,650.00	25.97	264.170	3,447.01	-81.57	-964.88	1,922,142.14	2,742,183.42	36.28251775	-107.76855598
3,739.00	25.22	263.310	3,527.28	-85.75	-1,003.10	1,922,137.95	2,742,145.20	36.28250632	-107.76868566
3,828.00	26.07	267.320	3,607.52	-88.88	-1,041.47	1,922,134.83	2,742,106.83	36.28249781	-107.76881586
3,918.00	28.01	269.210	3,687.67	-90.09	-1,082.36	1,922,133.61	2,742,065.94	36.28249454	-107.76895460
4,008.00	26.01	266.860	3,767.86	-91.47	-1,123.20	1,922,132.24	2,742,025.10	36.28249084	-107.76909317
4,097.00	25.24	265.500	3,848.10	-94.02	-1,161.60	1,922,129.68	2,741,986.70	36.28248389	-107.76922348
4,186.00	24.91	265.220	3,928.72	-97.08	-1,199.20	1,922,126.63	2,741,949.10	36.28247557	-107.76935104
4,276.00	24.14	263.450	4,010.60	-100.75	-1,236.37	1,922,122.95	2,741,911.93	36.28246554	-107.76947717
4,366.00	26.23	265.290	4,092.04	-104.49	-1,274.48	1,922,119.22	2,741,873.82	36.28245535	-107.76960649
4,455.00	27.89	266.040	4,171.29	-107.54	-1,314.85	1,922,116.17	2,741,833.45	36.28244704	-107.76974347
4,545.00	24.85	263.640	4,251.92	-111.09	-1,354.66	1,922,112.62	2,741,793.65	36.28243736	-107.76987853
4,635.00	24.94	263.090	4,333.56	-115.47	-1,392.29	1,922,108.24	2,741,756.01	36.28242540	-107.77000623
4,725.00	24.67	263.410	4,415.25	-119.91	-1,429.78	1,922,103.80	2,741,718.52	36.28241327	-107.77013346
4,814.00	21.92	261.860	4,496.99	-124.39	-1,464.69	1,922,099.32	2,741,683.61	36.28240102	-107.77025189
4,904.00	23.89	262.640	4,579.89	-129.10	-1,499.39	1,922,094.60	2,741,648.91	36.28238813	-107.77036966
4,993.00	24.65	262.420	4,661.02	-133.86	-1,535.67	1,922,089.85	2,741,612.64	36.28237513	-107.77049274
5,083.00	27.52	266.000	4,741.85	-137.79	-1,575.02	1,922,085.92	2,741,573.28	36.28236441	-107.77062628
5,172.00	26.90	269.880	4,821.01	-139.26	-1,615.67	1,922,084.44	2,741,532.63	36.28236043	-107.77076420
5,217.00	26.13	275.030	4,861.28	-138.42	-1,635.73	1,922,085.29	2,741,512.58	36.28236279	-107.77083224
5,262.00	23.09	274.320	4,902.19	-136.88	-1,654.40	1,922,086.82	2,741,493.90	36.28236704	-107.77089560
5,306.00	26.23	275.410	4,942.17	-135.32	-1,672.69	1,922,088.39	2,741,475.61	36.28237137	-107.77095765
5,352.00	30.54	276.710	4,982.63	-132.99	-1,694.43	1,922,090.71	2,741,453.88	36.28237780	-107.77103140
5,396.00	35.18	280.440	5,019.59	-129.39	-1,718.01	1,922,094.32	2,741,430.29	36.28237775	-107.77111141
5,441.00	39.33	284.170	5,055.40	-123.54	-1,744.60	1,922,100.16	2,741,403.70	36.28240384	-107.77120161
5,486.00	43.92	287.420	5,089.03	-115.37	-1,773.34	1,922,108.33	2,741,374.97	36.28242633	-107.77129909
5,531.00	48.38	290.430	5,120.20	-104.82	-1,804.01	1,922,118.88	2,741,344.29	36.28245537	-107.77140314
5,575.00	52.62	292.990	5,148.19	-92.25	-1,835.53	1,922,131.46	2,741,312.77	36.28248997	-107.77151007
5,620.00	56.06	294.240	5,174.42	-77.60	-1,869.02	1,922,146.11	2,741,279.28	36.28253028	-107.77162367



Survey Report - Geographic



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
5,665.00	59.85	295.620	5,198.29	-61.51	-1,903.60	1,922,162.19	2,741,244.70	36.28257452	-107.77174096
5,709.00	64.84	296.490	5,218.71	-44.39	-1,938.60	1,922,179.31	2,741,209.71	36.28262161	-107.77185967
5,754.00	69.58	296.910	5,236.13	-25.76	-1,975.65	1,922,197.95	2,741,172.65	36.28267287	-107.77198534
5,757.95	69.99	296.951	5,237.50	-24.08	-1,978.96	1,922,199.63	2,741,169.35	36.28267749	-107.77199655
FTP @ 5757.95 MD 5237.50 TVD									
5,798.00	74.19	297.360	5,249.81	-6.69	-2,012.85	1,922,217.02	2,741,135.45	36.28272532	-107.77211153
5,843.00	78.08	299.960	5,260.59	14.27	-2,051.17	1,922,237.97	2,741,097.13	36.28278295	-107.77224151
5,888.00	81.43	301.260	5,268.60	36.81	-2,089.28	1,922,260.52	2,741,059.02	36.28284496	-107.77237075
5,933.00	84.10	301.530	5,274.26	60.07	-2,127.38	1,922,283.77	2,741,020.92	36.28290890	-107.77249998
5,985.60	85.54	299.614	5,279.01	86.71	-2,172.48	1,922,310.42	2,740,975.82	36.28298216	-107.77265294
9 5/8" Casing @ 5985.60 MD 5279.01 TVD									
6,048.00	87.25	297.350	5,282.94	116.40	-2,227.22	1,922,340.11	2,740,921.09	36.28306383	-107.77283859
6,136.00	87.32	297.940	5,287.11	157.19	-2,305.08	1,922,380.89	2,740,843.22	36.28317600	-107.77310270
6,224.00	86.29	301.390	5,292.01	200.67	-2,381.42	1,922,424.37	2,740,766.89	36.28329557	-107.77336161
6,312.00	89.66	303.350	5,295.12	247.74	-2,455.68	1,922,471.45	2,740,692.62	36.28342502	-107.77361349
6,400.00	89.94	303.760	5,295.43	296.38	-2,529.02	1,922,520.09	2,740,619.29	36.28355876	-107.77386221
6,487.00	89.83	303.500	5,295.61	344.57	-2,601.45	1,922,568.27	2,740,546.85	36.28369124	-107.77410790
6,575.00	89.70	303.370	5,295.97	393.05	-2,674.89	1,922,616.76	2,740,473.41	36.28382456	-107.77435696
6,662.00	89.33	303.560	5,296.70	441.03	-2,747.47	1,922,664.73	2,740,400.84	36.28395647	-107.77460311
6,749.00	88.78	302.840	5,298.14	488.66	-2,820.25	1,922,712.36	2,740,328.05	36.28408743	-107.77484998
6,836.00	89.13	303.390	5,299.72	536.18	-2,893.11	1,922,759.88	2,740,255.20	36.28421810	-107.77509708
6,924.00	87.82	301.650	5,302.07	583.47	-2,967.28	1,922,807.17	2,740,181.02	36.28434813	-107.77534865
7,011.00	90.82	302.780	5,303.10	629.84	-3,040.87	1,922,853.54	2,740,107.43	36.28447563	-107.77559825
7,099.00	91.09	302.800	5,301.63	677.49	-3,114.84	1,922,901.19	2,740,033.47	36.28460665	-107.77584913
7,187.00	89.36	299.590	5,301.29	723.06	-3,190.10	1,922,946.77	2,739,958.20	36.28473196	-107.77610441
7,275.00	87.00	296.890	5,304.08	764.67	-3,267.58	1,922,988.38	2,739,880.73	36.28484640	-107.77636719
7,362.00	90.45	299.930	5,306.02	806.05	-3,344.06	1,923,029.75	2,739,804.25	36.28496017	-107.77662662
7,450.00	91.07	302.030	5,304.85	851.34	-3,419.49	1,923,075.04	2,739,728.81	36.28508471	-107.77688248
7,538.00	91.98	302.390	5,302.51	898.22	-3,493.92	1,923,121.93	2,739,654.38	36.28521363	-107.77713494
7,624.00	91.86	303.760	5,299.63	945.13	-3,565.95	1,923,168.83	2,739,582.36	36.28534260	-107.77737922
7,712.00	89.62	302.890	5,298.49	993.47	-3,639.46	1,923,217.17	2,739,508.84	36.28547551	-107.77762858
7,800.00	89.70	303.090	5,299.01	1,041.38	-3,713.27	1,923,265.09	2,739,435.03	36.28560725	-107.77787893
7,888.00	89.74	302.300	5,299.44	1,088.92	-3,787.33	1,923,312.62	2,739,360.98	36.28573794	-107.77813011
7,976.00	89.41	301.880	5,300.10	1,135.67	-3,861.88	1,923,359.37	2,739,286.42	36.28586648	-107.77838298
8,064.00	89.67	302.100	5,300.80	1,182.28	-3,936.52	1,923,405.99	2,739,211.79	36.28599466	-107.77863613
8,151.00	89.42	300.760	5,301.49	1,227.65	-4,010.75	1,923,451.35	2,739,137.56	36.28611939	-107.77888792
8,239.00	89.50	299.600	5,302.32	1,271.88	-4,086.81	1,923,495.59	2,739,061.49	36.28624103	-107.77914594
8,326.00	90.35	303.300	5,302.44	1,317.27	-4,161.02	1,923,540.97	2,738,987.29	36.28636581	-107.77939764
8,414.00	90.67	302.930	5,301.65	1,365.34	-4,234.72	1,923,589.05	2,738,913.58	36.28649799	-107.77964763
8,500.00	90.62	302.220	5,300.68	1,411.64	-4,307.19	1,923,635.35	2,738,841.12	36.28662529	-107.77989343
8,588.00	90.26	300.790	5,300.01	1,457.63	-4,382.21	1,923,681.33	2,738,766.09	36.28675172	-107.78014791
8,675.00	90.65	300.570	5,299.32	1,502.02	-4,457.03	1,923,725.72	2,738,691.27	36.28687377	-107.78040170
8,763.00	90.61	300.500	5,298.35	1,546.72	-4,532.82	1,923,770.43	2,738,615.48	36.28699670	-107.78065879
8,851.00	90.02	302.260	5,297.87	1,592.54	-4,607.95	1,923,816.25	2,738,540.36	36.28712268	-107.78091361
8,939.00	90.80	303.840	5,297.24	1,640.53	-4,681.71	1,923,864.23	2,738,466.60	36.28725462	-107.78116379
9,026.00	89.27	302.890	5,297.18	1,688.38	-4,754.36	1,923,912.08	2,738,393.95	36.28738616	-107.78141024
9,114.00	88.84	302.210	5,298.64	1,735.72	-4,828.53	1,923,959.42	2,738,319.78	36.28751632	-107.78166182
9,202.00	90.78	304.200	5,298.93	1,783.91	-4,902.15	1,924,007.61	2,738,246.16	36.28764880	-107.78191155
9,290.00	87.51	303.720	5,300.24	1,833.05	-4,975.12	1,924,056.75	2,738,173.18	36.28778391	-107.78215906
9,377.00	87.15	302.920	5,304.29	1,880.79	-5,047.74	1,924,104.49	2,738,100.57	36.28791516	-107.78240538
9,465.00	89.26	303.490	5,307.05	1,928.95	-5,121.33	1,924,152.66	2,738,026.98	36.28804758	-107.78265500
9,553.00	88.80	301.650	5,308.54	1,976.32	-5,195.48	1,924,200.02	2,737,952.83	36.28817779	-107.78290651
9,641.00	88.51	301.210	5,310.60	2,022.19	-5,270.55	1,924,245.90	2,737,877.76	36.28830392	-107.78316115
9,729.00	88.22	300.600	5,313.12	2,067.37	-5,346.02	1,924,291.08	2,737,802.29	36.28842814	-107.78341717
9,817.00	90.74	303.340	5,313.91	2,113.96	-5,420.66	1,924,337.66	2,737,727.65	36.28855622	-107.78367034



Survey Report - Geographic



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
9,904.00	90.54	302.030	5,312.94	2,160.94	-5,493.88	1,924,384.64	2,737,654.43	36.28868537	-107.78391871
9,992.00	90.19	301.270	5,312.38	2,207.11	-5,568.79	1,924,430.81	2,737,579.52	36.28881232	-107.78417281
10,080.00	90.39	301.120	5,311.94	2,252.69	-5,644.06	1,924,476.39	2,737,504.25	36.28893763	-107.78442816
10,167.00	89.89	300.150	5,311.72	2,297.02	-5,718.92	1,924,520.72	2,737,429.39	36.28905952	-107.78468208
10,254.00	89.37	299.330	5,312.29	2,340.18	-5,794.46	1,924,563.88	2,737,353.86	36.28917817	-107.78493833
10,342.00	89.87	299.980	5,312.87	2,383.72	-5,870.93	1,924,607.42	2,737,277.38	36.28929788	-107.78519774
10,430.00	89.60	302.700	5,313.28	2,429.48	-5,946.08	1,924,653.18	2,737,202.23	36.28942370	-107.78545267
10,518.00	89.47	301.640	5,313.99	2,476.33	-6,020.57	1,924,700.03	2,737,127.75	36.28955251	-107.78570534
10,605.00	89.24	301.360	5,314.97	2,521.79	-6,094.74	1,924,745.49	2,737,053.57	36.28967748	-107.78595696
10,693.00	92.24	304.170	5,313.83	2,569.40	-6,168.72	1,924,793.10	2,736,979.59	36.28980836	-107.78620791
10,779.00	92.24	303.590	5,310.47	2,617.30	-6,240.06	1,924,841.00	2,736,908.25	36.28994005	-107.78644991
10,867.00	91.06	304.350	5,307.94	2,666.45	-6,313.01	1,924,890.15	2,736,835.30	36.29007517	-107.78669737
10,954.00	91.02	303.950	5,306.36	2,715.28	-6,385.00	1,924,938.98	2,736,763.32	36.29020940	-107.78694156
11,042.00	89.23	303.930	5,306.17	2,764.41	-6,458.00	1,924,988.11	2,736,690.31	36.29034446	-107.78718920
11,129.00	89.17	303.660	5,307.38	2,812.80	-6,530.29	1,925,036.50	2,736,618.02	36.29047748	-107.78743443
11,216.00	89.36	303.910	5,308.50	2,861.17	-6,602.59	1,925,084.87	2,736,545.72	36.29061046	-107.78767970
11,304.00	89.30	303.410	5,309.53	2,909.95	-6,675.84	1,925,133.65	2,736,472.48	36.29074453	-107.78792815
11,392.00	88.62	302.750	5,311.12	2,957.97	-6,749.56	1,925,181.67	2,736,398.75	36.29087655	-107.78817824
11,479.00	88.47	302.380	5,313.33	3,004.78	-6,822.86	1,925,228.48	2,736,325.46	36.29100524	-107.78842689
11,567.00	88.02	301.600	5,316.03	3,051.38	-6,897.46	1,925,275.08	2,736,250.86	36.29113334	-107.78867996
11,655.00	86.80	300.480	5,320.00	3,096.71	-6,972.78	1,925,320.41	2,736,175.54	36.29125795	-107.78893547
11,742.00	89.92	300.460	5,322.49	3,140.80	-7,047.72	1,925,364.50	2,736,100.59	36.29137918	-107.78918971
11,829.00	88.39	298.760	5,323.78	3,183.78	-7,123.35	1,925,407.48	2,736,024.97	36.29149733	-107.78944626
11,917.00	89.22	300.540	5,325.61	3,227.30	-7,199.80	1,925,451.00	2,735,948.51	36.29161699	-107.78970564
12,007.00	90.76	301.410	5,325.63	3,273.62	-7,276.97	1,925,497.32	2,735,871.35	36.29174432	-107.78996741
12,095.00	90.92	301.430	5,324.34	3,319.49	-7,352.05	1,925,543.19	2,735,796.26	36.29187042	-107.79022214
12,183.00	90.65	301.060	5,323.13	3,365.13	-7,427.28	1,925,588.83	2,735,721.03	36.29199589	-107.79047735
12,272.00	89.98	301.910	5,322.64	3,411.61	-7,503.18	1,925,635.31	2,735,645.14	36.29212367	-107.79073482
12,359.00	89.35	302.190	5,323.15	3,457.78	-7,576.92	1,925,681.48	2,735,571.40	36.29225058	-107.79098497
12,447.00	89.44	301.870	5,324.08	3,504.45	-7,651.52	1,925,728.15	2,735,496.80	36.29237887	-107.79123804
12,535.00	88.49	300.920	5,325.67	3,550.28	-7,726.62	1,925,773.98	2,735,421.70	36.29250487	-107.79149283
12,623.00	88.96	301.840	5,327.63	3,596.09	-7,801.73	1,925,819.79	2,735,346.59	36.29263080	-107.79174763
12,717.00	90.31	303.250	5,328.23	3,646.66	-7,880.96	1,925,870.36	2,735,267.35	36.29276980	-107.79201643
12,809.00	90.50	302.760	5,327.58	3,696.77	-7,958.11	1,925,920.47	2,735,190.20	36.29290755	-107.79227816
12,901.00	89.94	302.120	5,327.22	3,746.12	-8,035.75	1,925,969.82	2,735,112.56	36.29304321	-107.79254156
12,993.00	89.82	301.390	5,327.42	3,794.54	-8,113.98	1,926,018.24	2,735,034.33	36.29317630	-107.79280695
13,086.00	89.49	301.280	5,327.98	3,842.90	-8,193.41	1,926,066.60	2,734,954.90	36.29330925	-107.79307643
13,178.00	90.19	301.920	5,328.23	3,891.11	-8,271.77	1,926,114.80	2,734,876.54	36.29344176	-107.79334226
13,271.00	89.38	301.100	5,328.58	3,939.71	-8,351.06	1,926,163.41	2,734,797.26	36.29357538	-107.79361124
13,363.00	89.97	301.270	5,329.10	3,987.35	-8,429.76	1,926,211.05	2,734,718.55	36.29370632	-107.79387826
13,456.00	89.74	300.350	5,329.34	4,034.98	-8,509.64	1,926,258.68	2,734,638.68	36.29383726	-107.79414924
13,548.00	90.56	301.160	5,329.10	4,082.03	-8,588.70	1,926,305.72	2,734,559.62	36.29396659	-107.79441746
13,640.00	90.29	303.060	5,328.42	4,130.92	-8,666.62	1,926,354.62	2,734,481.70	36.29410100	-107.79468181
13,732.00	90.27	302.880	5,327.97	4,180.99	-8,743.80	1,926,404.69	2,734,404.52	36.29423862	-107.79494366
13,825.00	89.60	301.930	5,328.07	4,230.83	-8,822.32	1,926,454.53	2,734,326.00	36.29437561	-107.79521003
13,917.00	89.80	302.520	5,328.55	4,279.89	-8,900.14	1,926,503.58	2,734,248.17	36.29451046	-107.79547407
14,009.00	90.13	302.800	5,328.61	4,329.53	-8,977.60	1,926,553.23	2,734,170.72	36.29464693	-107.79573684
14,101.00	89.80	302.220	5,328.67	4,378.98	-9,055.18	1,926,602.68	2,734,093.14	36.29478284	-107.79600005
14,286.00	89.00	301.420	5,330.60	4,476.51	-9,212.36	1,926,700.21	2,733,935.95	36.29505094	-107.79653333
14,379.00	88.21	300.250	5,332.87	4,524.17	-9,292.19	1,926,747.86	2,733,856.12	36.29518193	-107.79680416
14,470.00	89.78	301.920	5,334.46	4,571.14	-9,370.11	1,926,794.84	2,733,778.21	36.29531105	-107.79706851
14,562.00	91.77	303.150	5,333.22	4,620.61	-9,447.66	1,926,844.31	2,733,700.66	36.29544702	-107.79733161
14,655.00	90.99	301.950	5,330.98	4,670.63	-9,526.02	1,926,894.33	2,733,622.29	36.29558452	-107.79759749
14,748.00	90.68	301.630	5,329.62	4,719.62	-9,605.06	1,926,943.32	2,733,543.25	36.29571917	-107.79786565
14,841.00	90.01	301.150	5,329.06	4,768.06	-9,684.45	1,926,991.76	2,733,463.87	36.29585231	-107.79813499



Survey Report - Geographic



Company:	Enduring Resources LLC	Local Co-ordinate Reference:	Well Nageezi Unit 216H
Project:	San Juan County, New Mexico NAD83 NM W	TVD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Site:	Nageezi Unit (213, 214, 215, 216, 217 & 218)	MD Reference:	RKB=6826+23.5 @ 6849.50ft (Ensign 140)
Well:	Nageezi Unit 216H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	MWD surveys	Database:	DT_Jul1724_v17

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
14,933.00	90.99	302.640	5,328.26	4,816.67	-9,762.55	1,927,040.36	2,733,385.76	36.29598591	-107.79839997
15,026.00	90.47	302.460	5,327.08	4,866.70	-9,840.94	1,927,090.39	2,733,307.38	36.29612343	-107.79866591
15,118.00	89.96	302.040	5,326.73	4,915.79	-9,918.75	1,927,139.49	2,733,229.57	36.29625837	-107.79892989
15,211.00	91.17	303.160	5,325.81	4,965.89	-9,997.09	1,927,189.59	2,733,151.23	36.29639607	-107.79919569
15,303.00	90.69	302.370	5,324.32	5,015.67	-10,074.44	1,927,239.37	2,733,073.88	36.29653290	-107.79945812
15,395.00	89.72	300.490	5,323.99	5,063.65	-10,152.94	1,927,287.34	2,732,995.38	36.29666476	-107.79972445
15,488.00	91.62	302.100	5,322.90	5,111.95	-10,232.39	1,927,335.64	2,732,915.93	36.29679752	-107.79999404
15,580.00	90.81	300.950	5,320.95	5,160.04	-10,310.80	1,927,383.73	2,732,837.52	36.29692970	-107.80026004
15,673.00	90.66	300.950	5,319.76	5,207.86	-10,390.55	1,927,431.56	2,732,757.77	36.29706116	-107.80053063
15,765.00	89.10	298.690	5,319.95	5,253.61	-10,470.36	1,927,477.30	2,732,677.96	36.29718689	-107.80080142
15,857.00	89.34	301.540	5,321.21	5,299.76	-10,549.92	1,927,523.45	2,732,598.40	36.29731375	-107.80107138
15,949.00	89.75	302.940	5,321.94	5,348.84	-10,627.73	1,927,572.53	2,732,520.59	36.29744863	-107.80133539
16,042.00	89.85	304.250	5,322.26	5,400.29	-10,705.20	1,927,623.99	2,732,443.12	36.29759006	-107.80159821
16,132.00	91.16	302.920	5,321.47	5,450.07	-10,780.17	1,927,673.77	2,732,368.15	36.29772688	-107.80185257
16,227.00	90.83	303.000	5,319.82	5,501.75	-10,859.87	1,927,725.45	2,732,288.45	36.29786891	-107.80212298
16,319.00	90.46	302.410	5,318.78	5,551.46	-10,937.28	1,927,775.15	2,732,211.05	36.29800552	-107.80238562
16,412.00	89.51	301.810	5,318.81	5,600.89	-11,016.05	1,927,824.58	2,732,132.27	36.29814138	-107.80265289
Survey @ 16412.00 MD 5318.81 TVD									
16,495.30	89.51	301.810	5,319.52	5,644.80	-11,086.83	1,927,868.49	2,732,061.49	36.29826206	-107.80289306
LTP @ 16495.30 MD 5319.52 TVD									
16,514.00	89.51	301.810	5,319.68	5,654.65	-11,102.72	1,927,878.35	2,732,045.60	36.29828915	-107.80294698
330 ppd @ 16514.00 MD 5319.68 TVD									
16,540.00	89.51	301.810	5,319.90	5,668.36	-11,124.82	1,927,892.05	2,732,023.50	36.29832681	-107.80302195
Survey proj. to 16540 MD 5319.90 TVD 455 FNL 151 FWL									

Design Annotations				
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
485.00	484.96	-0.14	5.29	MWD surveys
5,757.95	5,237.50	-24.08	-1,978.96	FTP @ 5757.95 MD 5237.50 TVD
5,985.60	5,279.01	86.71	-2,172.48	9 5/8" Casing @ 5985.60 MD 5279.01 TVD
16,412.00	5,318.81	5,600.89	-11,016.05	Survey @ 16412.00 MD 5318.81 TVD
16,495.30	5,319.52	5,644.80	-11,086.83	LTP @ 16495.30 MD 5319.52 TVD
16,514.00	5,319.68	5,654.65	-11,102.72	330 ppd @ 16514.00 MD 5319.68 TVD
16,540.00	5,319.90	5,668.36	-11,124.82	Survey proj. to 16540 MD 5319.90 TVD 455 FNL 151 FWL

a Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-105 Revised July 9, 2024 Submit Electronically Via OCD Permitting
--	---	--

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: DJR OPERATING LLC	OGRID: 371838
Property Name and Well Number: NAGEEZI UNIT 216H	Property Code: 325268
Mineral Owner: ☐ State ☐ Fee ☒ Tribal ☒ Federal	API Number: 30-045-38296
Pool Name: NAGEEZI UNIT MANCOS OIL	Pool Code: 98080

Section 2 – Well Location

	UL or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	L	26	24N	9W		1742	SOUTH	769	WEST	SAN JUAN
BHL:	L	21	24N	9W		2161	SOUTH	177	WEST	SAN JUAN

Section 3 – Completion Information

Date TD Reached 8/11/2024	Total Measured Depth of Well 16540	Acid Volume (bbls) 0	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 8/12/2024	Plug-Back Measured Depth 16517	Completion Fluid Used (bbls) 142944	Were Logs Ran (Y/N): N
Completion Date 10/26/2024	Perforations (MD and TVD) 6016-16470 MD 5281-5319 TVD	Completion Proppant Used (lbs) 10766765	List Type of Logs Ran if applicable: N/A

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 349711	UIC Permit/Order (UIC wells only) ☐ Yes ☐ No, Order No.
Intermediate 1 Casing Action ID: 360488	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID:	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 373814	Cement Squeeze Action ID (if applicable):
Tubing Action ID: 399170	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID: 373814	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production: 10/28/2024	Production Method: Flowing Gas Lift	Well Status: Active Producing	Gas – Oil Ratio: 3004
Date of Test: 10/30/2024	Choke Size: 55/64	Flowing Tubing Pressure: 116	Casing Pressure: 746
24 hr Oil (bbls): 219	24 hr Gas (MCF): 658	24 hr Water (bbls): 857	Oil Gravity – API:
Disposition of Gas: SOLD			

Section 6 – Pits

☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit. ☒ A Closed Loop System was used. ☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name: Shaw-Marie Ford	
Title: Regulatory Specialist	Date: 12/11/2024

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy				T. San Jose	-	-	-
T. Salt				T. Nacimiento	0	0	-
B. Salt				T. Ojo Alamo	831	831	W
T. Yates				T. Kirtland	956	956	-
T. 7 Rivers				T. Fruitland	1247	1246	G
T. Queen				T. Pictured Cliffs	1601	1591	W
T. Grayburg				T. Lewis Shale	1717	1701	-
T. San Andres				T. Chacra	2050	2000	-
T. Glorieta				T. Cliff House	3273	3088	-
T. Yeso				T. Menefee	3306	3118	G
T. Paddock				T. Point Lookout	4344	4042	-
T. Blinebry				T. Mancos	4557	4231	O/G
T.Tubb				T. Gallup	5351	4937	O/G
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp				T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T. Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime							
T. Bell Canyon							
T. Cherry Canyon							
T. Brushy Canyon							
T. Bone Springs							
T. 1st BS Sand							
T. 2nd BS Carbonate							
T. 2nd BS Sand							
T. 3rd BS Carbonate							
T. 3rd BS Sand							



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

11/13/2024

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217H,218H	APD ID 10400077883

Section 1 - General

Well Completion Report Id: 93646**Submission Date:** 11-11-2024**BLM Office:** Farmington Field Office**User:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Federal/Indian:** INDIAN**Lease Number:** NOG14011834**Lease Acres:****Agreement in place?:** YES**Federal or Indian Agreement:** INDIAN**Agreement Number:****Agreement Name:****Additional Information****Keep this Well Completion Report confidential?:** YES**APD Operator:** DJR OPERATING LLC

Section 2 - Well

Field/Pool or Exploratory:**Pool Name:** NAGEEZI UNIT MANCOS**Field Name:** BASIN MANCOS**Well Type:** OIL WELL**Spud Date:** 05-28-2024**Date Total Measured Depth Reached:** 08-11-2024**Drill & Abandon or Ready To Produce:** READY TO PRODUCE**Well Class:** HORIZONTAL

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217 H,218H	APD ID 10400077883

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		6826	831	831	USEABLE WATER	
KIRTLAND	SHALE		5898	956	956	NONE	
FRUITLAND	COAL		5598	1246	1247	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		5261	1591	1601	USEABLE WATER	
LEWIS	SHALE		5160	1701	1718	NONE	
CHACRA	SANDSTONE		4449	2001	2049	NONE	
MENEFEE	COAL, SANDSTONE		3727	3121	3294	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		2795	4051	4328	NONE	
MANCOS	SHALE		2623	4248	4547	NONE	
GALLUP	SANDSTONE		1634	4593	5331	NATURAL GAS, OIL	

Completion and Completed

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
---------------	-----------------	-----------------	-------------	--------------	----------------------	-------------------------------	-------------------	----------------	---------------------	-----------	-------------------	----------------------	----------------------	------------------	-----------------	--------------------

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217H,218H	APD ID 10400077883

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM132981A	NOG14011834	NEW		POW	10-26-2024	10-28-2024	GALLUP	6016	16470	Y	.3	1563	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	142944	10766765	Chemical Disclosure upload to FracFocus on 10/17/24

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217 H,218H	APD ID 10400077883

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	10/30/2024	24	219	658	857	3004	55/64	116		746

Well Location

Survey Type: RECTANGULAR	Survey Number:	
Datum: NAD83	Vertical Datum: NAVD88	Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.28274	-107.765282	6826	N/A	N/A	INDIAN	NOG14011834				1742	FSL	769	FWL	24N	9W	26	NWSW
KOP Well bore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.28274	-107.765282	6476	350	350	INDIAN	NOG14011834				1742	FSL	769	FWL	24N	9W	26	NWSW
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.28954	-107.785686	1506	16517	5320	FEDERAL	NMNM12374				1017	FNL	1	FEL	24N	9W	28	NENE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.29234	-107.79116	1506	16517	5320	FEDERAL	NMNM12374				1	FSL	1590	FEL	24N	9W	21	SWSE

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217 H,218H	APD ID 10400077883

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.285124	-107.776871	1506	16517	5320	FEDERAL	NMNM12374				2645	FNL	2560	FWL	24N	9W	27	SENW
PPP Well bore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.282678	-107.771987	1507	6016	5319	FEDERAL	NMNM12374				1752	FSL	1195	FEL	24N	9W	27	NESE
PPP Well bore 00	NEW MEXICO	FIRST PRINCIPAL	SAN JUAN	36.285092	-107.776806	1506	16517	5320	INDIAN	NOG14031915				2656	FNL	2614	FEL	24N	9W	27	SWNE
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.298262	-107.802893	1506	16517	5320	FEDERAL	NMNM12374				2150	FSL	190	FWL	24N	9W	21	NWSW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.298262	-107.802893	1506	16540	5320	FEDERAL	NMNM12374	5320	16517		2161	FSL	177	FWL	24N	9W	21	NWSW

Casing, Liner and Tubing

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217 H,218H	APD ID 10400077883

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	385	9.625	36	K-55		ST&C		
00	INTERMEDIATE	8.75	0	5986	7.0	26	K-55		LT&C		
00	LINER	6.125	5785	16530	4.5	11.6	P-110		BUTT		

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		I-II	109	1.61	0					31.3
00	INTERMEDIATE		III	543	2.15	0	POZ/G	168	1.71	4037	259.1
00	LINER		POZ/G	934	1.56	5785					259.5

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		6284	5785	6	L-80		SLIM LINE HIGH PERFORMANCE	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217 H,218H	APD ID 10400077883

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC

Signed By: SHAW-MARIE FORD **Title:** Regulatory Specialist **Signed on:** 11/11/2024

Street Address: 200 ENERGY COURT

City: FARMINGTON **State:** NM **Zip:** 87401

Phone: (505)636-9720

Email address: SFORD@ENDURINGRESOURCES.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone: **Extension:**

Email address:

Attachments

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 216H	US Well Number 3004538296
SHL NWSW Sec 26 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14011834
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name EASTERN NAVAJO	Well Pad Name NAGEEZI UNIT	Well Pad Number 213H,214H,215H,216H,217 H,218H	APD ID 10400077883

216H_MWD__10.03.24_20241111151357.pdf

NU_216H_AsDrilled_C102_and_WBD_3160_4_20241111151406.pdf

CONFIDENTIAL

From: blm-afmss-notifications@blm.gov
To: [Shaw-Marie Ford](#)
Subject: Well Name: NAGEEZI UNIT, Well Number: 216H, Notification of Well Completion Acceptance
Date: Wednesday, November 13, 2024 10:18:51 AM

The Bureau of Land Management

Notice of Acceptance for Well Completion Report

- Operator Name: **DJR OPERATING LLC**
- Well Name: **NAGEEZI UNIT**
- Well Number: **216H**
- US Well Number: **3004538296**
- Well Completion Report Id: **WCR2024111393646**


This notification is automatically generated. Please do not reply to this message as this account is not monitored.

NAGEEZI UNIT 216H

API: 30-045-38296
SHL: NWSW L-26-24N-09W
1742' FSL x 769' FWL

Elevation: 6826' GL
Spud Date: 5/28/2024
Completed Date: 10/26/2024

FORMATION	MD	TVD
Nacimiento	0	0
Ojo Alamo	831	831
Kirtland	956	956
Fruitland	1,247	1,246
Pictured Cliffs	1,601	1,591
Lewis	1,718	1,701
Chacra	2,049	2,001
Cliff House	3,261	3,091
Menefee	3,294	3,121
Point Lookout	4,328	4,051
Mancos	4,547	4,248
KOP~	5,220	4,861
Gallup	5,331	4,593



Perf:	53 Stages	Frac:	53 Stages
Depth:	6016' - 16470' MD	142,944	bbls of fluid
	5281' - 5319' TVD	10,766,765	lbs of proppant

Total of 1563 Open Holes

(NAD83)

	LAT.	LONG.
SHL:	36.282740	-107.765282
FTP:	36.282678	-107.771997
LTP:	36.298262	-107.802893
BHL:	36.298289	-107.802947

BHL: NWSW L-21-24N-09W
2161' FSL x 177' FWL

16,540'	TD
5,320'	TVD
16,517'	PBTD
16,490'	FracSleeve

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 410861

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 410861
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 410861

CONDITIONS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 410861
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/20/2024