

Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-39080	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Willowpeg State	
8. Well Number. 002	
9. OGRID Number. 370080	
10. Pool name or Wildcat	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator Breitburn Operating LP	
3. Address of Operator 1000 Main Street, Ste. 2900 Houston, TX 77002	
4. Well Location Unit Letter K : 1500 feet from the South line and 1980 feet from the West line Sectional 35 Township 16S Range 34E NMPM. County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4056	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/4/24—MIRU.

12/10/24—Set CIBP @ 12723' DB 4 sxs H on top TOC @ 12691', set CIBP @ 12350'.

12/11/24—Tag BP circ well w/ MLF cap BP w/ 25 sxs H TOC @ 12147'.

12/12/24—Tag @ 12123' spot 25 sxs H @ 11845' TOC @ 11642'.

12/13/24—Perf @ 11150' ok'd to spot 25 sxs H @ 11200' TOC @ 10997'.

12/16/24—Tag @ 10906' spot 25 sxs H @ 9984' TOC @ 9681', spot 50 sxs @ 8277' TOC @ 7871' spot 25 sxs @ 6222' TOC @ 5867'.
Spot 50 sxs @ 4733' TOC @ 4227', spot 25 sxs @ 3010' TOC @ 2757'.

12/17/24—Tag @ 2698' perf @ 1779' sqz 65 sxs TOC @ 1550' Tag @ 1508', perf @ 450'.

12/18/24—Sqz 400 sxs from 450' to surface verified RDMO.

12/20/2024 - Surface casing cut and capped

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Agent DATE 12/20/24

Type or print name Chris Romero E-mail address: PHONE: 432-212-9165

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

State: New Mexico
County: Lea
Field:
Spud Date: 10/13/2008
KB:

MD

Surface Casing:
 13-3/8" 54.5# J-55
 Cmt w/ 1440 sx to Surf

1,710'

Intermediate Casing:
 9-5/8" 40# J-55 & HCK-55
 Cmt w/ 1450 sx to Surf

4,764'


K Z OCD TOPS

Rustler	1679	Strawn	11794
Tansill		Atoka	12198
Yates	2910	Morrow	
7R	3144		
T. Bowers Sd	3593	Miss LM	12773
B. Bowers Sd	3673		
Queen	3860		
Penrose			
Grayburg			
San Andres	4633		
Glorieta	6120		
Tubb	7371		
Drinkard	7633		
Abo	8177		
Wolfcamp	9784		

Production Casing:
 5-1/2" 17# HCP-110
 DV Tool @ 7,989'
 Stage 1 - Cmt w/ 1150 sx
 Stage 2 - Cmt w/ 880 sx
 Est TOC @ 4,264'

13,000'

Maverick Permian LLC
WILLOWPEG STATE #002
API# 30-025-39080



FINAL WBD
1/8/2024

MD

450'

SURFACE PLUG

TOC @ Surface
 Spot 400 sx of Class C cement @ 450'
 Perforated @ 450' & attempted squeeze

1,508'

RUSTLER PLUG

1,779'

Tagged TOC @ 1,508'
 Squeezed 65 sx Class C cement plug
 Perforated @ 1,779'

2,698'

B. SALT & YATES PLUG

3,010'

Tagged TOC @ 2,698'
 Spot 25 sx of Class C cement @ 3,010'

4,227'

SAN ANDRES & CASING SHOE PLUG

4,733'

Spot 50 sx of Class C cement @ 4,733'

5,867'

GLORIETA PLUG

6,222'

Spot 25 sx of Class C cement @ 6,222'

7,871'

ABO & DV TOOL PLUG

Spot 50 sx of Class C cement @ 8,277'

8,277'

WOLFCAMP PLUG

Spot 25 sx of Class H cement @ 9,984'

9,681'

CISCO PLUG

9,984'

Tagged TOC @ 10,906'
 Spot 25 sx of Class H cement @ 11,200'
 Perforated @ 11,150'

10,906'

STRAWN PLUG

11,200'

Spot 25 sx of Class H cement @ 11,845'

11,642'

ATOKA PLUG

11,845'

Tagged TOC @ 12,123'
 Spot 25 sx of Class H cement @ 12,350'
 Set CIBP @ 12,350'

12,123'

Atoka Perforations 12,396' - 12,408'

12,350'

12,396'

MISSISSIPPIAN PLUG

12,691'

Tagged TOC @ 12,691'
 Spot 4 sx of Class H cement @ 12,723'
 Set CIBP @ 12,723'

12,723'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 418786

CONDITIONS

Operator: BREITBURN OPERATING LP 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 370080
	Action Number: 418786
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/21/2025
gcordero	Submit C-103Q within one year of plugging.	1/21/2025