

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-20127
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Cano Petro of New Mexico, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 801 Cherry Street, Unit 25, Suite 3200, Ft Worth, TX 76102		7. Lease Name or Unit Agreement Name Cano San Andres Unit
4. Well Location Unit Letter A : 660 feet from the N line and 660 feet from the E line Section 8 Township 8S Range 30E NMPM County Chaves		8. Well Number #12
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4025' GR		9. OGRID Number 248802
10. Pool name or Wildcat Cato, San Andres		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

JMR Services, LLC plugged this well from 12/04/2024-12/26/2024.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Abigail Anderson TITLE P&A Engineer DATE 01/24/2025

Type or print name Abigail Anderson E-mail address: aanderson@jmrservices.com PHONE: 432-889-4673
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. NMNM0142321

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator BLM/ Cano Petro of New Mexico, Inc.

3a. Address 2909 W 2nd Street
Roswell, NM 882013b. Phone No. (include area code)
(575) 627-0272

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. Cato San Andres Unit #12

9. API Well No. 30-005-20127

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660 FNL & 660 FEL Sec 8-T08S, R30E10. Field and Pool or Exploratory Area
San Andres11. Country or Parish, State
Chaves County, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

JMR Services, LLC plugged this well from 12/03/2024-12/26/2024.

ACCEPTED FOR RECORD

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Abigail Anderson

Title

P&A Engineer - Agent

Signature

Abigail Anderson

Date

12/27/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

JENNIFER SANCHEZ

Digitally signed by JENNIFER
SANCHEZ
Date: 2025.01.15 13:55:45 -07'00'

PETROLEUM ENGINEER

Title

01/15/2025

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

RFO

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**P&A Subsequent Report
Orphan Well Program
BLM/ CANO PETRO OF NEW MEXICO, INC.
Cato San Andres Unit #12
30-005-20127**

12/03/24 MIRU plugging equipment. Dug out cellar. Bled down well.

12/04/24 Checked pressures, 0 psi. NU Flange & BOP. RU wireline, RIH w/ gauge ring & tagged out @ 475'. Circulated hole w/ 40 bbls Brine H2O. Pressure tested csg, pressure did not hold. RIH w/ weight bar, tagged @ 475'.

12/05/24 Checked pressures, 0 psi. RU power swivel, drilled down to 477' w/ signs of formation in returns, no signs of csg.

12/06/24-12/11/24 RIH w/ bit & drilled from 475-663' w/ formation in returns. Used MF-55 to help keep formation back. No signs of csg in returns. RD swivel.

12/12/24-12/13/24 RIH w/ tbg, tagged solid @ 530'. Drilled from 530-568'. RIH w/ impression block & tagged out @ 568'. POH w/ no signs of collapsed csg. RIH w/ tbg, tagged @ 560'. Drilled down to 563'. Had clean water in returns. Circ'd hole w/ 60 bbls fresh H2O.

12/16/24 RIH w/ tbg, tagged @ 553'. Circ'd hole w/ 60 bbls fresh H2O. Drilled from 442-483' w/ formation in returns.

12/17/24 Isolated bad csg from 475' to 410'. Sqz'd 100 sx class C cmt @ 410-380'. WOC.


12/18/24 Tagged TOC @ 378'. Perf'd @ 368'. ND BOP, NU wellhead. Sqz'd 170 sx class C cmt @ 368' to surface. RDMO.

12/26/24 Moved in backhoe & cellar. Cut off wellhead & verified cmt at surface. Installed a below ground DHM. Dug up anchors, backfilled cellar, cleaned location, & moved off.

State of NM Orphan Well Program				PLUGGED
Author:	Abby @ JMR	Well No.	#12	
Well Name	Cato SA Unit	API #:	30-005-20127	
Field/Pool	SA	Location:	Sec 8, T8S,R30E	
County	Chaves		660 FNL & 660 FEL	
State	NM	RKB	4036	
Spud Date	8/2/1967			

Description	O.D.	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	24#	318	12 1/4	250	0
Prod Csg	4 1/2	11.6 & 9.5 #	3,544	7 7/8	325	

Formation	Top
Yates	1291
Queen	1933
SA	2404



Plug #2: Perf'd @ 368'. Sqz'd 170 sx class C cmt @ 368' to surface.

8 5/8 24# CSG @ 318
Hole Size: 12 1/4

Plug #1: Sqz'd 100 sx class C cmt @ 410-380'. WOC & tagged @ 378'.

Drilled down to 568'. Isolated bad csg from 475' to 410'.

Perfs @ 3239-3274


4 1/2 11.6 & 9.5 # CSG @ 3,544
Hole Size: 7 7/8

PBDT 3504'
TD 3545'

State of NM Orphan Well Program				CURRENT
Author:	Abby @ JMR	Well No.	#12	
Well Name	Cato SA Unit	API #:	30-005-20127	
Field/Pool	SA	Location:	Sec 8, T8S,R30E	
County	Chaves		660 FNL & 660 FEL	
State	NM	RKB	4036	
Spud Date	8/2/1967			

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	318	12 1/4	250	0
Prod Csg	4 1/2		11.6 & 9.5 #	3,544	7 7/8	325	

Formation	Top
Yates	1291
Queen	1933
SA	2404




8 5/8 24# CSG @ 318
Hole Size: 12 1/4

Perfs @ 3239-3274
2 3/8" tbg @ 3278'

4 1/2 11.6 & 9.5 # CSG @ 3,544
Hole Size: 7 7/8

PBDT 3504'
TD 3545'







Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 424648

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 424648
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	Previous submission # 416 727 was approved, but was missing BLM signature. Previous submission 422079 photos were illegable. This submission is complete.	1/24/2025