

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.**

5. Lease Serial No.	NMNM024136-A
6. If Indian, Allottee or Tribe Name	

<b>SUBMIT IN TRIPLICATE - Other instructions on page 2</b>		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. Cato San Andres Unit #162
2. Name of Operator BLM		9. API Well No. 30-005-20180
3a. Address 2909 W 2nd Street Roswell, NM 88201	3b. Phone No. (include area code) (575) 627-0272	10. Field and Pool or Exploratory Area San Andres
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1980 FSL & 660 FEL      Sec 28, T8S, T30E		11. Country or Parish, State Chaves County, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA					
TYPE OF SUBMISSION		TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations, and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

JMR Services, LLC plugged this well from11/22/2024-12/23/2024.

Accepted for Record

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			
Abigail Anderson		Title	P&A Engineer - Agent
Signature	Abigail Anderson	Date	12/26/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by	Title Petroleum Engineer	Date 01/15/2025
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office RFO

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**P&A Subsequent Report  
State of NM- BLM  
Cato San Andres Unit #162  
30-005-20180**

**Note: All cement is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.**

**11/22/24** Moved plugging equipment to location. Dug out cellar.

**11/23/24** Checked pressures, 0 psi. NU flange & BOP. RIH w/ 5 ½" guage ring to 3,400'. POH. Set 5 ½" CIBP @ 3,370'.

**11/25/24** Checked pressures, 0 psi. ND flange & BOP. ND smaller flange & BOP. RIH w/ tbg, tagged CIBP @ 3,370'. Circulated hole w/ 80 bbls fresh H2O. Pressure tested csg, held 500 psi for 30 minutes. RU wireline. Ran CBL from 3,370' to surface. TOC @ 577'.

**11/26/24** Checked pressures, 0 psi. Circulated hole w/ 80 bbls 10# salt gel. Spotted 25 sx class C cmt @ 3,370-3,123'. WOC & tagged @ 3,115'. Perf'd @ 1,646'. Pressured up on perfs to 500 psi. Spotted 25 sx class C cmt @ 1,696-1,449'. WOC.

**11/27/24** Checked pressures, 0 psi. Tagged TOC @ 1,450'. Perf'd @ 1,170'. Sqz'd 64 sx class C cmt @ 1,170-1,020'. WOC.


**12/02/24** Checked pressures, 0 psi. Tagged plug @ 990'. Perf'd @ 351'. ND BOP, NU flange. Sqz'd 130 sx class C cmt @ 351' to surface. WOC & verified cmt at surface. RDMO.

**12/23/24** Moved in backhoe & welder. Verified cmt at surface. Installed a below ground DHM. Dug up anchors, backfilled cellar, cleaned location, & moved off.

State of NM Orphan Well		PLUGGED	
Author:	Abby @ JMR	Well No.	#162
Well Name	Cato SA Unit	API #:	30-005-20180
Field/Pool	Cato; San Andres	Location:	Sec 28, T8S, R30E
County	Chaves		1980 FSL & 660 FEL
State	NM	GL:	4158.6'
Spud Date	12/4/1967		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	301	12 1/4	250	0
Prod Csg	5 1/2		15.5#	3,600	7 7/8	245	577' CBL

Formation	Top
Rust Anhy	1062
Yates	1596
San Andres	2760
Pi Marker	3330
Slaughter	3465



8 5/8 24# CSG @ 301  
Hole Size: 12 1/4

**Plug #4:** Perf'd @ 351'. Sqz'd 130 sx class C cmt @ 351' to surface.

**Plug #3:** Perf'd @ 1170'. Sqz'd 64 sx class C cmt @ 1170-1020'. WOC & tagged @ 990'.

**Plug #2:** Perf'd @ 1646'. Pressured up on perfs to 500 psi. Spotted 25 sx class C cmt @ 1696-1449'. WOC & Tagged @ 1450'.

**Plug #1:** Set 5 1/2" CIBP @ 3,370'. Spotted 25 sx class C cmt @ 3370-3123'. WOC & tagged @ 3115'.

**Perfs @ 3470-3488'**


5 1/2 15.5# CSG @ 3,600  
Hole Size: 7 7/8

TD 3600'

State of NM Orphan Well		CURRENT	
Author:	Abby @ JMR	Well No.	#162
Well Name	Cato SA Unit	API #:	30-005-20180
Field/Pool	Cato; San Andres	Location:	Sec 28, T8S, R30E
County	Chaves	State	1980 FSL & 660 FEL
State	NM	GL:	4158.6'
Spud Date	12/4/1967		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	301	12 1/4	250	0
Prod Csg	5 1/2		15.5#	3,600	7 7/8	245	577' CBL

Formation	Top
Rust Anhy	1062
Yates	1596
San Andres	2760
Pi Marker	3330
Slaughter	3465





2:17 ↗



**WELL**  
NAVIG









Cerro San  
BLM

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 422073

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 422073
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/24/2025