

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Completion Print

05/08/2023

Operator Name SPUR Well Name FAT TIRE 12 Well Number 51H US Well Number 3001548893

ENERGY PARTNERS LLC FEDERAL

SHL County State Lease Number(s)

NMLC0028785

Well Type OIL WELL Well Status Producing Oil Agreement Name Agreement Number(s)

Well

Allottee/Tribe Name Well Pad Name FAT TIRE Well Pad Number 10H, ID 10400065558

12 FEDERAL 10H 21H, 51H

Section 1 - General

Well Completion Report Id: 85768 Submission Date: 08-17-2022

BLM Office: Carlsbad Field Office User: SARAH CHAPMAN Title: Regulatory Directory

Federal/Indian: FEDERAL Lease Number: NMLC0028785 Lease Acres:

Agreement in place?: NO Federal or Indian Agreement:

Agreement Number: Agreement Name:

Keep this Well Completion Report confidential?: NO

APD Operator: SPUR ENERGY

PARTNERS LLC

Section 2 - Well

Field/Pool or Exploratory: Pool Name: GLORIETA-YESO Field Name: Loco Hills

Well Type: OIL WELL

Spud Date: 02-01-2022

Date Total Measured Depth Reached: 03-25-2022

Drill & Abandon or Ready To Produce: READY TO

Well Class: HORIZONTAL

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
QUATERNARY	DOLOMITE, OTHER	CALICHE	3666	0	0	USEABLE WATER	
RUSTLER	ANHYDRITE, DOLOMITE, SHALE		3366	300	300	USEABLE WATER	

ENERGY PARTNERS LLC FEDERAL

SHL County State Lease Number(s)

NMLC0028785

Well Type OIL WELL Well Status Producing Oil Agreement Name Agreement Number(s)

Well

Allottee/Tribe Name Well Pad Name FAT TIRE Well Pad Number 10H, ID 10400065558

12 FEDERAL 10H 21H, 51H

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
TOP SALT	ANHYDRITE		3181	485	485	OTHER	SALT
TANSILL	ANHYDRITE		2673	993	1065	OTHER	SALT
YATES	LIMESTONE, SHALE, SILTSTONE		2672	994	1175	OTHER	SALT
BASE OF SALT	ANHYDRITE		2666	1000	1000	OTHER	SALT
SEVEN RIVERS	DOLOMITE, LIMESTONE		2246	1420	1450	OTHER	SALT
QUEEN	ANHYDRITE, DOLOMITE, SILTSTONE		1641	2025	2060	OTHER	SALT
SAN ANDRES	DOLOMITE		916	2750	2765	NATURAL GAS, OIL	
GLORIETA	DOLOMITE, SILTSTONE		-396	4062	4175	NATURAL GAS, OIL	
GRAYBURG	ANHYDRITE		-415	4081	4175	NATURAL GAS, OIL	
YESO	DOLOMITE		-846	4512	6300	NATURAL GAS, OIL	

Completion and Completed

Completion Data

	Wellbore Code	Completion Code	Interval Numbe	Case Numbe	Lease Number	Well Completio	Completion Status Describe Well Completion Typ	Date Completed	Date First Produced	Formation	Interval Top (MI	Interval Botton (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
--	------------------	--------------------	----------------	------------	-----------------	----------------	---	-------------------	------------------------	-----------	------------------	-------------------------	-------------------------	---------------------	-----------------	--------------------

SHL

Operator Name SPUR Well Name FAT TIRE 12 Well Number 51H **US Well Number** 3001548893

ENERGY PARTNERS LLC FEDERAL

State Lease Number(s)

NMLC0028785

Well Type OIL WELL Well Status Producing Oil **Agreement Name** Agreement Number(s)

Well

County

Allottee/Tribe Name Well Pad Name FAT TIRE Well Pad Number 10H, **ID** 10400065558

12 FEDERAL 10H 21H, 51H

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S 1	1	NMLC002 8785	NMLC002 8785	NEW		POW	05-24- 2022	05-25- 2022	YESO	541 6	10468	Y	.42	900	OPEN

Treatment Data

Wellbore	Completion	Interval	Interval	Treatment	Totle Fluid	Total	Treatment
Code	Code	Number	Treated?	Type	(bbls)	Proppant (lbs)	Remarks
00	S1	1	Y	FRAC	293056	5021440	

Production Data

Wellbore	Completion	Interval	API Oil	Gas Gravity	Production	Describe	Disposition of	Describe
Code	Code	Number	Gravity		Method	Production	Gas	Disposition
00	S1	1			ELECTRIC PUMP SUB-SURFACE		SOLD	

Test Data

Wellbore Code	Completio Code	Interval Number	Test Date	Hours Teste	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing PRessure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi
,,,	ă		(v	ed	ate)	ete (ate D)) tio	Ď.	Φ		i)Si)

ENERGY PARTNERS LLC FEDERAL

SHL County State Lease Number(s)

NMLC0028785

Well Type OIL WELL Well Status Producing Oil Agreement Name Agreement Number(s)

Well

Allottee/Tribe Name Well Pad Name FAT TIRE Well Pad Number 10H, ID 10400065558

12 FEDERAL 10H 21H, 51H

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing PRessure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	06/16/20 22	24	546	476	2788	871		300		146

Well Location

Survey Type: RECTANGULAR **Survey Number:** 19680

Datum: NAD83 Vertical Datum: NAVD88 Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	אוולמסמבסמוושכנ
SHL	NEW MEXIC O	NEW MEXICO PRINCIPA L	EDDY	32.848 3435	104.01 63646		N/A	N/A		NMLC0 02878 5				2385	FSL	102 0	FWL	175	30E	7	NW
KOP Well bore 00	MEXIC	NEW MEXICO PRINCIPA L	EDDY	32.847 9338	- 104.01 69238	-177	3851	3843		NMLC0 02878 5				2236	FSL	849	FWL	175	30E	7	NW
PPP Well bore 00	MEXIC	NEW MEXICO PRINCIPA L	EDDY	32.847 883	, _ 104.02 8322	-1082	7865	4748		NMLC0 02878 5				1825	FSL	263 9	FWL	175	30E	12	NE
PPP Well bore 00	MEXIC	NEW MEXICO PRINCIPA L		32.847 8735	, _ 104.02 0009	-1134	5315	4800		NMLC0 02878 5				1850	FSL	106	FEL	175	29E	12	NE

ENERGY PARTNERS LLC FEDERAL

SHL County State Lease Number(s)

NMLC0028785

Well Type OIL WELL Well Status Producing Oil Agreement Name Agreement Number(s)

Well

Allottee/Tribe Name Well Pad Name FAT TIRE Well Pad Number 10H, ID 10400065558

12 FEDERAL 10H 21H, 51H

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	אוולמסת בסת וו פכו
EXIT Well bore 00	MEAIC	NEW MEXICO PRINCIPA L	EDDY	32.847 8803	- 104.03 6519	-1035	10386	4701	FEDER AL	NMLC0 02878 5				1843	FSL	117	FWL	175	29E	12	NW
BHL Well bore 00	NEW MEXIC O	NEW MEXICO PRINCIPA L	EDDY	32.847 8804	- 104.03 66818	-1034	10437	4700	FEDER AL	NMLC0 02878 5				1846	FSL	55	FWL	175	29E	12	NW

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	375	13.375	54.5	J-55		BUTT		
00	INTERME DIATE	12.25	0	1552	9.625	36	J-55		BUTT		

ENERGY PARTNERS LLC FEDERAL

SHL County State Lease Number(s)

NMLC0028785

Well Type OIL WELL Well Status Producing Oil Agreement Name Agreement Number(s)

Well

Allottee/Tribe Name Well Pad Name FAT TIRE Well Pad Number 10H, ID 10400065558

12 FEDERAL 10H 21H, 51H

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	PRODUCT ION	8.75	0	5142	7.0	32	L-80		OTHER	BK-HT	
00	PRODUCT ION	8.75	5142	10530	5.5	20	L-80		OTHER	BK-HT	

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		Class C Premium Plus	365	1.87	0					121.6
00	INTERME DIATE		Class C Premium Plus	375	2.4	0	Class C Premium Plus	155	1.87		211.9
00	PRODUCT ION		Class C Premium Plus	210	2.4	0	Class C Premium Plus	1430	1.56		487.1

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other	
00	3.5		5011			J-55				1

Operator Name SPUR

FEDERAL

Well Number 51H

US Well Number 3001548893

ENERGY PARTNERS LLC

County

State

OS Well Hulliber 300134009.

Well Type OIL WELL

SHL

Well Status Producing Oil

Well Name FAT TIRE 12

Agreement Name

Agreement Number(s)

Allottee/Tribe Name

Well

Well Pad Name FAT TIRE 12 FEDERAL 10H

Well Pad Number 10H,

21H, 51H

ID 10400065558

Lease Number(s) NMLC0028785

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	YES	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fradulent statements or representations aas to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satifies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: SPUR ENERGY PARTNERS LLC

Signed By: SARAH CHAPMAN Title: Regulatory Directory Signed on: 08/17/2022

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston State: TX Zip: 77024

Phone: (832)930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone: Extension:

Email address:

Attachments

Operator Name SPUR ENERGY PARTNERS LLC	Well Name FAT TIRE 12 FEDERAL	Well Number 51H	US Well Number 3001548893
SHL	County	State	Lease Number(s) NMLC0028785
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name FAT TIRE 12 FEDERAL 10H	Well Pad Number 10H, 21H, 51H	ID 10400065558

FINAL_Fat_Tire_12_Federal_51H_5MD_20220817141250.tiff

Fat_Tire_12_Federal_51H_Direct_Plot_20220817141259.pdf

Fat_Tire_12_Federal_51H_Direct_Cert_20220817141259.pdf

Fat_Tire_12_Federal_51H_Direct_Plan_20220817141259.pdf

Fat_Tire_12_Fedearl_51H_WBD_20220817141310.pdf

Fat_Tire_12_Federal_51H_As_Drilled_20220817141310.pdf

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 217370

ACKNOWLEDGMENTS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	217370
	Action Type:
	[C-105] Well (Re)Completion (C-105)

ACKNOWLEDGMENTS

V	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
V	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
Г	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 217370

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	217370
	Action Type:
	[C-105] Well (Re)Completion (C-105)

CONDITIONS

Created	Ву	Condition	Condition Date
plmar	tinez	None	1/24/2025