

Pre-Plugging Methane Emissions Monitoring Report

Jennifer Chaveroo SA Unit 16

Prepared by TS-Nano, Inc.
For NM Energy, Minerals and Natural Resources Department, Oil Conservation Division PO# 52100-0000078682

Well information

ID #: 30-041-10493 Coordinates: 33.68439, -103.52045

Name: Jennifer Chaveroo SA Unit 16 Surface Location: Roosevelt County





Measurement notes

Device used: Ventbuster device VB100-0138

Test operator: JR Molina

Gas sample taken from well: 1/15/25 13:45 Ventbuster connected to well: 1/15/25 14:54

Continuous monitoring of well flowrate, pressure,

and temperature

Hourly measurement of weather data

Ventbuster disconnected from well: 1/16/25 14:13

Notes: No remarkable observations

Gas sample delivered to laboratory: 1/20/25

Laboratory Name/Location: Laboratory Services / Hobbs, NM



Pre-Plugging Methane Emissions Monitoring Report

Jennifer Chaveroo SA Unit 16

Measurement data

Wellhead pressure (kPa gage)*: less than detection limit (<10 kPa)

Average flow rate (Sm³/d): 0.002


Average methane mass flow rate (g/hr)

using methane % from lab analysis: 0.00

Methane mass flowrate calculation

Variable	Unit	Value
Pressure (P)	kPaA	Std pressure, 101.3 KPaA
Volumetric flow (V)	Std m^3/day	Measured from the Unit
% methane	% (methane/gas)	Measured from lab sample
Temperature (T)	Kelvin	Std temperature, 288.13 K
Gas constant (R)	m^3 Pa/(K mol)	8.3144626
Molecular weight of methane (Mw)	g/mole	16.04

$$Mass\,flow\,of\,\,methane\,\, \left(\frac{g}{hr}\right) = \frac{\%, methane}{100\%} *V*P*\frac{Mw}{R\,T}*\frac{1000}{24}$$






Pre-Plugging Methane Emissions Monitoring Report

Jennifer Chaveroo SA Unit 16

Weather data

Precipitation during measurement period (in): 0.000



Air	Relative	Barometric	Wind
Temperature	Humidity	Pressure	Speed
(°C)	(%)	(kPaA)	(mph)
7.3	30.4	87.98	7.7
8.2	32.2	87.94	3.2
8.4	32.1	87.98	5.3
7.4	31.4	87.98	5.7
7.7	32.2	87.98	3.8
7.8	30.5	88.01	4.6
3.7	37.7	88.05	1.8
-2.1	58.4	88.01	0.6
-3.8	68.5	88.05	1.5
-5.9	78.7	88.05	1.4
-6.3	79.6	88.05	0.9
-6.6	79.3	88.05	1.7
-7.1	80.7	88.05	1.1
-7.0	79.4	88.01	1.4
-5.4	73.6	87.98	1.6
-7.2	81.5	87.91	1.4
-5.7	79.1	87.91	1.3
-4.2	80.3	87.84	1.2
-4.2	75.7	87.81	1.2
-6.3	80.4	87.81	1.4
-6.4	78.2	87.84	1.8
1.4	74.4	87.91	2.6
6.3	49.8	87.94	0.0
	Temperature (°C) 7.3 8.2 8.4 7.4 7.7 7.8 3.7 -2.1 -3.8 -5.9 -6.3 -6.6 -7.1 -7.0 -5.4 -7.2 -5.7 -4.2 -6.3 -6.4 1.4	Temperature (°C) (%) 7.3 30.4 8.2 32.2 8.4 32.1 7.4 31.4 7.7 32.2 7.8 30.5 3.7 37.7 -2.1 58.4 -3.8 68.5 -5.9 78.7 -6.3 79.6 -6.6 79.3 -7.1 80.7 -7.0 79.4 -5.4 73.6 -7.2 81.5 -5.7 79.1 -4.2 80.3 -4.2 75.7 -6.3 80.4 -6.4 78.2 1.4 74.4	Temperature (°C) Humidity (%) Pressure (kPaA) 7.3 30.4 87.98 8.2 32.2 87.94 8.4 32.1 87.98 7.4 31.4 87.98 7.7 32.2 87.98 7.8 30.5 88.01 3.7 37.7 88.05 -2.1 58.4 88.01 -3.8 68.5 88.05 -5.9 78.7 88.05 -6.3 79.6 88.05 -6.6 79.3 88.05 -7.1 80.7 88.05 -7.0 79.4 88.01 -5.4 73.6 87.98 -7.2 81.5 87.91 -5.7 79.1 87.91 -4.2 75.7 87.81 -6.3 80.4 87.84 -4.2 75.7 87.84 -6.4 78.2 87.84 1.4 74.4 87.91

www.permianls.com 575.397.3713 2609 W Marland Hobbs NM 88240



23361G	jennifer chaveroo sa unit #16	jennifer chaveroo sa unit #16
Sample Point Code	Sample Point Name	Sample Point Location

Laborator	y Services	2025104903	bag		JR Molina - Spot				
Source L	aboratory	Lab File No	Container Ide	ntity	Sampler				
USA		USA	USA		New Mexico				
District		Area Name	Field Name		Facility Name				
Jan 15,	2025	Jan 1, 2025		Jan 20, 2025 14:42	Jan 21, 2025				
Date San	npled	Date Effective		Date Received	Date Reported				
		Luis							
Ambient Temp (°F)	Flow Rate (Mcf)	Analyst		@ Temp °F Conditions					
TS-N	ano				NG				
Opera	ator	_			Lab Source Description				

Normalized Mol %	Un-Normalized Mol %	GPM
0.0000	0	
99.9270	99.9276	
0.0480	0.04786	
0.0000	0	
0.0000	0	0.0000
0.0000	0	0.0000
0.0000	0	0.0000
0.0000	0	0.0000
0.0000	0	0.0000
0.0000	0	0.0000
0.0250	0.02454	0.0110
100.0000	100.0000	0.0110
	Mol % 0.0000 99.9270 0.0480 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	Mol % Mol % 0.0000 0 99.9270 99.9276 0.0480 0.04786 0.0000 0 0.0000 0 0.0000 0 0.0000 0 0.0000 0 0.0000 0 0.0000 0 0.0000 0 0.002454

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

Analyzer Information							
Device Type:	Gas Chromatograph	Device Make:	Shimadzu				
Device Model:	GC-2014	Last Cal Date:	Sep 9, 2024				

Gross Heating Values (Real, BTU/ft³)								
14.696 PSI	@ 60.00 °F	14.73 PSI	@ 60.00 °F					
Dry	Saturated	Dry	Saturated					
1.3	2.1	1.3	2.1					

Calculated Total Sample Properties					
GPA2145-16 *Calculated at Contract Conditions					
Relative Density Real	Relative Density Ideal				
0.9679	0.9680				
Molecular Weight					
28.0374					

C6+ Group Properties						
	Assumed Composition					
C6 - 60.000%	C7 - 30.000%	C8 - 10.000%				

PROTREND STATUS: DATA SOURCE: Passed By Validator on Jan 21, 2025 Imported

PASSED BY VALIDATOR REASON:

First sample taken @ this point, composition looks reasonable

VALIDATOR:

Ashley Russell

VALIDATOR COMMENTS:

Relinguished by	Date: Time:	13.00	<u> </u>	Red	eive	ed by	 :						REMAR				ш							
Relinquished by JR Mol	//	1/17. 13:0		Red	eive	ed by	ļ:						Phone I		_	Yes Yes			Add	l Phor	e:			
Lab I.D.	Sample I.D. J. C. SA UNIT 16 J. C. SA UNIT 22 J. C. SA UNIT 25	S	Tedlar 1Tedlar 1Tedlar	Groudwater	Wastewater	XXXX	ō	Solid	Other	Acid/Base	100/001			Time 1:00PM 1:00PM	X X X X X X X X X X X X X X X X X X X	C-10+ Ext								
Address: 5901 India	an School Rd. NE	Ema	te: NM ail: jstormo ject Owne		Company: Zip: 87110 Attn: Jay # nt@ts-nano.com Address: \$ City: State: Phone #: \$ Email: jkito					Company: TS- Nano, Inc. Attn: Jay Kitowski Address: Same City:												-		
Company Name: TS Project Manager: J					PO#:							BILL TO Analysis Reque:							est		\exists			
575.397 Company Name: TS Project Manager: J Address: 5901India City: Albuquerque	S-Nano, Inc. ohn Stormont	arla	nd Hol	bbs,	NM			10		Con	npan	y: TS	3- Nano, I	nc.					A	nalysis	Requ	est		-

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 424745

DEFINITIONS

Operator:	OGRID:				
RIDGEWAY ARIZONA OIL CORP.	164557				
575 N. Dairy Ashford	Action Number:				
Houston, TX 77079	424745				
	Action Type:				
	[UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA)				

DEFINITIONS

The Orphan Well Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted plugging and reclamation activities. Specifically, these forms are used for orphan wells or associated facilities which are in a "Reclamation Fund Approved" status. This status represents wells or facilities where the OCD has acquired a hearing order allowing the OCD to perform plugging or reclamation on wells and associated facilities that no longer have a viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 424745

QUESTIONS

Operator:	OGRID:
RIDGEWAY ARIZONA OIL CORP.	164557
575 N. Dairy Ashford	Action Number:
Houston, TX 77079	424745
	Action Type:
	[UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA)

QUESTIONS

Prerequisites		
[OGRID] Well Operator	[164557] RIDGEWAY ARIZONA OIL CORP.	
[API] Well Name and Number	[30-041-10493] JENNIFER CHAVEROO SA UNIT #016	
Well Status	Active	

Monitoring Event Information	
ease answer all the questions in this group.	
Reason For Filing	Pre-Plug Methane Monitoring
Date of monitoring	01/15/2025
Latitude	33.68439
Longitude	-103.52045

Monitoring Event Details		
Please answer all the questions in this group.		
Flow rate in cubic meters per day (m³/day)	0.00	
Test duration in hours (hr)	23.3	
Average flow temperature in degrees Celsius (°C)	4.9	
Average gauge flow pressure in kilopascals (kPag)	5.2	
Methane concentration in part per million (ppm)	0	
Methane emission rate in grams per hour (g/hr)	0.00	
Testing Method	Steady State	

Monitoring Contractor	
Please answer all the questions in this group.	
Name of monitoring contractor	TS-Nano, Inc.