

Well Name: BITSILI COM	Well Location: T24N / R9W / SEC 19 / SWNE / 36.1806 / -107.4939	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NOG01031462	Unit or CA Name: FRCL-E/2	Unit or CA Number: NMNM112708
US Well Number: 300453318700S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2837137

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 02/17/2025	Time Sundry Submitted: 07:29
Date Operation Actually Began: 12/30/2024	

Actual Procedure: Dugan Production P&A'd the well on 12/30/2024 - 01/02/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Bitsili_Com_90_BLM_OCD_apvd_plug_changes_20250217072735.pdf
- Bitsili_Com_90_SR_PA_formation_tops_20250217072721.pdf
- Bitsili_Com_90_SR_PA_completed_wellbore_schematic_20250217072713.pdf
- Bitsili_Com_90_SR_PA_completed_work_20250217072702.pdf

Received by OCD: 2/18/2025 10:56:51 AM

Page 2 of 8

Well Name: BTTSLI COM	Well Location: T24N / R9W / SEC 19 / SWNE / 36.1806 / -107.4939	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N0G01031462	Unit or CA Name: FRCL-E/2	Unit or CA Number: NMNM112708
US Well Number: 300453318700S1	Operator: DUGAN PRODUCTION CORPORATION	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: FEB 17, 2025 07:27 AM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO Box 420	
City: Farmington	State: NM
Phone: (505) 325-1821	
Email address: tyrafeil@duganproduction.com	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 02/18/2025
Signature: Matthew Kade	

Dugan Production P&A'd the well on 12/30/2024-01/02/2025 per the following procedure:

- MI & RU Aztec 481 and cement equipment.
- Check pressures, Tubing 0 psi, Casing 20 psi, BH 0 psi.
- Spot in and LD rods and production string.
- Check pressures, Tubing 0 psi, Casing 110 psi, BH 0 psi.
- PU & tally workstring and run 5½" casing scraper to 1600'.
- RIH & set 5½" cement retainer @ 1535'. Fruitland Coal perforations @ 1578'-1592'.
- Load and circulate hole with 36 bbls water.
- **Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good.**
- Run WL from 1535' to surface. Sent copy of CBL & revised procedure to NMOCD/BLM. Copy of communications attached.
- **Plug I:** Sting in the CR and pump 15 sks, 17.3 Class G neat cement below the cement retainer to cover the PC top. Sting out of cement retainer. Spot plug inside 5½" casing above CICR @ 1535' w/54 sks (62.1 cu ft) (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk) Class G neat cement to 1073' to cover the Fruitland & Pictured Cliffs top. Displaced w/4.1 bbls water. **Plug I, inside 5½" casing, cement retainer at 1535', 69 sks, 79.4 cu ft, Fruitland – Pictured Cliffs, 1073'-1578'.**
- **Plug II:** Spot inside Plug II from 690' to 434' w/30 sks Class G neat cement (34.5 cu ft) to cover the Kirtland-Ojo Alamo tops. Displaced w/1.6 bbl water. **Plug II, Inside 5½" casing, 30 sks, 34.5 cu ft, Kirtland-Ojo Alamo, 434'-690'.**
- **Plug III:** RU WL and shoot squeeze holes at 100'. Establish rate to surface through BH. RIH open ended to 189'. Spot & squeeze Plug III Inside/Outside 5½" casing w/61 sks, 70.15 cu ft Class G neat cement. Circulate cement to surface through BH. WOC 4 hrs. Cut wellhead off. Tagged TOC at 0' inside annulus & 0' inside 5½" casing. Good tag. **Plug III, Inside/Outside 5½" casing, perforations at 100', EOT at 189', 61 sks, 70.15 cu ft, Surface, 0'-189'.**
- Fill up cellar and install dry hole marker w/18 sks, 20.7 cu ft Class G neat cement. Clean location. Rig down Aztec 481 and move. Bill Diers w/BLM witnessed job.
- **Well P&A'd 01/02/2025.**

Completed P & A Wellbore Schematic

Bitsili Com #90

30-045-33187


Basin Fruitland

1860' FNL & 1975' FEL

S19 T24N R9W

San Juan County, NM

Lat: 36.301715, Long: -107.828043



8-5/8" 24# casing @ 128'. Cemented with 100 sks, 115 Cu.ft Class B cement.
Hole size: 12-1/4". Circulate 4 bbls cement to surface.

**Plug III, Inside/Outside 5 1/2" casing, Perforations at 100', EOT
at 189', 61 sks, 70.15 Cu.ft, Surface, 0'-189'**

**Plug II, Inside 5 1/2" casing, 30 sks, 34.5 Cu.ft, Kirtland-Ojo
Alamo, 434'-690'.**

5 1/2" 15.5# casing @ 1744'. Hole size: 7"

Cement production casing w/ 260 sks Cement
Circulated 5 bbls cement to surface.

Set 5 1/2" Cement Retainer @ 1535'.

**Plug I, Inside 5 1/2" casing, Cement Retainer at 1535', 69 sks,
79.4 Cu.ft, Fruitland – Pictured Cliffs, 1073'-1578'.**

Fruitland Coal Perforated @ 1578' – 1592'

PBTD @ 1696', TD 1755'

Bitsili Com #90
30-045-33187
Basin Fruitland
1860' FNL & 1975' FEL
S19 T24N R9W
San Juan County, NM
Lat: 36.301715, Long: -107.828043

Formation Tops (Referenced for P & A)

- **Surface Casing – 128'**
- **Ojo Alamo – 536'**
- **Kirtland – 640'**
- **Fruitland – 1224'**
- **Perforations – 1578'-1592'**
- **Pictured Cliffs – 1590'**

Tyra Feil

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Sent: Tuesday, December 31, 2024 2:14 PM
To: Rennick, Kenneth G; Aliph Reena; Kade, Matthew H; Lucero, Virgil S; Porch, Dustin T; Diers, William B
Cc: Tyra Feil; Alex Prieto-Robles
Subject: RE: [EXTERNAL] RE: dugan_bitsili_com_90_cbl.pdf

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

NMOCD approves below

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division
North District
Cell Phone: 505-320-0243
Email - monica.kuehling@emnrd.nm.gov

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Tuesday, December 31, 2024 1:30 PM
To: Aliph Reena <Aliph.Reena@duganproduction.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Diers, William B <WDiers@blm.gov>
Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>
Subject: Re: [EXTERNAL] RE: dugan_bitsili_com_90_cbl.pdf

BLM finds the proposed procedure appropriate.

Get [Outlook for iOS](#)

From: Aliph Reena <Aliph.Reena@duganproduction.com>
Sent: Tuesday, December 31, 2024 1:28:04 PM
To: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Diers, William B <WDiers@blm.gov>
Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>
Subject: [EXTERNAL] RE: dugan_bitsili_com_90_cbl.pdf

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

RE: Dugan Production Corp.

API: 30-045-33187

Bitsili Com # 90

Based on the CBL the TOC behind casing appear to be around 110'. Will perforate at 100' and attempt to break circulation to surface. Casing has tested good.

Plug II; Kirtland-Ojo Alamo- Surface: Will do Inside plug from 690' to 436' inside casing. Will perforate at 100'. Spot & Squeeze to do Inside/outside plug from 178' to surface through BH.

Please let us know if we the revised proposal is acceptable to BLM & NMOCD and we will proceed accordingly.

Regards,

Aliph Reena

Engineering Supervisor

Dugan Production Corp.

Cell: 505-360-9192

From: Alex Prieto-Robles <arobles@aztecwell.com>

Sent: Tuesday, December 31, 2024 12:08 PM

To: Aliph Reena <Aliph.Reena@duganproduction.com>

Cc: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Vlucero@blm.gov; Dustin Porch <dporch@blm.gov>; wdiers@blm.gov; Tyra Feil <Tyra.Feil@duganproduction.com>

Subject: dugan_bitsili_com_90_cbl.pdf

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Alex Prieto

Rig Manager – San Juan Basin

Aztec Well Servicing Co.

P.O. Box 100

Aztec, New Mexico 87410

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 433056

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 433056
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	CBL submitted Well plugged 1/2/2025	2/28/2025