

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

### Sundry Print Report

Well Name: SAN JUAN 29-7 UNIT Well Location: T29N / R7W / SEC 15 /

NESW / 36.723892 / -107.561859

County or Parish/State: RIO

ARRIBA / NM

Well Number: 102R Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF077842 Unit or CA Name: SAN JUAN 29-7

UNIT--MV

Unit or CA Number:

NMNM78417A

US Well Number: 3003920514 Operator: HILCORP ENERGY

COMPANY

#### **Notice of Intent**

Released to Imaging: 3/26/2025 10:58:23 AM

**Sundry ID: 2842697** 

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 03/20/2025 Time Sundry Submitted: 03:34

Date proposed operation will begin: 03/31/2025

**Procedure Description**: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and Pictured Cliffs formations and downhole commingle with the existing Mesaverde formation. Please see the attached procedure, current and proposed wellbore diagram, plats and natural gas management plan. A closed loop system will be used. A pre-reclamation onsite is not needed, as the location is on Fee surface. \*Revised plats to new format,

#### **Surface Disturbance**

Is any additional surface disturbance proposed?: No

#### **NOI Attachments**

#### **Procedure Description**

San\_Juan\_29\_7\_Unit\_102R\_RC\_NOI\_20250320153232.pdf

Well Name: SAN JUAN 29-7 UNIT Well Location: T29N / R7W / SEC 15 /

NESW / 36.723892 / -107.561859

County or Parish/State: RIO

ARRIBA / NM

Well Number: 102R

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMSF077842

Unit or CA Name: SAN JUAN 29-7

UNIT--MV

**WELL** 

**Unit or CA Number:** 

NMNM78417A

**US Well Number: 3003920514** 

**Operator: HILCORP ENERGY** 

COMPANY

#### **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature:** CHERYLENE WESTON Signed on: MAR 20, 2025 03:34 PM

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Tech - Sr Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

**Phone**: (713) 289-2615

Email address: CWESTON@HILCORP.COM Released to Imaging: 3/26/2025 10:58:23 AM

#### **Field**

**Representative Name:** 

Street Address:

City: Zip:

Phone:

**Email address:** 

#### **BLM Point of Contact**

**BLM POC Name: MATTHEW H KADE BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647736 BLM POC Email Address: MKADE@BLM.GOV

**Disposition:** Approved **Disposition Date:** 03/21/2025

Signature: Matthew Kade

Form 3160-5

# UNITED STATES

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

(June 2019)	DEF	PARTMENT OF THE I	NTERIOR		Expires: October 31, 2021				
	BUR	EAU OF LAND MAN	AGEMENT		5. Lease Serial No.	NMSF07784	2		
	not use this i	NOTICES AND REPO form for proposals t Use Form 3160-3 (A	o drill or to r	e-enter an	6. If Indian, Allottee or Trib	e Name			
	SUBMIT IN	TRIPLICATE - Other instru	uctions on page 2	?	7. If Unit of CA/Agreement, Name and/or No.  SAN JUAN 29-7 UNIT-MV/NMNM78417A				
1. Type of Well Oil W	'ell ✓ Gas V	Vell Other		8. Well Name and No. SAN JUAN 29-7 UNIT/102R					
2. Name of Operator	_	_	9. API Well No. 30039205	4.4					
			10. Field and Pool or Explor						
3a. Address 1111 I	RAVIS STREET	, HOUSTON, TX 77002	clude area code)	BASIN/BLANCO MESAVERDE	ratory Area				
4. Location of Well (SEC 15/T29N/R7		R.,M., or Survey Description)		11. Country or Parish, State RIO ARRIBA/NM					
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDIC	CATE NATURE (	OF NOTICE, REPORT OR O	THER DATA			
TYPE OF SUI	BMISSION			TYPE	E OF ACTION				
Notice of Inter		Acidize Alter Casing Casing Repair		lic Fracturing [	Production (Start/Resume Reclamation  Recomplete		r Shut-Off Integrity r		
Final Abandor		Change Plans Convert to Injection	Plug and Plug Ba	d Abandon [	Temporarily Abandon Water Disposal				
is ready for final Hilcorp Energ commingle wi gas managen plats to new fo	inspection.)  y Company requesting the the existing Monent plan. A clossormat.	iests permission to recomplesaverde formation. Pleased loop system will be use	olete the subject se see the attach rd. A pre-reclama	well in the Fruitl	and Coal and Pictured Cliff urrent and proposed wellbo of needed, as the location is	rs formations a	and downhole lats and natural		
CHERYLENE WES		true and correct. Name ( <i>Pri</i>		Operations/Regulatory Tech - Sr Title					
Signature (Elec	etronic Submissio	on)	D	ate	03/20	/2025			
		THE SPACE	FOR FEDER	RAL OR STA	TE OFICE USE				
Approved by  MATTHEW H KAI	DE / Ph: (505) 56	64-7736 / Approved		Petrole Title	eum Engineer	Date	03/21/2025		
certify that the applica	ant holds legal or	hed. Approval of this notice of equitable title to those rights aduct operations thereon.		RMINGTON					
		3 U.S.C Section 1212, make			and willfully to make to any	department or	agency of the United States		

(Instructions on page 2)



#### HILCORP ENERGY COMPANY SAN JUAN 29-7 UN 102R RECOMPLETION SUNDRY

Prepared by:	Matthew Esz
Preparation Date:	July 26, 2024

	WELL INFORMATION								
Well Name:	SAN JUAN 29-7 UN 102R	State:	NM						
API#:	3003920514	County:							
Area:	10	Location:							
Route:	100	Latitude:							
Spud Date:	October 24, 1972	Longitude:							

#### PROJECT DESCRIPTION

Perforate, fracture, and comingle the Fruitland Coal and Pictured Cliffs with the existing Mesaverde zone.

CONTACTS									
Title	Name	Office Phone #	Cell Phone #						
Engineer	Matthew Esz		770-843-9226						
Area Foreman									
Lead									
Artificial Lift Tech									
Operator									




#### HILCORP ENERGY COMPANY SAN JUAN 29-7 UN 102R RECOMPLETION SUNDRY

#### JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 5,457'.
- 3. Set a 4-1/2" plug at +/- 3,848' to isolate the Mesa Verde.
- 4. Rig up wireline. Pull CBL and verify cement bonding.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Pictured Cliffs from 3082'-3240' and Fruitland Coal from 2,760'-3,082'.
- 8. Nipple down frac stack, nipple up BOP and test.
- 9. TIH with a mill and drill out top isolation plug and Fruitland Coal/ Pictured Cliffs frac plugs.
- 10. Clean out to Mesa Verde isolation plug.
- 11. Drill out Mesa Verde isolation plug and cleanout to PBTD of 5,575'. TOOH.
- 12. TIH and land production tubing. Get a commingled Fruitland Coal/Pictured Cliffs/Mesa Verde flow rate.




#### HILCORP ENERGY COMPANY SAN JUAN 29-7 UN 102R RECOMPLETION SUNDRY





#### HILCORP ENERGY COMPANY SAN JUAN 29-7 UN 102R RECOMPLETION SUNDRY



Received by OCD: 3/24/2025 8:56:23 AM-Santa Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462 General Information

Phone: (505) 629-6116

Online Phone Directory Visit:

attps://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION


	Revised July 9, 2024						
	Submit Electronically						
	via OCD Permitting						
Е	☐ Initial Submittal						
Г	☐ Amended Report						

Submittal

								Type:	☐ Amended	Report
								-Jr -	☐ As Drilled	
					WELL LOCAT	TION INFORMATION	1			
API No 30-039	umber 9-20514		Pool Code 71629			Pool Name Basin Fruitland Coal (G	ias)			
Proper	ty Code		Property Na		<u> </u>	Well Number				
318713 OGRII			San Juan 2 Operator N						102R Ground Lev	vel Elevation
372171			Hilcorp Ene		any				6261'	
Surfac	e Owner: 🗆 S	State ⊠ Fee □	] Tribal □ Fe	deral		Mineral Owner:	☐ State ☐ Fee	□ Tribal 🗵	Federal	
					Surf	ace Location				
UL K	Section 15	Township 029N	Range 07W	Lot	Ft. from N/S 1840 S	Ft. from E/W 1550 W	Latitude 36.723617		Longitude -107.5620193	County Rio Arriba
					Bottom	1 Hole Location				
UL K	Section 15	Township 029N	Range 07W	Lot	Ft. from N/S 1840 S	Ft. from E/W 1550 W	Latitude 36.723617		Longitude -107.5620193	County Rio Arriba
- ·		T		T = ~ :	*** !! . ***		T			
	Dedicated Acres   Infill or Defining Well   Defining W   320.00 - W/2   Infill   30-039-294			-	Overlapping Spacii N	ng Unit (Y/N)	Consolida U	tion Code		
Order Numbers.					Well setbacks are u	ınder Common (	Ownership:	⊠Yes □No		
					Kick O	off Point (KOP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
					First Ta	ake Point (FTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
					Last Ta	ake Point (LTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
							<u> </u>	•		
Unitize	ed Area or Ar	rea of Uniform l	Interest	Spacing	g Unit Type 🗌 Horiz	izontal □ Vertical Ground Floor Elevation: 6261'				
OPER	ATOR CERT	TIFICATIONS				SURVEYOR CERTIF	FICATIONS			
I hereby my know organiz includin location interest, entered Sw/If th consent	y certify that the wledge and bel- aution either ow ing the proposed in pursuant to a in, or to a volunte thy the division in this well is a hor, to of at least one	ne information con iief, and, if the wei ns a working inte d bottom hole loca contract with an a ary pooling agree i. izontal well, I fur, lessee or owner o	Il is a vertical or erest or unleased ation or has a rig owner of a workl ement or a comp ther certify that of a working inte	r directional d mineral ini ght to drill t ing interest o pulsory pooli this organiz erest or unlea	terest in the land this well at this or unleased mineral ing order heretofore eation has received the ased mineral interest	I hereby certify that the surveys made by me or u my belief.	well location sho			
interval	will be located	d or obtained a co	ompulsory poolir	ng order fro		D. CLEZI				
Signatur	<u>rylene</u> re	<u>Weston</u>	Date	3/20/20	25	David Kilven Signature and Seal of Profe	essional Surveyor			
Che	rylene We	ston, Operat	tions/Regul	atory Te	ech-Sr.					
Printed 1	Name					Certificate Number 1760	Date of Surve 4/7/1972	ey		
	ton@hilco	orp.com				1700	1,7/12/2			
Email A	ddrece					i .	1			

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

nttps://www.emnrd.nm.gov/ocd/contact-us/

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

Revised July 9, 2024
Submit Electronically via OCD Permitting
☐ Initial Submittal
☐ Amended Report
☐ As Drilled

Submittal Type:

					WELL LOCA	TION INFORMATION	Ī			
API Nu	mber		Pool Code			Pool Name				
30-039-			72359			Blanco Pictured Cliffs (	Gas)			
Property			Property Na					Well Numb	er	
318713			San Juan 29					102R		
OGRID	No.		Operator Na						el Elevation	
372171			Hilcorp Ene		ıy			6261'		
Surface Owner: □ State ☒ Fee □ Tribal □ Federal Mineral Owner: □ State □ Fee □ Tribal ☒ Federal										
					Sur	face Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
K	15	029N	07W	Lot	1840 S	1550 W	36.7236176	-107.5620193	Rio Arriba	
11		02711	""		1010 5	1550 11	30.7230170	107.5020175	THE THIEG	
Bottom Hole Location										
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
K	15	029N	07W		1840 S	1550 W	36.7236176	-107.5620193	Rio Arriba	
		1		T						
	ted Acres	Infill or Defin	ning Well	Defining	; Well API	Overlapping Spacia	- ' '	dation Code		
320.00	-W/2	Defining				N U				
Order N	Jumbers.	l		I		Well setbacks are under Common Ownership: ⊠Yes □No				
					Kick (	Off Point (KOP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
									,	
				_	First T	ake Point (FTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
	ı	1	ı	T	Last T	ake Point (LTP)		1		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
TT *.*	1.4	CTT 'C ~		Ι			0 15	DI 4'	1	
Unitize	d Area or Are	ea of Uniform I	nterest	Spacing	∪nıt Type ⊔ Hor	izontal 🗆 Vertical	Ground Floor	Elevation:		
							6261'			
						T				
OPERATOR CERTIFICATIONS						SURVEYOR CERTIFICATIONS				

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Sw/If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Cherylene	Weston

3/20/202

Signature

Cherylene Weston, Operations/Regulatory Tech-Sr. Printed Name

cweston@hilcorp.com Email Address Date

\_\_\_\_ David Kilven

my belief.

Signature and Seal of Professional Surveyor

Certificate Number 1760

Date of Survey 4/7/1972


I hereby certify that the well location shown on this plat was plotted from field notes of actual

surveys made by me or under my supervision, and that the same is true and correct to the best of

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



#### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

#### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

#### Section 1 – Plan Description <u>Effective May 25, 2021</u>

I. Operator: Hilcorp E	nergy Compan	У	OGRID:	372171	Date:	03 / 20 / 2025
II. Type: ☒ Original ☐	☐ Amendment	due to □ 19.15.27	7.9.D(6)(a) NMAC	□ 19.15.27.9.D(	(6)(b) NMAC □	Other.
If Other, please describe	»:					
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
San Juan 29-7 Unit 102R	3003920514	K-15-29N-07W	1840' FSL, 1550' FW	L 0 bbl/d	350 mcf/d	5 bbl/d
V. Anticipated Schedul proposed to be recomple  Well Name	le: Provide the	following informa		or recompleted w	vell or set of wells	
San Juan 29-7 Unit 102R	3003920514					<u>2024</u>
VII. Operational Pract Subsection A through F	tices:  Attacle of 19.15.27.8 1  The restriction of	sh a complete desc NMAC. ☑ Attach a comple	cription of the acti	ions Operator wil	I take to comply	at to optimize gas capture.  with the requirements of tices to minimize venting

#### Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map.   Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system	□ will □ will:	not have capacity t	o gather 10	00% of the anticipa	ited natural gas
production volume from the well	prior to the date of firs	st production.				

XIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or portion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s)

$\neg$	Attach Omana	tan'a mlan ta		duction i		to the increa	ased line pressu	
	Affach Unerai	tor's nian to	n manage nro	auction i	n resnonse	to the incres	ased line nressii	.re

XIV. Confidentiality:   Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information providentiality.	vided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific info	rmation
for which confidentiality is asserted and the basis for such assertion.	

(i)

## Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.  $\square$  Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) power generation for grid; **(b)** (c) compression on lease; (d) liquids removal on lease; (e) reinjection for underground storage; **(f)** reinjection for temporary storage; reinjection for enhanced oil recovery; **(g)** fuel cell production; and (h)

#### Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston
Printed Name:	Cherylene Weston
Title:	Operations/Regulatory Tech-Sr.
E-mail Address:	cweston@hilcorp.com
Date:	3/20/2025
Phone:	713-289-2615
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of A	pproval:

#### VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

#### VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
  - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
  - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
  - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
  - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
  - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
  - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
  - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
  - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
  - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

#### VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 444801

#### **CONDITIONS**

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	444801
	Action Type:
	[C-103] NOI Recompletion (C-103E)

#### CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Notify the OCD inspection supervisor via email 24 Hours Prior to beginning operations.	3/26/2025
ward.rikala	Down Hole Commingle order is required prior to commingling of production.	3/26/2025
ward.rikala	All conducted logs shall be submitted to the OCD as a [UF-WL] EP Well Log Submission (WellLog).	3/26/2025
ward.rikala	If Cement is not adequate to protect casing and isolate strata: (a) the uppermost perforation in each additional pool to at least 150 feet above that perforation; and (b) the lowermost perforation in each added pool to at least 100 feet below that perforation, the appropriate Inspection supervisor shall be consulted and remedial action conducted as directed.	3/26/2025
ward.rikala	A C-104 packet is required if, a pool is added, or perforations are added above or below existing perfs.	3/26/2025