

Well Name: GREEN LIGHT FED COM	Well Location: T24S / R35E / SEC 36 / TR O / 32.167459 / -103.317461	County or Parish/State: LEA / NM
Well Number: 303H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138897	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002550729	Well Status: Drilling Well	Operator: FRANKLIN MOUNTAIN ENERGY LLC

Subsequent Report

Sundry ID: 2731299

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/16/2023

Time Sundry Submitted: 02:52

Date Operation Actually Began: 04/27/2023

Actual Procedure: Franklin Mountain Energy, LLC (FME), Operator of the captioned well, respectfully submits the below drilling operations notice for record. Set 1st Intermediate: H&P 518 rigged up on the Green Light Fed Com 303H and was re-spud 4/27/23. Drilled and cased the 1st intermediate section. Wellbore construction details below: Drilled 1st intermediate 12.25" hole to 5,448' TD 4/28/23. PJSM WITH H&P RIG PERSONNEL AND TWOPRO CASING CREW, RIG UP TO RUN 9 5/8. FINISH RIG UP CASING CREW, AND RUN 9 5/8" 40# HCL-80 FLOAT SHOE, 1 JOINT, FLOAT COLLAR, 1 JOINT, FILL PIPE, AND TEST FLOATS. RUN 130 JOINTS OF 9 5/8" 40# HCL-80 BTC, (TOTAL JOINTS RAN 132 JOINTS). FILL PIPE ON ON THE FLY, PICK UP WT 250, SLACK OFF WT 130 SET CASING SHOE @ 5,432.88', TOP OF FLOAT COLLAR @ 5,386.47'. TEST CASING @ 1,500 PSI FOR 30 MINS "Cemented 9.625"" casing as follows: RIG UP AMERICAN CEMENTERS. PRESSURE TEST LINES TO 5,000 PSI. PUMP 40 BBLS OF 8.34 PPG DYED SPACER @ 5 BPM. PUMP 1,691 SXS (436 BBLS) OF 12.8 PPG LEAD CEMENT, 1.45 YLD, 6.9 GAL/SKS @ 6 BPM. PUMP 220 SXS (52 BBLS) OF 14.8 PPG TAIL CEMENT, 1.33 YLD, 6.3 GAL/SKS @ 5 BPM. DROP PLUG AND DISPLACE WITH 408 BBLS OF FRESH WATER @ 8 BPM, DROPPED TO 6 BPM SLOW DOWN TO 3 BPM AT 380 BBLS AWAY, 1,780 PSI. BUMP PLUG AT 408 BBLS TO 2,360 PSI. FINAL CIRCULATION PRESSURE 1,780 PSI. RECIEVED 40 BBLS SPACER AND 122 BBLS CEMENT TO SURFACE. BLED 3.75 BBLS BACK, FLOATS HELD, HAD STEADY LIFT PRESSURE THROUGHOUT CEMENT JOB. TOP OF TAIL 4,563'. CEMENT USED CLASS C HSR"

Well Name: GREEN LIGHT FED COM	Well Location: T24S / R35E / SEC 36 / TR O / 32.167459 / -103.317461	County or Parish/State: LEA / NM
Well Number: 303H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138897	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002550729	Well Status: Drilling Well	Operator: FRANKLIN MOUNTAIN ENERGY LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TRAVIS BIGGART	Signed on: MAY 16, 2023 02:52 PM
Name: FRANKLIN MOUNTAIN ENERGY LLC	
Title: Sr. Operations Analyst	
Street Address: 44 COOK STREET, SUITE 100	
City: DENVER	State: CO
Phone: (830) 525-8868	
Email address: TBIGGART@FMELLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/18/2023
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 231337

CONDITIONS

Operator: Franklin Mountain Energy LLC 6001 Deauville Blvd. Midland, TX 79706	OGRID: 373910
	Action Number: 231337
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	5/2/2025