

Submit a Copy To Appropriate District

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-015-39237</b>
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator <b>Permian Resources Operating, LLC</b>		6. State Oil & Gas Lease No. <b>V-1576</b>
3. Address of Operator <b>300 N. Marienfeld St., Suite 1000, Midland, Texas 79701</b>		7. Lease Name or Unit Agreement Name <b>Parkway 36 State</b>
4. Well Location Unit Letter <b>M</b> : <b>660</b> feet from the <b>S</b> line and <b>440</b> feet from the <b>W</b> line Section <b>36</b> Township <b>19S</b> Range <b>29E</b> NMPM County <b>Eddy</b>		8. Well Number <b>#4H</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3,330' GR</b>		9. OGRID Number <b>372165</b>
		10. Pool name or Wildcat <b>Parkway (Bone Spring)</b>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**JMR Services, LLC plugged this well from 04/08/2025-04/24/2025.**  
**Please see the attached P&A Subsequent Report.**

Spud Date: 3/14/2013 Rig Release Date: 4/18/2013

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jessica Dooling TITLE Regulatory Specialist DATE 5/6/2025

Type or print name Jessica Dooling E-mail address: jessica.dooling@permianres.com PHONE: 432-999-3072

**For State Use Only**

APPROVED

BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_ Conditions \_\_\_\_\_

of Approval (if any):

**P&A Subsequent Report  
Permian Resources Operating, LLC  
Parkway 36 State #4H  
30-015-39237**

**04/08/25** MIRU plugging equipment. NU BOP. RIH w/ guage ring to 8,650'. POH. Set 4 1/2" CIBP & 95 jts of tbg.

**04/09/25-04/10/25** Set 4 1/2" CIBP @ 8,650' Sheared off plug & CIBP dropped to bottom. Set 4 1/2" CIBP on liner top @ 8,578'. Notified Bobby w/ NMOCD & was requested to RIH w/ 7" CICR. POH w/ 4 1/2" CIBP. RIH w/ 7" pkr @ 7,824'. Pumped 75 bbls H2O, csg did not load. Pumped 4 bbls down tbg & pressured up to 1500 psi.

**04/11/25** Notified Bobby w/ NMOCD. Spotted 60 sxs class H cmt @ 8,585-8,289' per NMOCD's approval. WOC.

**04/14/25** Tagged TOC @ 8,200'. Pumped 320 bbls MLF, well would not circulate.

**04/15/25** Pressure tested csg from 3,214' to surface with a leak of 3 bbls per minute @ 500 psi. Ran CBL from 7,558-1,000'.

**04/16/25** Pumped 10 bbls down 9 5/8" & pressured up on surface to 500 psi. Spotted 45 sxs class C cmt @ 5,489-5,572'. WOC & tagged @ 5,527'. Spotted 60 sxs class C cmt @ 3,573-3,352'. WOC.

**04/17/25** Tagged TOC @ 3,204'. Spotted 75 sxs class C cmt @ 1,748-1,483'. WOC.

**04/22/25** Tagged TOC @ 1,695'. Spotted 75 sxs class C cmt @ 1,695-1,234'. WOC & tagged @ 1,235'. Spotted 75 sxs class C cmt @ 1,235-774'. WOC.


**04/23/25** Tagged TOC @ 842'. Perf'd @ 422'. ND BOP. Sqz'd 170 sxs class C cmt @ 422' & circulate to surface.

**04/24/25** Moved in backhoe & welder. Dug out cellar. Cut off wellhead & verified cmt at surface. Installed an above ground DHM.

Post PA WBD

Permian Resources			PLUGGED		
Author:	Abby @ JMR		Well No.	#4H	
Well Name	Parkway 36 State		API #:	30-015-39237	
Field	Parkway (Bone Sp)		Location	660' FSL & 440' FWL	
County	Eddy			Sec 36, T19S, R29E	
State	NM			3,330'	
Spud Date	3/14/2013		GL		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Conductor	30			113			
Surface	20	J55	94#	372	26	1,225	
Inter Csg 1	13 3/8	J55	48 & 54.5#	1,533	17 1/2	1,025	
Inter Csg 2	9 5/8	J55	36#	3,523	12 1/4	1,000	
Inter Csg 3	7	P110	26#	8,585	8 3/4	1,050	
Production	4 1/2	P110		8585-12585		0	



30 csg set @ 113 with 0 cmt sx  
Plug #7: Perf'd @ 422'. Sqz'd 170 sxs class C cmt @ 422' & circulate to surface.

20 csg set @ 372 with 1,225 cmt sx  
Plug #6: Spotted 75 sxs class C cmt @ 1,235-774'. WOC & tagged @ 842'.

13 3/8 csg set @ 1,533 1,025 cmt sx  
Plug #5: Spotted 75 sxs class C cmt @ 1,695-1,234'. WOC & tagged @ 1,235'.

Plug #4: Spotted 75 sxs class C cmt @ 1,748-1,483'. WOC & Tagged TOC @ 1,695'.

9 5/8 csg set @ 3,523 with 1,000 cmt sx  
Plug #3: Spotted 60 sxs class C cmt @ 3,573-3,352'. WOC & Tagged @ 3,204'.

Plug #2: Spotted 45 sxs class C cmt @ 5,489-5,572'. WOC & tagged @ WOC & tagged @ 5,527'.

Plug #1: Spotted 60 sxs class H cmt @ 8,585-8,289'. WOC & Tagged @ 8,200'.

7 csg set @ 8,585 with 1,050 cmt sx

Perfs @ 8,698-12,513'

4 1/2 Liner @ 8585-12585 with 0 cmt sx

TD @ 12,591'

Formation Tops	
Anhy	164
T/Salt	321
B/Salt	1216
Reef	1698
Delaware	3402
Bone Spring	5760

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 459722

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459722
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	5/9/2025
gcordero	Submit C-103Q within one year of plugging.	5/9/2025