

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-56472
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name JUNO 26/25 STATE COM 526H
8. Well Number
9. OGRID Number 14744
10. Pool name or Wildcat AVALON; BONE SPRING/PENLON; BONE SPRING; EAST

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other	
2. Name of Operator MEWBOURNE OIL COMPANY	
3. Address of Operator 4801 BUSINESS PARK BLVD HOBBS NM 88241	
4. Well Location Unit Letter M : 630 feet from the S line and 210 feet from the W line Section 26 Township 20S Range 27E NMPM County EDDY	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3273' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☒ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: ☒
--	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Mewbourne Oil Company requests approval for the following changes to the APD API (30-015-56472)

1. Change the dedicated acreage from 160 acres to 320 acres in Avalon Bone Spring pool.
2. Change the dedicated acreage from 160 acres to 320 acres in Penlon Bone Spring East pool.

Spud Date:

05/01/2025

Rig Release Date:

05/01/2025

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Brett Miller TITLE PETROLEUM ENGINEER DATE 05/01/2025

Type or print name Brett Miller E-mail address: brett.miller@mewbourne.com PHONE: 505-280-6768
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☒ Initial Submittal
				☐ Amended Report
		☐ As Drilled		

WELL LOCATION INFORMATION

API Number 30-015-56472	Pool Code 3714	Pool Name AVALON; BONE SPRING
Property Code 337109	Property Name JUNO 26/25 STATE COM	Well Number 526H
OGRID No. 14744	Operator Name MEWBOURNE OIL COMPANY	Ground Level Elevation 3273'
Surface Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal		Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal

Surface Location

UL M	Section 26	Township 20S	Range 27E	Lot	Ft. from N/S 630 FSL	Ft. from E/W 210 FWL	Latitude 32.5388546°N	Longitude 104.2598602°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	--------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Bottom Hole Location

UL I	Section 25	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 100 FEL	Latitude 32.5423323°N	Longitude 104.2264481°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Dedicated Acres 320	Infill or Defining Well INFILL	Defining Well API JUNO 26-25 STATE COM #606H	Overlapping Spacing Unit (Y/N) Y	Consolidation Code C
Order Numbers. N/A			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL L	Section 26	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 10 FWL	Latitude 32.5423484°N	Longitude 104.2604846°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	-------------------------------	---------------------------------	-----------------------------------	-----------------------



First Take Point (FTP)

UL L	Section 26	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 100 FWL	Latitude 32.5423467°N	Longitude 104.2601926°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Last Take Point (LTP)

UL I	Section 25	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 100 FEL	Latitude 32.5423323°N	Longitude 104.2264481°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Unitized Area or Area of Uniform Interest N/A	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3273'
--	--	----------------------------------

OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> Brett Miller 03/14/2025		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.</i> 	
Signature Brett Miller		Signature and Seal of Professional Surveyor 	
Printed Name brett.miller@mewbourne.com		Certificate Number 19680	Date of Survey 11/06/2024
Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

JUNO 26/25 STATE COM #526H



CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1942"
N: 559145.3 - E: 563765.8

B: FOUND BRASS CAP "1942"
N: 561778.2 - E: 563779.6

C: FOUND BRASS CAP "1942"
N: 564411.2 - E: 563796.1

D: FOUND BRASS CAP "1942"
N: 564404.0 - E: 566440.7

E: FOUND BRASS CAP "1942"
N: 564397.5 - E: 569088.3

F: FOUND BRASS CAP "1942"
N: 564422.8 - E: 571725.2

G: FOUND BRASS CAP "1941"
N: 564449.5 - E: 574361.2

H: FOUND BRASS CAP "1941"
N: 561805.3 - E: 574377.0

I: FOUND BRASS CAP "1941"
N: 559148.6 - E: 574366.9

J: FOUND BRASS CAP "1942"
N: 559136.1 - E: 571681.7

K: FOUND BRASS CAP "1942"
N: 559124.8 - E: 569044.6

L: FOUND BRASS CAP "1942"
N: 559128.5 - E: 566415.8

M: FOUND BRASS CAP "1942"
N: 561755.0 - E: 569075.1

GEODETIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

630' FSL & 210' FWL (SEC.26)
N: 559773.8 - E: 563979.1

LAT: 32.5388546° N
LONG: 104.2598602° W

KICK OFF POINT (KOP)

1900' FSL & 10' FWL (SEC.26)
N: 561044.7 - E: 563785.8

LAT: 32.5423484° N
LONG: 104.2604846° W

FIRST TAKE POINT (FTP)

1900' FSL & 100' FWL (SEC.26)
N: 561044.1 - E: 563875.8

LAT: 32.5423467° N
LONG: 104.2601926° W

BOTTOM HOLE/LAST TAKE POINT (LTP/BH)

1900' FSL & 100' FEL (SEC.25)
N: 561047.7 - E: 574274.2

LAT: 32.5423323° N
LONG: 104.2264481° W

JOB #: LS24110906D1

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☒ Initial Submittal
				☐ Amended Report
		☐ As Drilled		

WELL LOCATION INFORMATION

API Number 30-015-56472	Pool Code 96213	Pool Name PENLON; BONE SPRING, EAST
Property Code 337109	Property Name JUNO 26/25 STATE COM	Well Number 526H
OGRID No. 14744	Operator Name MEWBOURNE OIL COMPANY	Ground Level Elevation 3273'
Surface Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal		Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal

Surface Location

UL M	Section 26	Township 20S	Range 27E	Lot	Ft. from N/S 630 FSL	Ft. from E/W 210 FWL	Latitude 32.5388546°N	Longitude 104.2598602°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	--------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Bottom Hole Location

UL I	Section 25	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 100 FEL	Latitude 32.5423323°N	Longitude 104.2264481°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Dedicated Acres 320	Infill or Defining Well INFILL	Defining Well API JUNO 26-25 STATE COM #606H	Overlapping Spacing Unit (Y/N) Y	Consolidation Code C
Order Numbers. N/A			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL L	Section 26	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 10 FWL	Latitude 32.5423484°N	Longitude 104.2604846°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	-------------------------------	---------------------------------	-----------------------------------	-----------------------



First Take Point (FTP)

UL L	Section 26	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 100 FWL	Latitude 32.5423467°N	Longitude 104.2601926°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Last Take Point (LTP)

UL I	Section 25	Township 20S	Range 27E	Lot	Ft. from N/S 1900 FSL	Ft. from E/W 100 FEL	Latitude 32.5423323°N	Longitude 104.2264481°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Unitized Area or Area of Uniform Interest N/A	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3273'
--	--	----------------------------------

OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> Brett Miller 03/14/2025		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.</i> 	
Signature Brett Miller		Signature and Seal of Professional Surveyor 	
Printed Name brett.miller@mewbourne.com		Certificate Number 19680	Date of Survey 11/06/2024
Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

JUNO 26/25 STATE COM #526H



CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1942"
N: 559145.3 - E: 563765.8

B: FOUND BRASS CAP "1942"
N: 561778.2 - E: 563779.6

C: FOUND BRASS CAP "1942"
N: 564411.2 - E: 563796.1

D: FOUND BRASS CAP "1942"
N: 564404.0 - E: 566440.7

E: FOUND BRASS CAP "1942"
N: 564397.5 - E: 569088.3

F: FOUND BRASS CAP "1942"
N: 564422.8 - E: 571725.2

G: FOUND BRASS CAP "1941"
N: 564449.5 - E: 574361.2

H: FOUND BRASS CAP "1941"
N: 561805.3 - E: 574377.0

I: FOUND BRASS CAP "1941"
N: 559148.6 - E: 574366.9

J: FOUND BRASS CAP "1942"
N: 559136.1 - E: 571681.7

K: FOUND BRASS CAP "1942"
N: 559124.8 - E: 569044.6

L: FOUND BRASS CAP "1942"
N: 559128.5 - E: 566415.8

M: FOUND BRASS CAP "1942"
N: 561755.0 - E: 569075.1

GEODETIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

630' FSL & 210' FWL (SEC.26)
N: 559773.8 - E: 563979.1

LAT: 32.5388546° N
LONG: 104.2598602° W

KICK OFF POINT (KOP)

1900' FSL & 10' FWL (SEC.26)
N: 561044.7 - E: 563785.8

LAT: 32.5423484° N
LONG: 104.2604846° W

FIRST TAKE POINT (FTP)

1900' FSL & 100' FWL (SEC.26)
N: 561044.1 - E: 563875.8

LAT: 32.5423467° N
LONG: 104.2601926° W

BOTTOM HOLE/LAST TAKE POINT (LTP/BH)

1900' FSL & 100' FEL (SEC.25)
N: 561047.7 - E: 574274.2

LAT: 32.5423323° N
LONG: 104.2264481° W

JOB #: LS24110906D1

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 457567

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 457567
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Any previous COA's not addressed within the updated COA's still apply.	5/20/2025