

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

<b>Well Name:</b> POKER LAKE UNIT 30-19 BS	<b>Well Location:</b> T25S / R31E / SEC 30 / NWNE / 32.10707 / -103.817197	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 103H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMLC061634B	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM71016X
<b>US Well Number:</b> 3001553547	<b>Well Status:</b> Drilling Well	<b>Operator:</b> XTO PERMIAN OPERATING LLC

### Subsequent Report

**Sundry ID:** 2767723

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 01/02/2024

**Time Sundry Submitted:** 11:11

**Date Operation Actually Began:** 12/23/2023

**Actual Procedure:** 12/18/23 Tested BOP as follows: Upper/lower/blind rams, choke manifold- 250/ 10K. Annular- 250/3500. Mud lines- 250/6500. All tests held for 10 min. Good. 12/19/23 Drill 8.75 inch hole to 10,802 ft. on 12/23/23 12/23/23 Run 7.625 inch, 29.70 # L-80 casing set 10,787 ft. 12/23/23 Cement casing with 515 sx, 113 bbls, 1.23 yld, 15.6 ppg Class C Tail Cement. Perform Offline Bradenhead Squeeze with 660 sx, 172 bbls, 1.46 yld, 14.8 ppg Class Cement. WOC. Tested intermediate csg to 2250 for 30 min. Good. Bump plug. 30 bbls of cement returned to surface. (Total 1,175 sx cmt)

**Well Name:** POKER LAKE UNIT 30-19  
BS**Well Location:** T25S / R31E / SEC 30 /  
NWNE / 32.10707 / -103.817197**County or Parish/State:** EDDY /  
NM**Well Number:** 103H**Type of Well:** CONVENTIONAL GAS  
WELL**Allottee or Tribe Name:****Lease Number:** NMLC061634B**Unit or CA Name:****Unit or CA Number:**  
NMNM71016X**US Well Number:** 3001553547**Well Status:** Drilling Well**Operator:** XTO PERMIAN  
OPERATING LLC

### Operator

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

**Operator Electronic Signature:** AMANDA THAMES**Signed on:** JAN 02, 2024 11:10 AM**Name:** XTO PERMIAN OPERATING LLC**Title:** Regulatory Analyst**Street Address:** 6401 HOLIDAY HILL ROAD BLDG 5**City:** MIDLAND**State:** TX**Phone:** (432) 221-7340**Email address:** AMANDA.THAMES@EXXONMOBIL.COM

### Field

**Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:**

### BLM Point of Contact

**BLM POC Name:** JONATHON W SHEPARD**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5752345972**BLM POC Email Address:** jshepard@blm.gov**Disposition:** Accepted**Disposition Date:** 01/09/2024**Signature:** Jonathon Shepard

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 301931

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 301931
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
keith.dziokonski	• A CBL is required to be submitted for each string that does not circulate cement to the surface. All casing strings that utilize a bradenhead squeeze cementing program are required to run and submit a CBL.	5/30/2025