

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-54643
5. Indicate Type of Lease
STATE [ ] FEE [x]
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name
Sandlot 9/8 Fee
8. Well Number 523H
9. OGRID Number 14744
10. Pool name or Wildcat
Esperanza; Bonespring
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
KB: 3133

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)
1. Type of Well: Oil Well [x] Gas Well [ ] Other [ ]
2. Name of Operator
Mewbourne Oil Company
3. Address of Operator
PO Box 5270, Hobbs, NM 88241
4. Well Location
Unit Letter D : 295 feet from the North line and 760 feet from the West line
Section 10 Township 22S Range 27E NMPM 83 County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
KB: 3133

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ]
TEMPORARILY ABANDON [ ] CHANGE PLANS [ ]
PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ]
DOWNHOLE COMMINGLE [ ]
CLOSED-LOOP SYSTEM [ ]
OTHER: [x]
SUBSEQUENT REPORT OF:
REMEDIAL WORK [ ] ALTERING CASING [ ]
COMMENCE DRILLING OPNS. [ ] P AND A [ ]
CASING/CEMENT JOB [ ]
OTHER: [ ]

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Mewbourne Oil Company requests that the following changes be made to the Sandlot 9/8 Fee #523H Well (API #30-015-54643):

- 1. Change SHL f/ 295 FNL & 760 FWL (10) to 515 FNL & 570 FWL (10)
2. Change BHL f/ 1980 FNL & 100 FWL (8) to 1700 FNL & 100 FWL (8)
3. Attached New C102 reflecting these changes.

Spud Date: 6/15/25

Rig Release Date: 8/15/25

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ryan McDaniel TITLE Engineer DATE 5/21/25

Type or print name Ryan McDaniel E-mail address: RyanMcDaniel@mewbourne.com PHONE: 575-393-5905

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):




ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

SANDLOT 9/8 FEE #523H



**GEODETTIC DATA**  
 NAD 83 GRID - NM EAST

**SURFACE LOCATION (SL)**  
 515' FNL & 570' FWL (SEC.10)  
 N: 514124.2 - E: 587402.8

LAT: 32.4133062° N  
 LONG: 104.1840566° W

**KICK OF POINT (KOP)**  
 1700' FNL & 473' FWL (SEC.10)  
 N: 512940.5 - E: 587308.3

LAT: 32.4100527° N  
 LONG: 104.1843680° W

**FIRST TAKE POINT (FTP)**  
 1700' FNL & 100' FWL (SEC.9)  
 N: 512946.0 - E: 586735.5

LAT: 32.4100701° N  
 LONG: 104.1862242° W

**BOTTOM HOLE (BH)**  
 1700' FNL & 100' FWL (SEC.8)  
 N: 512957.9 - E: 576348.9

LAT: 32.4101377° N  
 LONG: 104.2198812° W

**CORNER DATA**  
 NAD 83 GRID NM EAST

A: FOUND 1/2" REBAR N: 509295.4 - E: 576249.5	H: FOUND 1/2" REBAR N: 514605.4 - E: 592087.5
B: FOUND 1" IRON PIPE N: 514658.2 - E: 576248.6	I: FOUND 1/2" REBAR N: 511996.7 - E: 592113.3
C: FOUND 1" IRON PIPE N: 514641.5 - E: 578890.0	J: FOUND ALUMINUM CAP "PE & PS 5412" N: 509338.2 - E: 592118.7
D: FOUND 1" IRON PIPE N: 514624.6 - E: 581530.3	K: FOUND COTTON SPINDLE N: 509339.9 - E: 589478.7
E: FOUND 2" IRON PIPE N: 514672.0 - E: 584188.3	L: FOUND COTTON SPINDLE N: 509342.6 - E: 586839.8
F: FOUND 1/2" REBAR N: 514644.6 - E: 586833.4	M: FOUND 1/2" REBAR N: 509327.9 - E: 584195.2
G: FOUND 1/2" REBAR N: 514619.5 - E: 589464.7	N: FOUND 1/2" REBAR N: 509313.0 - E: 581561.0

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 465647

**CONDITIONS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 465647
	Action Type: [C-103] NOI Change of Plans (C-103A)

**CONDITIONS**

Created By	Condition	Condition Date
ward.rikala	Cement is required to circulate on both surface and intermediate1 strings of casing.	5/30/2025
ward.rikala	If cement is not circulated to surface during cementing operations, a Cement Bond Log (CBL) is required.	5/30/2025
ward.rikala	Any previous COA's not addressed within the updated COA's still apply.	5/30/2025