



Pre-Plugging Methane Emissions Monitoring Report

Haley Chaveroo 38


Prepared by TS-Nano, Inc.

For NM Energy, Minerals and Natural Resources Department, Oil Conservation Division
PO# 52100-0000079762

Well information

ID #: 30-005-20052
Name: Haley Chaveroo 38

Coordinates: 33.64793, -103.54691
Surface Location: Roosevelt County



Measurement notes

Device used: Ventbuster device VB100-0138

Test operator: Dwayne Smith

Gas sample taken from well: 5/21/25 12:00

Ventbuster connected to well: 6/9/25 8:41

Continuous monitoring of well flowrate, pressure,
and temperature

Hourly measurement of weather data

Ventbuster disconnected from well: 6/10/25 7:14

Notes: No remarkable observations

Gas sample delivered to laboratory: 5/23/25

Laboratory Name/Location: Laboratory Services / Hobbs, NM



Pre-Plugging Methane Emissions Monitoring Report

Haley Chaveroo 38

Measurement data

Wellhead pressure (kPa gage)*: less than detection limit (<10 kPa)

Average flow rate (Sm^3/d): -0.010


Average methane mass flow rate (g/hr)

using methane % from lab analysis: -0.05

Methane mass flowrate calculation

| Variable | Unit | Value |
|----------------------------------|--|---------------------------|
| Pressure (P) | kPaA | Std pressure, 101.3 KPaA |
| Volumetric flow (V) | Std m^3/day | Measured from the Unit |
| % methane | % (methane/gas) | Measured from lab sample |
| Temperature (T) | Kelvin | Std temperature, 288.13 K |
| Gas constant (R) | $\text{m}^3 \text{ Pa}/(\text{K mol})$ | 8.3144626 |
| Molecular weight of methane (Mw) | g/mole | 16.04 |

$$\text{Mass flow of methane} \left(\frac{\text{g}}{\text{hr}} \right) = \frac{\%, \text{methane}}{100\%} * V * P * \frac{Mw}{R T} * \frac{1000}{24}$$






Pre-Plugging Methane Emissions Monitoring Report

Haley Chaveroo 38

Weather data

Precipitation during measurement period (in): 0.000



| Date and Time | Air Temperature (°C) | Relative Humidity (%) | Barometric Pressure (kPaA) | Wind Speed (mph) |
|----------------|----------------------|-----------------------|----------------------------|------------------|
| 6/9/2025 9:00 | 16.7 | 86.8 | 87.00 | 0.0 |
| 6/9/2025 9:24 | 22.0 | 65.7 | 87.06 | 3.9 |
| 6/9/2025 10:00 | 21.5 | 68.1 | 87.06 | 6.1 |
| 6/9/2025 11:00 | 23.2 | 61.1 | 87.03 | 8.7 |
| 6/9/2025 12:00 | 24.1 | 59.4 | 87.03 | 3.4 |
| 6/9/2025 13:00 | 25.7 | 51.5 | 87.00 | 1.2 |
| 6/9/2025 14:00 | 26.9 | 50.4 | 87.00 | 3.9 |
| 6/9/2025 15:00 | 26.2 | 51.0 | 86.96 | 3.8 |
| 6/9/2025 16:00 | 27.0 | 48.8 | 86.89 | 6.1 |
| 6/9/2025 17:00 | 28.6 | 47.0 | 86.83 | 4.6 |
| 6/9/2025 18:00 | 28.1 | 48.8 | 86.73 | 3.1 |
| 6/9/2025 19:00 | 27.5 | 47.8 | 86.73 | 3.4 |
| 6/9/2025 20:00 | 26.8 | 48.9 | 86.73 | 3.7 |
| 6/9/2025 21:00 | 25.7 | 51.4 | 86.76 | 3.7 |
| 6/9/2025 22:00 | 24.2 | 56.6 | 86.83 | 1.9 |
| 6/9/2025 23:00 | 17.1 | 71.4 | 87.03 | 6.0 |
| 6/10/2025 0:00 | 14.9 | 94.9 | 87.17 | 5.7 |
| 6/10/2025 1:00 | 16.0 | 92.2 | 87.06 | 4.2 |
| 6/10/2025 2:00 | 15.8 | 91.5 | 86.89 | 4.4 |
| 6/10/2025 3:00 | 15.6 | 93.4 | 86.93 | 5.4 |
| 6/10/2025 4:00 | 14.6 | 93.9 | 86.93 | 1.9 |
| 6/10/2025 5:00 | 13.8 | 93.4 | 87.00 | 1.0 |
| 6/10/2025 6:00 | 13.8 | 93.9 | 86.93 | 0.0 |
| 6/10/2025 7:00 | 14.1 | 95.1 | 86.93 | 0.0 |
| 6/10/2025 8:00 | 13.2 | 95.5 | 87.03 | 0.6 |
| 6/10/2025 9:00 | 15.6 | 100.0 | 87.03 | 4.0 |
| 6/10/2025 9:10 | 19.3 | 100.0 | 87.03 | 6.1 |



24924G

Sample Point Code

30-005-20052

Sample Point Name

HALEY CHAVEROO #38

Sample Point Location

Laboratory Services

Source Laboratory

2025112709

Lab File No

BAG

Container Identity

DWAYNE SMITH - Spot

Sampler

USA

District

USA

Area Name

USA

Field Name

New Mexico

Facility Name

May 21, 2025

Date Sampled

May 1, 2025

Date Effective

May 27, 2025 08:18

Date Received

May 27, 2025

Date Reported

System Administrator

Ambient Temp (°F)

Flow Rate (Mcf)

Analyst

Press PSI @ Temp °F
Source Conditions

TS-Nano

Operator

NG

Lab Source Description

| Component | Normalized Mol % | Un-Normalized Mol % | GPM |
|--------------------|------------------|---------------------|---------|
| H2S (H2S) | 0.0000 | 0 | |
| Nitrogen (N2) | 7.7410 | 7.7412 | |
| CO2 (CO2) | 0.0270 | 0.0268 | |
| Methane (C1) | 17.4980 | 17.4978 | |
| Ethane (C2) | 0.7840 | 0.784 | 0.2100 |
| Propane (C3) | 1.4640 | 1.4641 | 0.4030 |
| I-Butane (IC4) | 4.3350 | 4.3351 | 1.4180 |
| N-Butane (NC4) | 11.0360 | 11.0363 | 3.4780 |
| I-Pentane (IC5) | 5.1960 | 5.196 | 1.9000 |
| N-Pentane (NC5) | 7.8040 | 7.8038 | 2.8280 |
| Hexanes Plus (C6+) | 44.1150 | 44.1149 | 19.1380 |
| TOTAL | 100.0000 | 100.0000 | 29.3750 |

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

Analyzer Information

Device Type:

Device Make:

Device Model:

Last Cal Date:

Gross Heating Values (Real, BTU/ft³)

| 14.696 PSI @ 60.00 Å°F | | 14.73 PSI @ 60.00 Å°F | |
|------------------------|-----------|-----------------------|-----------|
| Dry | Saturated | Dry | Saturated |
| 3,524.2 | 3,465.2 | 3,532.4 | 3,473.2 |

Calculated Total Sample Properties

GPA2145-16 *Calculated at Contract Conditions

Relative Density Real

Relative Density Ideal

2.3625

2.2543

Molecular Weight

65.2923

C6+ Group Properties

Assumed Composition

C6 - 60.000%

C7 - 30.000%

C8 - 10.000%

Field H2S

0 PPM

PROTREND STATUS:

Passed By Validator on May 27, 2025

DATA SOURCE:

Imported

PASSED BY VALIDATOR REASON:

Other, explain.

VALIDATOR:

Alexus Sepeda

VALIDATOR COMMENTS:

Hexanes at 44%



www.permianls.com

[illegible]

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 472850

DEFINITIONS

| | |
|--|---|
| Operator: RIDGEWAY ARIZONA OIL CORP. 575 N. Dairy Ashford Houston, TX 77079 | OGRID: 164557 |
| | Action Number: 472850 |
| | Action Type: [UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA) |

DEFINITIONS

The Orphan Well Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted plugging and reclamation activities. Specifically, these forms are used for orphan wells or associated facilities which are in a "Reclamation Fund Approved" status. This status represents wells or facilities where the OCD has acquired a hearing order allowing the OCD to perform plugging or reclamation on wells and associated facilities that no longer have a viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 472850

QUESTIONS

| | |
|--|---|
| Operator: RIDGEWAY ARIZONA OIL CORP. 575 N. Dairy Ashford Houston, TX 77079 | OGRID: 164557 |
| | Action Number: 472850 |
| | Action Type: [UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA) |

QUESTIONS

| | |
|----------------------------|--|
| Prerequisites | |
| [OGRID] Well Operator | [164557] RIDGEWAY ARIZONA OIL CORP. |
| [API] Well Name and Number | [30-005-20052] HALEY CHAVEROO SA UNIT #038 |
| Well Status | Active |

| | |
|---|-----------------------------|
| Monitoring Event Information | |
| <i>Please answer all the questions in this group.</i> | |
| Reason For Filing | Pre-Plug Methane Monitoring |
| Date of monitoring | 06/09/2025 |
| Latitude | 33.64793 |
| Longitude | -103.54691 |

| | |
|---|--------------|
| Monitoring Event Details | |
| <i>Please answer all the questions in this group.</i> | |
| Flow rate in cubic meters per day (m³/day) | 0.00 |
| Test duration in hours (hr) | 22.5 |
| Average flow temperature in degrees Celsius (°C) | 26.3 |
| Average gauge flow pressure in kilopascals (kPag) | 2.1 |
| Methane concentration in part per million (ppm) | 174,980 |
| Methane emission rate in grams per hour (g/hr) | 0.00 |
| Testing Method | Steady State |

| | |
|---|---------------|
| Monitoring Contractor | |
| <i>Please answer all the questions in this group.</i> | |
| Name of monitoring contractor | TS-Nano, Inc. |