

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-24522
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Contango Resources, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 111 E. 5th Street, Suite 300 Fort Worth, TX 76102		7. Lease Name or Unit Agreement NAME Marathon 25 State
4. Well Location Unit Letter A : 330 feet from the North line and 330 feet from the East line Section 25 Township 17S Range 28E NMPM Eddy County		8. Well Number 7
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3663' GR		9. OGRID Number 330447
		10. Pool name or Wildcat Red Lake, Qn-Grbg, SA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory DATE 05/16/2025
 Type or print name Alison Denner E-mail address: adenner@contango.com PHONE: 713-236-7456
 For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

8/5/24 – MIRU. RIH GR, stacked out at 911'
8/6/24 – RIH drill bit to 946'. Start drilling, getting metal returns. POOH
8/7/24 – RIH retrieving tool to 946', release CIBP & POOH. RIH w/ bit, 6 DCs & 15 stands, PU 33 jts. EOT @ 2181'
8/8/24 – RIH Tbg to 2750', drill out CIBP. RD swivel. Con't. in hole through bad spot @ 3000'. RU power swivel, RIH to 3454', start drilling to 3593', circ well clean. RD swivel. LD 1 jt, SB 48 jts.
8/9/24 – RIH to 3589', RU swivel, break circ & drill from 3589' to 3800', circ well w/ 80 bbls. RD swivel. PUH Tbg to 1921'
8/12/24 – RIH Tbg to 3800', RU swivel, break circ, start drilling, tag CIBP @ 3837'. Drill from 3837'-3839'. Circ well. PUH
8/13/24 – RIH Tbg to 3839', RU swivel, break circ, drill from 3839'-3887'. Circ well clean. RD swivel, SB tbg, LD DCs. RU WL – Set 5½ CIBP @ 3887'. RIH Tbg – Tag BP. Circ well w/ 90 bbl BW w/ 20 gal Plexgel. Spot 25sx cmt @ 3887'-3625'
8/14/24 – Tag TOC @ 3580'. RIH WL – Set 5½ CIBP @ 2818'. RIH Tbg – Spot 25sx cmt @ 2818'-2566'. WOC-Tag @ 2612'. RIH WL – Set 5½ CIBP @ 2187'. RU 3rd party WL – Run CBL @ 2187' to surf. RIH Tbg – Tag BP @ 2187' – Spot 25sx cmt @ 2187'-1935'
8/15/24 – Tag TOC @ 1947'. RIH WL – Perf @ 960', pressure to 500 psi, no inj. RIH Tbg to 1010' – Spot 70sx cmt @ 1010'-300'. WOC-Tag @ 293'. RIH WL – Perf @ 200'. Sqz 50sx cmt @ 200'-120'.
8/16/24 – Tag TOC @ 70'. RIH WL – Perf @ 70'. Circ 25sx cmt to surface. POOH, top off well. RDMO
8/27/24 – Well head cut off 3' below ground level and dry hole marker installed. Cut off anchors.



Marathon 25 State #007
30-015-24522
Contango Resources, LLC #330447

Post Plugging Report

8/5/24: MIRU. RIH GR, stacked out at 911'.

8/6/24: RIH drill bit to 946'. Start drilling, getting metal returns. POOH.

8/7/24: RIH retrieving tool to 946', release CIBP & POOH. RIH w/ bit, 6 DCs & 15 stands, PU 33 jts. EOT @ 2181'

8/8/24: RIH Tbg to 2750', drill out CIBP. RD swivel. Con't. in hole through bad spot @ 3000'. RU power swivel, RIH to 3454', start drilling to 3593', circ well clean. RD swivel. LD 1 jt, SB 48 jts.

8/9/24: RIH to 3589', RU swivel, break circ & drill from 3589' to 3800', circ well w/ 80'bbls. RD swivel. PUH Tbg to 1921'

8/12/24: RIH Tbg to 3800', RU swivel, break circ, start drilling, tag CIBP @ 3837'. Drill from 3837'-3839'. Circ well. PUH

8/13/24: RIH Tbg to 3839', RU swivel, break circ, drill from 3839'-3887'. Circ well clean. RD swivel, SB tbg, LD DCs. RU WL- Set 5½ CIBP @3887'. RIH Tbg-Tag BP. Circ well w/ 90 bbl BW w/20 gal Plexgel. Spot 25sx cmt @ 3887'-3625'

8/14/24: Tag TOC @3580'. RIH WL- Set 5½ CIBP @2818'. RIH Tbg-Spot 25sx cmt @2818'-2566'. WOC-Tag @2612'. RIH WL- Set 5½ CIBP @2187'. RU 3rd party WL-Run CBL @2187' to surf. RIH Tbg- Tag BP @2187' - Spot 25sx cmt @2187'-1935'

8/15/24: Tag TOC @ 1947'. RIH WL – Perf @ 960', pressure to 500 psi, no inj. RIH Tbg to 1010' - Spot 70sx cmt @ 1010'-300'. WOC-Tag @293'. RIH WL-Perf @200'. Sqz 50sx cmt @200'-120'.

8/16/24-Tag TOC@ 70'. RIH WL-Perf@ 70'. Circ 25sx cmt to surface. POOH, top off well. RDMO

8/27/24 - Well head cut off 3' below ground level and dry hole marker installed. Cut off anchors.

LEASE/WELL: MARATHON 25 STATE #007

LOCATION 330' FNL & 330' FEL
A-SEC 25-T17S-R28E

CO/ST: EDDY COUNTY, NEW MEXICO

FIELD: RED LAKE; QUEEN-GRAYBURG-SAN ANDRES

API NO. 30-015-24522

PLUGGED

GR 3663

SPUDDED 7/25/1983

COMPLETED 8/11/1983

RECOMPLETION 12/27/1983

P&A 9/28/1984

RE-ENTRY 7/7/1998

RECOMPLETION 4/13/2004

LAT 32.8131142

LONG -104.1225510

17-1/2" HOLE


13-3/8" 54.5# CONDUCTOR
CMT W/ 4 YDS REDI MIX TO SURF

11" HOLE

8-5/8" 28# S-80
CMT W/ 840 SX. CIRC W/ 1"

7-7/8" HOLE

5-1/2" 17# K-55
CMT W/ 1,210 SX POZ C & 400 SX H. CIRC.



5. Perf @ 200'. Sqz 50 sx cmt @ 120'-200'. Tag TOC @ 70'. Perf. @ 70' and circulate 25 sx to surface.

4. Perf @ 960'. Spot 70 sx cmt @ 300'-1010'. WOC and tag @ 293'.

3. Set 5 1/2" CIBP @ 2187'. Run CBL to surf. Circ hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 2187-1935'. WOC & Tag @ 1947'. PERFS: 2,237-2,263' (18 HOLES)

2. Set 5 1/2" CIBP @ 2818'. Spot 25 sx class cmt @ 2566' - 2818'. WOC & Tag TOC @ 2612' PERFS: 2,237-2,263' (18 HOLES)

-ACIDIZE W/ 2,500 GALS 15% NEFE
-FRAC W/ 40,000 GALS VIKING 30, 65,000# 16/30 BRADY & 25,000 12/20 BRADY

1. Tag 5 1/2" CIBP @ 2750'. Drill out through retainer @ 3,840'. Set CIBP @ 3,887'. Spot 25 sx cmt @ 3,625' - 3,887'. Tag TOC @ 3,580' CIBP @ 2,750'

PERFS: 2,868-3,320' (29 HOLES)

-ACIDIZE W/ 2,000 GALS 15% NEFE
-FRAC W/ 60,000 GALS SPECTRA FRAC 30, 90,000# 16/30 & 30,000# 12/20 BRADY

NEW PBDT FROM RE-ENTRY: 3,678'

RETAINER @ 3,840'. DUMPED 5 SX CL H ON TOP OF RETAINER.

GLORIETA PERFS: 3,918-3,931'; 3,976-3,982'
-ACIDIZE W/ 5,300 GALS 15% NEFE
-SQZ UNDER RETAINER @ 3,840' DURING P&A W/ 45 SX H.

ABO PERFS: 7,052-7,114'
-ACIDIZE W/ 2,300 GALS 15% NEFE
-FRAC W/ 4,000 GALS GELLED BRINE, 20,000 GALS XL GELLED 20% HCL
-TESTED UNECONOMIC; SQZ PERFS UNDER RETAINER @ 7,008' W/ 150 SX C NEAT. 12/26/1983
7,400'

TD: 7,400'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 464247

CONDITIONS

Operator: Contango Resources, LLC 3230 Camp Bowie Blvd FORT WORTH, TX 76107	OGRID: 330447
	Action Number: 464247
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	6/12/2025
gcordero	Submit C-103Q within one year of plugging.	6/12/2025