Subiffit V Copy To Office	Appropriate District		State of New M				Form C-103	
District I – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			Energy, Minerals and Natural Resources			Revised July 18, 2013 WELL API NO.		
811 S. First St., A		OII	L CONSERVATIO	N DIVIS		015-56550 ndicate Type of Le	195A	
District III – (505)			1220 South St. Francis Dr.			STATE	FEE 🔀	
1000 R <sub>10</sub> Brazos I <u>District IV</u> – (505)	Rd., Aztec, NM 87410 0 476-3460		Santa Fe, NM 87505		6. S	tate Oil & Gas Lea		
	s Dr., Santa Fe, NM							
(DO NOT USE T	HIS FORM FOR PRO	POSALS TO DE	REPORTS ON WELL RILL OR TO DEEPEN OR P	LUG BACK	ТО А		t Agreement Name	
PROPOSALS.)	SERVOIR. USE "APP	LICATION FOR	R PERMIT" (FORM C-101) I	FOR SUCH		way 26/30 Fed Co		
1. Type of Well: Oil Well Gas Well Other					8. V	Vell Number 5	521H	
2. Name of Operator  Mewbourne Oil Company					9. (	9. OGRID Number 14744		
3. Address of Operator					10.	Pool name or Wild	lcat	
		x 5270, Hobb	s, NM 88241		Cass	S Draw; Bone Sprin	ng (10380)	
4. Well Locati Unit I		: 2020	feet from theSou	th lir	ne and 28	5 feet from the	East line	
Section			Township 22S	Range	26E		Eddy County	
Section		11. Elev	ation (Show whether Di					
			3228' GR	, ,				
	10 (1 1			NT .				
	12. Check	Appropria	ate Box to Indicate I	Nature of	Notice, Repo	ort or Other Data	a	
	NOTICE OF	_	_			<b>UENT REPOR</b>		
	MEDIAL WORK		ND ABANDON 🔲	1	DIAL WORK		ERING CASING	
TEMPORARIL	_		E PLANS		ENCE DRILLING	<del></del>	ND A	
PULL OR ALT	ER CASING L	MULTIP	LE COMPL	I CASINO	3/CEMENT JOB			
		_			3/OLIVILIAI GOD			
DOWNHOLE (					S/OLIVILIAT GOD			
CLOSED-LOO							П	
CLOSED-LOO OTHER:	P SYSTEM [			OTHER	l:	_	cluding estimated date	
CLOSED-LOO OTHER: 13. Describ	P SYSTEM [ pe proposed or cor	mpleted opera	ations. (Clearly state all RULE 19.15.7.14 NMA	OTHER	:: details, and give	pertinent dates, in		
CLOSED-LOO OTHER: 13. Describ of start	P SYSTEM [ pe proposed or cor	mpleted opera	ations. (Clearly state all RULE 19.15.7.14 NMA	OTHER	:: details, and give	pertinent dates, in		
CLOSED-LOO OTHER: 13. Describ of start propos	P SYSTEM [ pe proposed or coring any proposed ed completion or r	mpleted opera work). SEE	ations. (Clearly state all RULE 19.15.7.14 NMA	OTHER I pertinent AC. For M	t: details, and give ultiple Completi	pertinent dates, in ons: Attach wellbo	ore diagram of	
CLOSED-LOO OTHER: 13. Describ of start propos Mewbo	P SYSTEM [ pe proposed or coring any proposed ed completion or r purne Oil Co. requ	mpleted opera work). SEE recompletion.	ations. (Clearly state all RULE 19.15.7.14 NMA	OTHER I pertinent AC. For M	details, and give ultiple Completion casing to 7 5/	pertinent dates, in ons: Attach wellbooms: 8" production casis	ore diagram of	
CLOSED-LOO OTHER: 13. Describ of start propos Mewbo	P SYSTEM [ pe proposed or coring any proposed ed completion or r purne Oil Co. requ	mpleted opera work). SEE recompletion.	ations. (Clearly state all RULE 19.15.7.14 NMA	OTHER I pertinent AC. For M	details, and give ultiple Completion casing to 7 5/	pertinent dates, in ons: Attach wellbooms: 8" production casis	ore diagram of	
CLOSED-LOO OTHER:  13. Descrit of start propos  Mewbo detailed  Design	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A belo	mpleted opera work). SEE recompletion. ests approval	ations. (Clearly state all RULE 19.15.7.14 NMA) to change 7 5/8" x 5 ½ 1 is also requested for contact the state of the st	OTHER I pertinent AC. For M  2" production	details, and give ultiple Completi on casing to 7 5/easing design B of	pertinent dates, in ons: Attach wellbe 8" production casis letailed below.	ore diagram of ng w/ 5 ½" liner, as	
CLOSED-LOO OTHER: 13. Descrit of start propos Mewbo detailed	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below	mpleted opera work). SEE a recompletion. ests approval ow. Approva	ntions. (Clearly state all RULE 19.15.7.14 NMA) to change 7 5/8" x 5 ½ 1 is also requested for concessing Description	OTHER I pertinent AC. For M	details, and give ultiple Completion casing to 7 5/	pertinent dates, in ons: Attach wellbooms: 8" production casis	ore diagram of	
CLOSED-LOO OTHER:  13. Descril of start propos  Mewbo detailed  Design  Casing Type	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A	mpleted opera work). SEE recompletion. ests approval	ations. (Clearly state all RULE 19.15.7.14 NMA) to change 7 5/8" x 5 ½ 1 is also requested for contact the state of the st	OTHER I pertinent AC. For M  2" production ontingent of the month of t	details, and give ultiple Completion casing to 7 5/casing design B constitution Setting Depth	pertinent dates, in ons: Attach wellbooms: Attach wellbooms: 8" production casin detailed below.  Sacks Cement	ore diagram of ng w/ 5 ½" liner, as	
CLOSED-LOCOTHER:  13. Describe of start propose Mewbord detailed Design  Casing Type Surface Intermediate Production	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC	OTHER I pertinent AC. For M  2" productiontingent of  Top MD  0  0' 0'	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOCOTHER:  13. Describe of start propose Mewbord detailed Design  Casing Type  Surface Intermediate	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine	mpleted opera work). SEE recompletion. ests approval ow. Approva	tions. (Clearly state all RULE 19.15.7.14 NMA) to change 7 5/8" x 5 ½ l is also requested for comparison to the comparison of the comparis	OTHER  I pertinent  AC. For M  2" production ontingent of the contingent of the cont	details, and give ultiple Completi on casing to 7 5/casing design B of Setting Depth 600 1800	pertinent dates, in ons: Attach wellber 8" production casis detailed below.  Sacks Cement 470 410	ore diagram of  ng w/ 5 ½" liner, as  Top of Cement  0' 0'	
CLOSED-LOCOTHER:  13. Describe of start propose Mewbord detailed Design  Casing Type Surface Intermediate Production	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC	OTHER I pertinent AC. For M  2" productiontingent of  Top MD  0  0' 0'	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOCOTHER:  13. Describe of start propose Mewbord detailed Design  Casing Type Surface Intermediate Production	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC	OTHER I pertinent AC. For M  2" productiontingent of  Top MD  0  0' 0'	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOCOTHER:  13. Describe of start propose Mewbord detailed Design Casing Type Surface Intermediate Production	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC	OTHER I pertinent AC. For M  2" productiontingent of  Top MD  0  0' 0'	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Descril of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine OBM	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	Casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC 5.5" 20# HPP110 Talon	OTHER I pertinent AC. For M 2" production ontingent contingent con	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Descril of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC	OTHER I pertinent AC. For M 2" production ontingent contingent con	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Descril of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine OBM	mpleted opera work). SEE recompletion. ests approval ow. Approva  Hole Size 17.5 12.25 8.75	Casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC 5.5" 20# HPP110 Talon	OTHER I pertinent AC. For M 2" production ontingent contingent con	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055	pertinent dates, in ons: Attach wellber 8" production casin detailed below.  Sacks Cement 470 410 610	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Describ of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine OBM  Est. 6/11/2025	mpleted opera work). SEE in recompletion. ests approval ow. Approval Hole Size 17.5 12.25 8.75 6.75	tions. (Clearly state all RULE 19.15.7.14 NMA)  to change 7 5/8" x 5 ½  l is also requested for containing the state of th	OTHER I pertinent AC. For M 2" production ontingent of the pertinent of th	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055 23899	pertinent dates, in ons: Attach wellbooms: Attach wellbooms: Attach wellbooms: Sacks Cement 470 410 610 970	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Describ of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine OBM  Est. 6/11/2025	mpleted opera work). SEE in recompletion. ests approval ow. Approval Hole Size 17.5 12.25 8.75 6.75	Casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC 5.5" 20# HPP110 Talon	OTHER I pertinent AC. For M 2" production ontingent of the pertinent of th	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055 23899	pertinent dates, in ons: Attach wellbooms: Attach wellbooms: Attach wellbooms: Sacks Cement 470 410 610 970	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Describ of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A  Fluid Type Fresh Water Brine Cut-Brine OBM  Est. 6/11/2025	mpleted opera work). SEE in recompletion. ests approval ow. Approval Hole Size 17.5 12.25 8.75 6.75	tions. (Clearly state all RULE 19.15.7.14 NMA)  to change 7 5/8" x 5 ½  l is also requested for containing the state of th	OTHER I pertinent AC. For M 2" production ontingent of the pertinent of th	details, and give ultiple Completi on casing to 7 5/easing design B of Setting Depth 600 1800 7055 23899	pertinent dates, in ons: Attach wellbooms: Attach wellbooms: Attach wellbooms: Sacks Cement 470 410 610 970	Top of Cement  0' 1600'	
CLOSED-LOO OTHER:  13. Descril of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A    Fluid Type	mpleted opera work). SEE in recompletion.  ests approval ow. Approval 17.5  12.25  8.75  6.75  on above is tr	tions. (Clearly state all RULE 19.15.7.14 NMA)  to change 7 5/8" x 5 ½  l is also requested for containing the state of th	OTHER I pertinent AC. For M  2" production ontingent of the pertinent of t	details, and give ultiple Completi on casing to 7 5/easing design B of the second seco	pertinent dates, in ons: Attach wellbooms: Attach wellbooms: Attach wellbooms: Sacks Cement 470 410 610 970 belief.	Top of Cement  0' 1600' 6855'	
CLOSED-LOO OTHER:  13. Descrit of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:  I hereby certify  SIGNATURE	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A    Fluid Type	mpleted opera work). SEE is recompletion. ests approval ow. Approval 17.5 12.25 8.75 6.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC 5.5" 20# HPP110 Talon  Rig Release I	OTHER I pertinent AC. For M  2" production ontingent of the pertinent of t	details, and give ultiple Completi on casing to 7 5/casing design B of Setting Depth 600 1800 7055 23899	pertinent dates, in ons: Attach wellber 8" production casin detailed below.    Sacks Cement   470	Top of Cement  0' 1600' 6855'	
CLOSED-LOO OTHER:  13. Descrit of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A    Fluid Type	mpleted opera work). SEE is recompletion. ests approval ow. Approval 17.5 12.25 8.75 6.75	tions. (Clearly state all RULE 19.15.7.14 NMA)  to change 7 5/8" x 5 ½  l is also requested for containing the state of th	OTHER I pertinent AC. For M  2" production ontingent of the pertinent of t	details, and give ultiple Completi on casing to 7 5/casing design B of Setting Depth 600 1800 7055 23899	pertinent dates, in ons: Attach wellber 8" production casin detailed below.    Sacks Cement   470	Top of Cement  0' 1600' 6855'	
CLOSED-LOO OTHER:  13. Describ of start propos  Mewbo detailed  Design Casing Type Surface Intermediate Production Liner  Spud Date:  hereby certify  SIGNATURE Type or print na	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A Fluid Type Fresh Water Brine Cut-Brine OBM  Est. 6/11/2025  that the information Andrew Temporal Proposed or coring any proposed of the propos	mpleted opera work). SEE is recompletion. ests approval ow. Approval 17.5 12.25 8.75 6.75	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC 5.5" 20# HPP110 Talon  Rig Release I	OTHER I pertinent AC. For M  2" production ontingent of the pertinent of t	details, and give ultiple Completi on casing to 7 5/casing design B of Setting Depth 600 1800 7055 23899	pertinent dates, in ons: Attach wellber 8" production casin detailed below.    Sacks Cement   470	Top of Cement  0' 1600' 6855'	
CLOSED-LOCOTHER:  13. Describe of start propose Mewbord detailed Design Type Surface Intermediate Production Liner  Spud Date:  [Thereby certify]  SIGNATURE_  Type or print nate For State Use (1)	pe proposed or coring any proposed ed completion or rourne Oil Co. required in Design A below A Fluid Type Fresh Water Brine Cut-Brine OBM  Est. 6/11/2025  that the information Andrew Topolly	mpleted opera work). SEE in recompletion.  ests approvation. Approva  Hole Size  17.5  12.25  8.75  6.75  on above is true  W Taylor  aylor	casing Descripion 13.375" 48# H40 STC 9.625" 36# J55 LTC 7 5/8" 29.7# P110 LTC 5.5" 20# HPP110 Talon  Rig Release I	OTHER I pertinent AC. For M  2" production ontingent of the contingent of the contin	details, and give ultiple Completi on casing to 7 5/casing design B of the same of the sam	pertinent dates, in ons: Attach wellbooms: Attac	Top of Cement  0' 1600' 6855'	

Delign D							
Casing Type	Fluid Type	Hole Size	Casing Descripion	Top MD	Setting Depth	Sacks Cement	Top of Cement
Surface	Fresh Water	17.5	13.375" 48# H40 STC	0	600	470	0'
Intermediate	Brine	12.25	9.625" 36# J55 LTC	0'	1800	410	0'
Production	Cut-Brine	8.75	7 5/8" 29.7# P110 LTC	0'	7955	660	1600'
Liner	OBM	6.75	5.5" 20# HPP110 Talon	7055'	23899	950	7055'

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 472398

## **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	472398
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

## CONDITIONS

-	Created By	Condition	Condition Date
	ward.rikala	Any previous COA's not addressed within the updated COA's still apply.	6/20/2025