Received by OCD in 6/3/2025 7:36:39 AM

Phone: (505) 476-3441 General Information Phone: (505) 629-6116 State of New Mexico Energy, Minerals and Natural Resources Form C-103

Phone: (505) 629-6116		WELL API NO.	
Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.	5. Indicate Type of Lease STATE FEE 6. See Silve Control of the see State Control of the see	
	Santa Fe, NM 87505	6. State Oil & Gas Lease No.	
	AND REPORTS ON WELLS TO DRILL OR TO DEEPEN OR PLUG BACK TO A N FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name	
PROPOSALS.) 1. Type of Well: Oil Well Gas	Well Other	8. Well Number	
2. Name of Operator		9. OGRID Number	
3. Address of Operator		10. Pool name or Wildcat	
4. Well Location			
Unit Letter:		feet from theline	
Section	Township Range	NMPM County	
11	. Elevation (Show whether DR, RKB, RT, GR,	etc.)	
12. Check Appre	opriate Box to Indicate Nature of Notic	ce, Report or Other Data	
NOTICE OF INTEN	- JTION TO:	JBSEQUENT REPORT OF:	
	UG AND ABANDON ☐ REMEDIAL W	ORK ALTERING CASING	
		DRILLING OPNS. P AND A	
PULL OR ALTER CASING MUDOWNHOLE COMMINGLE	ILTIPLE COMPL CASING/CEM	ENT JOB 📙	
CLOSED-LOOP SYSTEM	_	_	
OTHER:	OTHER:	and give pertinent dates, including estimated date	
	SEE RULE 19.15.7.14 NMAC. For Multiple		
proposed completion or recomple	etion.	-	
Spud Date:	Rig Release Date:		
I hereby certify that the information above	e is true and complete to the best of my knowl	edge and belief.	
Thereby coming that the intermediation weeks	is the difference of the cost of my interna-		
SIGNATURE Alicia Fulton	zTITLE	DATE	
Type or print name	F-mail address:	PHONE:	
For State Use Only	E man address.	THOME.	
ADDDOVED DV.	тут с	DATE	
APPROVED BY:Conditions of Approval (if any):	111LE	DATE	



Post Office Box 61229 Houston, TX 77208-1229

1111 Travis St Houston, TX 77002

Phone: 713/591-1244

May 30, 2025

Re: NOI TO REPAIR WELLBORE

NORTHEAST DRINKARD UNIT #224 (30-025-06351)

To whom it may concern:

Hilcorp recently filed a failed MIT for the above-mentioned well. A plan has been created to repair the wellbore and return the well to active status. This document includes the following information:

- Proposed Procedure
- Current WBD
- Proposed WBD

Should you have any questions, please feel free to contact me.

Angela Koliba (713) 591-1244 Angela.Koliba@hilcorp.com

Angela M. Koliba

Sincerely,

Angela M. Koliba

Sr. Operations/Regulatory Tech – Permian West

Hilcorp Energy Company

PROPOSED PROCEDURE TO REPAIR

NORTHEAST DRINKARD UNIT #224 (30-025-06351)


- 1. MIRU
- 2. ND WELLHEAD. NU BOPD. RELEASE PACKER. TEST BOP.
- 3. PULL TUBING OUT OF THE HOLE WHILE SCANNING. ENSURE THAT THE SCANNER IS CALIBRATED FOR LINED TUBING. LAY DOWN ALL RED BAND AND GREEN BAND JOINTS.
- 4. PICK AND RUN IN THE HOLE WITH A PACKER AND RBP. SET RBP @ LEAST 500' ABOVE TOP PERFS. SET PACKER. LOAD AND TEST CASING TO 550 PSI.
- 5. PULL OUT OF THE HOLE WITH TOOLS AND RUN BACK IN THE HOLE WITH A BIT AND BAILER. CLEAN OUT THE WELLBORE TO THE PBTD. PULL OUT OF THE HOLE AND LAY DOWN ALL TOOLS.
- PICK UP WORK STRING AND RUN IN HOLE WITH AN INJECTION PACKER WITH PUMP OUT PLUG. SET PACKER WITHIN 100' OF TOP PERFORMATIONS.
- 7. LOAD AND TEST CASING TO 550 PSI FOR 30 MINUTES. PULL OUT OF THE HOLE AND LAY DOWN WORK STRING.
- 8. RIG UP TUBING TESTERS AND TEST INJECTION TUBING WHILE RUNNING IN THE HOLE. CIRCULATE PACKER FLUID. LATCH ONTO PACKER. PUMP OUT PLUG.
- 9. CONTACT NMOCD WITH AT LEAST 24 HOURS NOTICE, TO SCHEDULE MIT TEST. RUN MIT AT 550 PSI FOR 30 MINUTES AND SUBMIT PASSING TEST AS SOON AS POSSIBLE.
- 10. RDMO



Current WBD

Well Name: NORTHEAST DRINKARD UNIT 224W

Surface Legal Location 4303' FSL, 2317' FEL, Unit J, Sec 2, T-21	Field Name Eunice			Well Configuration Type Vertical
		RKB to GL (ft) 14.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)






Current WBD

Well Name: NORTHEAST DRINKARD UNIT 224W

	Surface Legal Location 4303' FSL, 2317' FEL, Unit J, Sec 2, T-21	Field Name Eunice			Well Configuration Type Vertical
Ground Elevation (ft) 3,496.00	Original KB/RT Elevation (ft) 3,510.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 14.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 470105

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	470105
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By		Condition Date
mgebremichael	Should the workover require tubing replacement, the same tube size stipulated in the respective order shall be replaced. The packer shall not be set more than 100 ft above the injection interval.	6/24/2025