

Well Name: HIGH LIFE FED COM	Well Location: T25S / R25E / SEC 10 / SENE / 32.1465817 / -104.3763823	County or Parish/State: EDDY / NM
Well Number: 202H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM91507	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554526	Operator: TAP ROCK OPERATING LLC	

Subsequent Report

Sundry ID: 2826583

Type of Submission: Subsequent Report

Type of Action: Casing

Date Sundry Submitted: 12/09/2024

Time Sundry Submitted: 03:54

Date Operation Actually Began: 12/04/2024

Actual Procedure: Well spud on 12/4/2024 at 23:15 12/4/2024: Drill 14.75 inch surface hole to 370ft. 12/5/2024: Run 11.75 inch 42.0 lb J-55 surface casing to 353 ft. Pump 10 bbl sodium silicate, 20 bbl water spacer, followed 355 sks of 14.8 ppg tail cmt. Drop plug and displace with 37 bbls freshwater. No cmt returns. Pressure test casing to 1500 PSI for 30 minutes, good test. Perform top out job, pumping 55 bbls of 14.8 ppg cmt, no returns. Repeat process for second top out job, no returns. Pump 85 bbls of 14.8 ppg cmt, no returns for third top out job. Pump 30 bbls of 14.2 ppg cmt. 10 bbls of cmt returned to surface. Surface Casing Details: Casing ran: 12/5/2024, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 11.75 inch, Weight 42.0 lbs, Grade J-55, Est TOC 0 ft, Depth set 353 ft, Cement 355 sacks, Yield 1.34 1.60, Class C. Pressure test: 1500 PSI, Pressure Drop: 0.

Additional Information for NMOCD:

12/5/2025: Performed pressure test on surface casing after surface cement job – 1,500PSI for 30 minutes, results of test good. No losses during test.

Temperature Log ran as surface cement did not circulate. Log attached.

Performed First Top Out Job:

12/6/2025: Run 1" pipe down annulus, pump 20 bbls of sodium silicate, 5 bbls freshwater, followed by 55 bbls of 14.8 ppg cement (230 sks – 1.34 ft/sack). No returns. Wait three hours.

Performed Second Top Out Job:

Pump 20 bbls of sodium silicate, 5 bbls freshwater, followed by 55 bbls of 14.8 ppg cement (230 sks – 1.34 ft/sack). No returns. Wait three hours.

Performed Third Top Out Job:

Pump 2 bbls freshwater, followed by 85 bbls of 14.8 ppg cement (356 sks – 1.34 ft/sack). No returns.

Performed Fourth Top Out Job:

Pump 2 bbls freshwater, followed by 30 bbls of 14.2 ppg cement (60 sks – 2.83 ft/sack). 10 bbls of cement to surface (20 sks).

Final Cement total for surface cement job: 1231 sks

Well Name: HIGH LIFE FED COM

Well Location: T25S / R25E / SEC 10 / SENE / 32.1465817 / -104.3763823

County or Parish/State: EDDY / NM

Well Number: 202H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM91507

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001554526

Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BILL RAMSEY

Signed on: DEC 09, 2024 03:54 PM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Phone: (720) 360-4028

Email address: BRAMSEY@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 12/20/2024

Signature: Jonathon Shepard

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 477130

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 1700 Lincoln St Denver, CO 80203	OGRID: 372043
	Action Number: 477130
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
keith.dziokonski	• Operator failed to perform a CBL as prescribed in previous conditions of approval notes, the failure to follow a COA will result in review for potential compliance actions.	6/25/2025
keith.dziokonski	Please submit logs separately and upload as .Tiff file. Thank you	6/25/2025